

CARIMALI  
design water\_space

2.0

Finiture  
Finishes



### MODERN

CATEGORY	SPZ	NKLU	STN	NKSP	NKSPOP CRSP	NEOP BIOP	CRNE	OROS	BRD - PTQ PBL - VBL*
1	NO	20%	30%	40%	45%	40%	90%	55%	45%
2	NO	20%	30%	40%	45%	40%	80%	80%	45%
3	NO	20%	30%	40%	45%	40%	90%	105%	45%
4	NO	20%	30%	40%	45%	40%	95%	120%	45%
5	NO	20%	30%	45%	50%	45%	80%	110%	50%
6	NO	20%	30%	40%	45%	40%	95%	125%	45%
7	NO	20%	30%	40%	45%	40%	55%	80%	45%
8	NO	20%	30%	40%	45%	40%	110%	155%	45%
9	NO	20%	30%	40%	45%	40%	30%	60%	45%
10	NO	20%	30%	40%	45%	40%	55%	65%	45%
11	NO	30%	60%	110%	120%	75%	135%	95%	80%
12	NO	10%	20%	55%	60%	50%	70%	75%	55%
13	NO	30%	60%	100%	120%	90%	180%	180%	95%
14	25%	NO	NO	NO	NO	NO	NO	NO	NO

\*Disponibili altri colori RAL su richiesta: maggiorazione BRD/PTQ/PBL/VBL

+ un extra costo di 150,00 EURO per ogni set bagno completo.

\*Other RAL colours available on request: surcharge BRD/PTQ/PBL/VBL

+ additional cost of EUR 150,00 for each complete bathroom set.

### CLASSIC

CATEGORY	VO - VOM - VOS - VR	VOOP - VOMOP - VOSOP	ORO 24K - ORIGI	ORSP	GL	DBM
1	45%	50%	40%	50%	NO	60%
2	45%	50%	55%	65%	NO	75%
3	45%	50%	70%	80%	20%	90%
4	45%	50%	90%	100%	NO	110%
5	45%	50%	65%	75%	NO	85%
6	45%	50%	80%	85%	NO	95%
7	45%	50%	55%	60%	NO	70%
8	45%	50%	100%	110%	NO	120%
9	45%	50%	45%	50%	NO	60%
10	110%	120%	75%	85%	NO	95%
11	55%	60%	55%	65%	NO	75%
12	100%	120%	100%	150%	NO	160%

### PVD

CATEGORY	POLISH PVD		BRUSHED PVD		MATT PVD	
	CB - RG - GLD - CHM - PLS - GM - BM	CBB - RGB - GLDB - CHMB - PLSB - GMB - BMB	CBM - CHMM - GMM	CB - RG - GLD - CHM - PLS - GM - BM	CBB - RGB - GLDB - CHMB - PLSB - GMB - BMB	CBM - CHMM - GMM
1	100%		110%		120%	
2	140%		150%		170%	
3	115%		140%		185%	
4	80%		90%		100%	
5	110%		120%		130%	
6	155%		165%		175%	
7	70%		80%		90%	
8	110%		130%		160%	
9	50%		70%		80%	
10	180%		270%		280%	
11	180%		200%		220%	

### MODERN



### CLASSIC



### PVD



### PVD BRUSHED



### PVD MATT





CARIMALI  
design water\_space

2.0

# CARIMALI

design water\_space

## Calflex

**1985** Calflex was founded in 1985 producing tapware items, such as accessories and hoses. A few years later, the company's professionalism, reliability and the quality of the products enabled Calflex to build business partnerships abroad by acquiring an international clientele. The company responds and fully satisfies the needs of the most demanding clients by innovating and designing new products that have established themselves to the point of becoming real market trends.



## CARIMALI

**2014** Calflex focuses on a new corporate philosophy, inspired by the feelings of well-being that each of us wants to experience on a daily basis, and on providing complete and functional designer bathrooms.

With the launch of CARIMALI brand, which incorporates modern design and Made in Italy, the company represents the evolution of the bathroom as an intimate environment where inner being and creativity can be expressed with complete and customisable wellness solutions.

Calflex's mission is to improve quality of life and psychophysical well-being through the creation of design products, without sacrificing functionality and ease of use.

The quest for beauty and simplicity come together in a concept of home spa, elevating the bathroom to an intimate place of personal well-being.

Product **design** is for CARIMALI design water\_space an essential aspect. From the Calflex tradition, lines and shapes are strongly characterised by Italian style and taste. A modern and minimalist design that is always contemporary.

The company continues to invest in **R&D** and in innovative solutions for design, structure and technology to be able to provide exclusive and unique products at an international level. The company know-how is guarded by the in-house technical department, the beating heart of company creativity.

**Wellness**

**Design**

**Functionality**

**Practicality**

**Home Wellness SPA**

**Made in Italy**



## Eco-friendly

The company pays the utmost attention to the reduction of environmental impact both in the design phases and throughout the entire production cycle. The Suntech STP 200 photovoltaic system enables Calflex to produce up to 90,000 kW per year of green energy, more than 80% of its total requirements, and a project of an innovative trigeneration plant underlines the company's commitment to this sector.

When designing, the focus is on the circular economy model in which everything is designed to regenerate value, preventing the production of waste.

The aim is to extend the life of products by ensuring maximum durability and repair. Calflex pays special attention to the environment and water saving throughout the entire range and, in particular, for the new MySlim and OttoMillimetri shower head collections. A technological innovation inside the shower head reduces the flow rate at the inlet of the shower head and distributes the water evenly over the entire surface of the anti-limescale filter, thus ensuring higher performance with lower water consumption.

## Assistance

Calflex's commercial and technical staff is at customer's complete disposal and provides assistance at all stages of the purchasing process. Shipments and orders are handled with the utmost care and attention to different needs, for complete and full customer satisfaction.

Continuous after-sales support. The products are designed to allow the replacement of every single component easily and quickly. Given the reliability of the products, the company guarantees its articles for up to 5 years from proven purchase by the end customer, except for parts subject to particular wear and tear.

## Quality


The company has always given priority to the care of materials and pays attention to even the smallest detail. To safeguard quality, 95% of the Calflex range is produced in-house, which includes a high performance galvanic plant.

Calflex relies on a production chain composed of highly specialised suppliers at "zero kilometre". The short-range system, typical of Made in Italy, is structured according to a sustainable development model in order to achieve a low environmental impact. This production process also allows the company constant monitoring of processes and quality, and ensures that both traceability and production sustainability are at the forefront of operations.

Thanks to targeted investments in proprietary moulds, the company is able to offer different price solutions with mixer, shower heads and shower accessories in different materials and finishes, without ever sacrificing aesthetics.

The use of chromium-plated steel, an internal galvanic treatment, guarantees further protection and durability of the products and well highlights the company's commitment to investing in new production technologies that are essential to guarantee the high quality standards that only a Made in Italy handcrafted product can claim. Great importance is also placed on the technical quality of the products, which are supplied as much as possible pre-assembled - high technical standards for fast installation and easy replacement of all components.

## TECNOLOGIES



### ANTI-LIMING

Anti-liming technology featuring flexible, limescale-resistant certified silicone nozzles for easy removal of limescale build-up.



### HI-TECH CONNECTION

Wellness devices with integrated Bluetooth connection system for control and management via the customer's own Bluetooth devices.

## ECO

### WATER SAVING



Flow reducer integrated into the shower head structure for optimised water savings, even on shower heads of large dimensions.




### EASY INSTALLATION

Pre-assembled products characterized by kits and technical solutions aiming at simplifying their installation.



### SAFE AND SECURE INSTALLATION

Protective cover for the safe installation of concealed mixers with an indication of the maximum and minimum concealed depth measurements. Moreover, the cover avoids that deposits, impurities or concrete penetrate the concealed part.



### EASY MAINTENANCE

The inspectionability of the products simplifies cleaning and maintenance operations and any replacement of spare parts that are always available.

## LEGENDS



### RAIN JET



### SOFT JET



### WATERFALL JET



### TROPICAL WATERFALL



### LATERAL JETS



### SHOWER



### LATERAL ATOMIZER



### ATOMIZER ON SHOWER HEAD



### KNEIPP



### PERIMETRAL RAIN JET



### CENTRAL RAIN JET



### SPOUT



### CENTRAL JET



### LATERAL JET




### RAIN JET + CENTRAL JET



### WHIRLPOOL JET



### LATERAL JET + WHIRLPOOL JET



### RAIN JET + WHIRLPOOL JET



### CENTRAL RAIN JET + WHIRLPOOL JET



### SHOWER SOFT JET



### RAIN JET + SHOWER SOFT JET




### WHIRLPOOL LATERAL JET



### WATERFALL JET FOR HAND SHOWER


## LEGENDS




INSPECTABLE AND SERVICEABLE WATERFALL




ADJUSTABLE WATERFALL




INSPECTABLE AND SERVICEABLE BODY-JET




INSPECTABLE AND SERVICEABLE ATOMIZER



INSPECTIONABILITY



ANTI-LIMING



DOUBLE ADJUSTMENT  
on both wall holders




AROMATHERAPY



MY CALFLEX MUSIC



TURNING SHOWER COLUMN  
with adjustable mounting  
and articulated shower holder




TURNING TELESCOPIC  
SHOWER COLUMN  
with adjustable mounting  
and articulated shower holder



TURNING  
SLIDING BAR



TURNING SHOWER  
ARM



DOUBLE  
ANTI-TORSION



5 JETS INSPECTABLE  
AND SERVICEABLE SYSTEM



DRIP-LESS  
SYSTEM



CHROMOTHERAPY



WHITE LIGHT



NET PRICE

Net price available for the article.  
Special commercial conditions available.





## 4 COMPANY PROFILE

---

### 15 MIXERS

- 16** UNIVERSAL BUILT-IN PART
- 28** SCULL
- 50** QTIME
- 74** OCUBE
- 98** DSIDE
- 122** STILL-OH
- 140** RACE
- 162** NAVIS316
- 184** ILTONDO
- 218** ILQUADRO
- 252** MYSPRING
- 266** COLONIAL
- 285** MISCELLANEOUS ITEMS
- 286** Shut-offs
- 291** External Mixers
- 292** Washbasin/Bathtub Spouts

### 295 SHOWER HEADS

- 297** CONCEALED
- 333** WALL-AND CEILING-MOUNTED

### 367 OPTIONAL WELLNESS

- 370** DUPLEX
- 377** WELLNESS
- 388** WELLNESS PATH

### 393 COLUMNS AND SLIDING RAILS KIT

- 396** COLUMNS WITH MIXER
- 426** SINGLE COLUMNS
- 436** SLIDING RAILS KIT

### 453 CONTRACT LINE

### 485 MISCELLANEOUS ITEMS

- 487** SHOWERS
- 495** PUSH-LEVER SHOWERS
- 499** FLEXIBLE HOSES
- 503** COMPLEMENTARY ITEMS
- 504** Pop-Up Wastes - Siphons - Filter Taps
- 507** WC plates
- 509** ACCESSORIES AND SPARE PARTS
- 510** Wall outlets and holders
- 513** Columns and sliding rails spare parts
- 517** Shower heads spare parts
- 519** Mixers spare parts
- 522** CARTRIDGES

### 529 DETAILS

### 555 INSTALLATION HEIGHTS


### 575 FINISHINGS

### 582 CODE INDEX

### 606 SALES CONDITIONS AND WARRANTY



## Mixers



**SCULL**  
Page 28




**STILL-OH**  
Page 122



**ILQUADRO**  
Page 218



**QTIME**  
Page 50




**RACE**  
Page 140



**MYSPRING**  
Page 252



**OCUBE**  
Page 74



**NAVIS 316**  
Page 162



**COLONIAL**  
Page 266



**DSIDE**  
Page 98



**ILTONGO**  
Page 184



**OTHER ITEMS**  
Page 284



FUNCTIONAL DESIGN

Designed to guarantee durability, strength and practicality



EXTENSION KIT

Extension kit for concealed mixers available on request




MULTI-SERIES

Compatible with different collections



EASY INSTALLATION

Pre-assembled products with kit and technical solutions for easy installation



SAFE AND SECURE INSTALLATION

Equipped with a protective cover for safe installation and to keep the body of the mixer clean of any impurities





## WASHBASIN AND BIDET MIXERS

CONCEALED	CARTRIDGE	SCULL	QTIME	OCUBE	DSIDE	STILL-OH	RACE	NAVIS16	ILTONDO	ILQUADRO	MYSPRING	COLONIAL
	Ceramic headworks		• page 58-60	• page 82-84	• page 106-108							
	Ceramic headworks		• page 56-57	• page 80-81	• page 104-105							
	Conventional cartridge					• page 130	• page 146	• page 168	• page 190	• page 224		
	Conventional cartridge					• page 147	• page 169	• page 191	• page 225	• page 258		
	-						• page 171					


## SHOWER MIXERS WITH THERMOSTATIC CARTRIDGE

CONCEALED	SCULL	QTIME	OCUBE	DSIDE	STILL-OH	RACE	NAVIS16	ILTONDO	ILQUADRO	MYSPRING	COLONIAL
		• page 69		• page 93	• page 117					• page 206	• page 241
		• page 69		• page 93	• page 117					• page 207	• page 241
		• page 70		• page 94	• page 118					• page 207	• page 242
		• page 70		• page 94	• page 118					• page 207	• page 242
		• page 71		• page 95	• page 119					• page 208	• page 243
		• page 68		• page 92	• page 116					• page 203	• page 238
		• page 68		• page 92	• page 116					• page 203	• page 238
										• page 204	• page 239

## SHOWER MIXERS WITH THERMOSTATIC CARTRIDGE

CONCEALED	SCULL	QTIME	OCUBE	DSIDE	STILL-OH	RACE	NAVIS16	ILTONGO	ILQUADRO	MYSPRING	COLONIAL
											
<b>W21058</b>											
Concealed part for 5-way vertical/horizontal thermostatic shower mixer, simultaneous openings, ceramic headworks Inlets G 1/2"											
											
<b>W21068</b>											
Concealed part for 6-way vertical/horizontal thermostatic shower mixer, simultaneous openings, ceramic headworks Inlets G 1/2"											
											
<b>W21221CR PN</b>											
Concealed part for 2-way vertical/horizontal thermostatic shower mixer, rotating diverter with closure Inlets G 1/2"	• page 44-46	• page 67	• page 91	• page 115	• page 136	• page 155					
											
<b>W21231CR PN</b>											
Concealed part for 3-way vertical/horizontal thermostatic shower mixer, rotating diverter with closure Inlets G 1/2"	• page 44-46	• page 67	• page 91	• page 115	• page 136	• page 155					
											
<b>W21241CR</b>											
Concealed part for 4-way vertical/horizontal thermostatic shower mixer, rotating diverter with closure Inlets G 1/2"	• page 44-46										
											
<b>W21251CR</b>											
Concealed part for 5-way vertical/horizontal thermostatic shower mixer, rotating diverter with closure Inlets G 1/2"	• page 44-46										
											
<b>W21261CR</b>											
Concealed part for 6-way vertical/horizontal thermostatic shower mixer, rotating diverter with closure Inlets G 1/2"	• page 44-46										

## SHOWER MIXERS WITH THERMOSTATIC CARTRIDGE

CONCEALED	SCULL	QTIME	OCUBE	DSIDE	STILL-OH	RACE	NAVIS16	ILTONGO	ILQUADRO	MYSPRING	COLONIAL
											
<b>W21800CR</b>											
Concealed part for thermostatic single diverter without opening Inlets G 1/2"											
											
<b>W21801CR</b>											
Concealed part for 2-way rotating diverter with closure Inlets G 1/2"											
											
<b>W21802CR</b>											
Concealed part for 3-way rotating diverter with closure Inlets G 1/2"											
											
<b>W5100 PN</b>											
Concealed part for 2-way thermostatic shower mixer with plate and hand shower holder, rotating diverter with closure Inlets G 1/2"	• page 42	• page 67	• page 90	• page 114							
											
<b>W5101 PN</b>											
Concealed part for 3-way thermostatic shower mixer with plate and hand shower holder, rotating diverter with closure Inlets G 1/2"	• page 42	• page 67	• page 90	• page 114							
											
<b>W5102</b>											
Concealed part for 4-way thermostatic shower mixer with plate and hand shower holder, rotating diverter with closure Inlets G 1/2"	• page 42	• page 67	• page 90	• page 114							
											
<b>W5103</b>											
Concealed part for 5-way thermostatic shower mixer with plate and hand shower holder, rotating diverter with closure Inlets G 1/2"	• page 42	• page 67	• page 90	• page 114							
											
<b>W5104</b>											
Concealed part for 6-way thermostatic shower mixer with plate and hand shower holder, rotating diverter with closure Inlets G 1/2"	• page 42	• page 67	• page 90	• page 114							

## SHOWER MIXERS THERMOSTATIC CARTRIDGE

CONCEALED	SCULL	QTIME	OCUBE	DSIDE	STILL-OH	RACE	NAVIS16	ILTONDO	ILQUADRO	MYSPRING	COLONIAL
						• page 154		• page 199			
<b>W5105</b> Concealed part for 2-way thermostatic shower mixer "pocket" and hand shower holder, rotating diverter with closure Inlets G 1/2"						• page 154		• page 199			
						• page 154		• page 199			
<b>W5106</b> Concealed part for 3-way thermostatic shower mixer "pocket" and hand shower holder, rotating diverter with closure Inlets G 1/2"						• page 154		• page 199			

## SHOWER MIXERS WITH MECHANICAL CARTRIDGE

CONCEALED	SCULL	QTIME	OCUBE	DSIDE	STILL-OH	RACE	NAVIS16	ILTONDO	ILQUADRO	MYSPRING	COLONIAL
						• page 157-158		• page 210-211	• page 245-246		• page 281-282
<b>W21421CR</b>  Concealed part for 2-way vertical/horizontal mechanical shower mixer, rotating diverter with closure Inlets G 1/2"						• page 157-158		• page 210-211	• page 245-246		• page 281-282
						• page 157-158		• page 210-211	• page 245-246		• page 281-282
<b>W21431CR</b>  Concealed part for 3-way vertical/horizontal mechanical shower mixer, rotating diverter with closure Inlets G 1/2"						• page 157-158		• page 210-211	• page 245-246		• page 281-282
								• page 210-211	• page 245-246		• page 281-282
<b>W21341CR</b> Concealed part for 4-way vertical/horizontal mechanical shower mixer, rotating diverter with closure Inlets G 1/2"								• page 210-211	• page 245-246		• page 281-282
								• page 210-211	• page 245-246		• page 281-282
<b>W21351CR</b> Concealed part for 5-way vertical/horizontal mechanical shower mixer, rotating diverter with closure Inlets G 1/2"								• page 210-211	• page 245-246		• page 281-282
								• page 210-211	• page 245-246		• page 281-282
<b>W21361CR</b> Concealed part for 6-way vertical/horizontal mechanical shower mixer, rotating diverter with closure Inlets G 1/2"								• page 210-211	• page 245-246		• page 281-282

## SHOWER MIXERS WITH MECHANICAL CARTRIDGE

CONCEALED	SCULL	QTIME	OCUBE	DSIDE	STILL-OH	RACE	NAVIS16	ILTONDO	ILQUADRO	MYSPRING	COLONIAL
						• page 157				• page 209	• page 244
<b>W21529CR</b>  Concealed part for 2-way mechanical shower mixer with plate and hand shower holder, rotating diverter with closure Inlets G 1/2"						• page 157				• page 209	• page 244
						• page 157				• page 209	• page 244
<b>W21539CR</b>  Concealed part for 3-way mechanical shower mixer with plate and hand shower holder, rotating diverter with closure Inlets G 1/2"						• page 157				• page 209	• page 244
										• page 209	• page 244
<b>W21949CR</b> Concealed part for 4-way mechanical shower mixer with plate and hand shower holder, rotating diverter with closure Inlets G 1/2"										• page 209	• page 244
										• page 209	• page 244
<b>W21959CR</b> Concealed part for 5-way mechanical shower mixer with plate and hand shower holder, rotating diverter with closure Inlets G 1/2"										• page 209	• page 244
										• page 209	• page 244
<b>W21969CR</b> Concealed part for 6-way mechanical shower mixer with plate and hand shower holder, rotating diverter with closure Inlets G 1/2"										• page 209	• page 244

## SHOWER MIXERS WITH CONVENTIONAL CARTRIDGE


CONCEALED	SCULL	QTIME	OCUBE	DSIDE	STILL-OH	RACE	NAVIS16	ILTONDO	ILQUADRO	MYSPRING	COLONIAL
						• page 160	• page 177	• page 213	• page 249-250	• page 265	• page 283
<b>W4700 PN</b>						• page 160	• page 177	• page 213	• page 248-249	• page 265	• page 283
Concealed part for 1-way single-control shower mixer Inlets G 1/2"											
						• page 160	• page 177	• page 213	• page 248-249	• page 265	• page 283
<b>W4701 PN</b>						• page 160	• page 177	• page 213	• page 248-249	• page 265	• page 283
Concealed part for 2-way single-control shower mixer; automatic diverter with shut-off Inlets G 1/2"											
						• page 159		• page 212	• page 248		
<b>W5700</b>						• page 159		• page 212	• page 248		
Concealed part for 1-way single-control shower mixer with hand shower holder Inlets G 1/2"											
						• page 159		• page 212	• page 247		
<b>W5701 PN</b>						• page 159		• page 212	• page 247		
Concealed part for 2-way single-control shower mixer with hand shower holder; automatic diverter with shut-off Inlets G 1/2"											

## BATH MIXERS

CONCEALED	CARTRIDGE	SCULL	QTIME	OCUBE	DSIDE	STILL-OH	RACE	NAVIS16	ILTONDO	ILQUADRO	MYSPRING	COLONIAL
	Thermostatic cartridge		• page 73	• page 97	• page 121	• page 137					• page 214	
<b>W6100</b>	Thermostatic cartridge		• page 73	• page 97	• page 121							
Concealed part for 2-way thermostatic tub mixer with spout, plate and hand shower holder; automatic diverter with shut-off Inlets G 1/2"												
	Thermostatic cartridge		• page 73	• page 97	• page 121							
<b>W6101</b>	Thermostatic cartridge		• page 73	• page 97	• page 121							
Concealed part for 3-way thermostatic tub mixer with spout, plate and hand shower holder; automatic diverter with shut-off Inlets G 1/2"												
	-		• page 73	• page 97	• page 121	• page 137					• page 214	
<b>W7301</b>	Concealed part for freestanding tub column Inlets G 3/4"		• page 73	• page 97	• page 121	• page 137						
Concealed part for freestanding tub column Inlets G 1/2"												
	-										• page 178	
<b>W7302</b>	Concealed part for freestanding tub column Inlets G 1/2"											

## OPTIONAL MOUNTING KIT FOR CONCEALED G 1/2" INLETS

The **special protective polystyrene cover** protects the concealed mixer body from contamination, facilitates installation and provides ample room for manoeuvring both during installation and when replacing control components at a later date with no need for carrying out building work.



Insert the concealed assembly with protection, fixing plates and mounted testing knobs into the groove. Use the supplied rear plate and brackets for wall or plasterboard mounting.






When the coating is complete, remove the fixing plates and the system testing handle, affixing it flush against the protection.



Trim the protection and create the openings to mount the knobs and valves.



Finish off the installation by inserting and fixing the exposed components.



## MOUNTING KIT OPTIONAL FOR CONCEALED G 3/4" INLETS

The stainless steel concealed kit allows all CARIMALLI high flow rate thermostatic mixers to be installed safely and rapidly in both masonry and plasterboard walls.

1.  
Level and secure the concealed box.

2.  
Fit the thermostatic assembly onto the support plate.


3.  
Insert the concealed group into the mounting box and secure with the screws provided.  
Connect the water supply and test the system.

4.  
Remove the protection. Finish with plaster and lay the coating.  
Lastly, install and secure the aesthetic plate of the thermostatic with all components.

## PROTECTIVE COVER CONCEALED PART


### WALL-MOUNTED WASHBASIN MIXER

The **special protective polystyrene cover** protects the concealed mixer body from contamination, facilitates installation and provides ample room for manoeuvring both during installation and when replacing control components at a later date with no need for carrying out building work.




1.

Insert the concealed group with protection, fixing plates and testing knobs fitted into the groove in the wall.  
Use the supplied rear plate and brackets for wall or plasterboard mounting.




2.

Check the conceal depths as indicated on the protective cover, finish with plaster and coating.  
Test for correct operation of the concealed assembly by inserting the supplied handle  
Test open/close operation.




3.

When the coating is complete, remove the fixing plates and the system testing handle.



4.


Trim the polystyrene protection and create openings to mount the knobs.



# Scull

Design Daniele Poli

Scull was designed under the principles of lightness and sinuosity, capable of combining nautical design inspirations with the practicality of furniture



## Originality

Scull is sheer architecture, a blend of functionality and form that intentionally breaks with classical rules.

## Design

The brand-new design merges with a shrewd study of lines and a wise use of natural materials that bring the standards of well-being to new levels.

## Craftsmanship

Scull is synonymous for craftsmanship. The pure pursuit of beauty and durability of materials makes each element a unique piece, designed and crafted to become the protagonist of the scene.

## Mixers





# Scull

Organic shapes meet the fluid lines of nautical design to bring life to a product that celebrates the relationship among man, water and well-being. The Scull washbasin draws inspiration from the bow of a 30's sailboat, while the integrated single-lever faucet recalls its helm. Together, the two elements give rise to a unique product design and an entire collection dedicated to the bathroom environment.

## WASHBASIN

**34** CONVENTIONAL CARTRIDGE

## BIDET

**37** CONVENTIONAL CARTRIDGE

## ACCESSORIES

**38** POP-UP WASTE

**38** SIPHONS

**38** FILTER TAPS

## SHOWER

**42** CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"

## CONVENTIONAL CARTRIDGE

## TALL WASHBASIN MIXER INCLUDING WASHBASIN

from page 34



Wood single control mixer with walnut washbasin



Pearl single control mixer with Corian washbasin

## CONVENTIONAL CARTRIDGE

## BIDET

from page 37



Wood bidet single control mixer



Pearl bidet single control mixer



Brass bidet single control mixer

## TALL WASHBASIN

from page 35



Wood tall washbasin single control mixer



Pearl tall washbasin single control mixer



Brass tall washbasin single control mixer

## ACCESSORIES

## POP-UP WASTE - SIPHONS - FILTER TAPS

from page 38



Pop-up waste



Minimal siphon



Filter taps

## WASHBASIN

from page 36



Wood washbasin single control mixer



Pearl washbasin single control mixer





Brass washbasin single control mixer

ART. 0-SCL1701/V-CR complete article € 5.220,00

**WOOD SCULL**

Complete tall washbasin 1-tap mixer and washbasin

- Complete tall washbasin single hole mixer and washbasin
- Handle in Italian walnut
- Spout center distance 150 mm
- Single control mixer
- Connection flexible hoses
- With 1" 1/4 drain.
- 2-in-1 system for washbasin with or without overflow
- Chrome

**AVAILABLE FINISHINGS**

**MODERN**  
**CLASSIC**  
**PVD**



For finishing surcharge, quote on request.  
Photo matt brushed nickel finishing

ART. 0-SCL1702/V-CR complete article € 2.123,00

**PEARL SCULL**

Complete tall washbasin single-hole mixer and washbasin

- Complete washbasin in Corian Glacier White
- Handle in Corian Glacier White
- Spout center distance 150 mm
- Single control mixer
- Connection flexible hoses
- With 1" 1/4 drain.
- 2-in-1 system for washbasin with or without overflow
- Chrome

**AVAILABLE FINISHINGS**

**MODERN**  
**CLASSIC**  
**PVD**


For finishing surcharge, quote on request.  
Photo matt brushed nickel finishing

ART. 0-SCL1701-CR complete article € 536,00

**WOOD SCULL**

Tall washbasin single-hole mixer

- Handle in Italian walnut
- Spout center distance 150 mm
- Single control mixer
- Connection flexible hoses
- Without drain
- Chrome



**AVAILABLE FINISHINGS**  
**MODERN** 2  
**CLASSIC** 1  
**PVD** 9


For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing

ART. 0-SCL1702-CR complete article € 603,00

**PEARL SCULL**

Tall washbasin single-hole mixer

- Handle in Corian Glacier White
- Spout center distance 150 mm
- Single control mixer
- Connection flexible hoses
- Without drain
- Chrome



**AVAILABLE FINISHINGS**  
**MODERN** 2  
**CLASSIC** 1  
**PVD** 9


For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing

ART. 0-SCL1703-CR complete article € 474,00

**SCULL**

Tall washbasin single-hole mixer

- Handle in brass
- Spout center distance 150 mm
- Single control mixer
- Connection flexible hoses
- Without drain
- Chrome



**AVAILABLE FINISHINGS**  
**MODERN** 2  
**CLASSIC** 1  
**PVD** 9

For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing


ART. 0-SCL0701-CR complete article € 411,00



## WOOD SCULL

Washbasin single-hole mixer

- Handle in Italian walnut
- Spout center distance 80 mm
- Single control mixer
- Connection flexible hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

MODERN 2

CLASSIC 1

PVD 9

For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing


ART. 0-SCL0702-CR complete article € 478,00



## PEARL SCULL

Washbasin single-hole mixer

- Handle in Corian Glacier White
- Spout center distance 80 mm
- Single control mixer
- Connection flexible hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

MODERN 2

CLASSIC 1

PVD 9

For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing


ART. 0-SCL0703-CR complete article € 347,00



## SCULL

Washbasin single-hole mixer

- Handle in brass
- Spout center distance 80 mm
- Single control mixer
- Connection flexible hoses
- Without drain
- Chrome




## AVAILABLE FINISHINGS

MODERN 2

CLASSIC 1


PVD 9

For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing

## WOOD SCULL

Bidet single-hole mixer

- Handle in Italian walnut
- Spout center distance 100 mm
- Single control mixer
- Connection flexible hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

MODERN 2

CLASSIC 1

PVD 9

For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing


ART. 0-SCL3702-CR complete article € 511,00



## PEARL SCULL

Bidet single-hole mixer

- Handle in Corian Glacier White
- Spout center distance 100 mm
- Single control mixer
- Connection flexible hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

MODERN 2

CLASSIC 1


PVD 9

For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing

## SCULL

Bidet single-hole mixer

- Handle in brass
- Spout center distance 100 mm
- Single control mixer
- Connection flexible hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

MODERN 2

CLASSIC 1

PVD 9

For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing


ART. 70320-CR brass € 55,50  
 ART. 70321-CR ABS € 37,00

PN



## Pop-up drain

- Pop-up waste 1" 1/4
- Brass / ABS
- 2-in-1 system for washbasin with or without overflow
- Chrome



## AVAILABLE FINISHINGS

MODERN 12  
 CLASSIC 11  
 PVD 2


For finishing surcharge, see table on the inside cover of the catalogue  
 PN See legend on page 10

ART. 70400-CR € 138,00



## Minimal siphon

- Siphon 1" 1/4
- Brass
- Chrome



## AVAILABLE FINISHINGS

MODERN 11  
 CLASSIC 10  
 PVD 10



For finishing surcharge, see table on the inside cover of the catalogue

ART. 70600-CR € 119,00



## Filter tap pair


- 2 filter taps
- Fitting G 1/2" x G 3/8"
- Brass
- Chrome



## AVAILABLE FINISHINGS

MODERN 6  
 CLASSIC 6  
 PVD 5

For finishing surcharge, see table on the inside cover of the catalogue



SHOWER

42

CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"

## THERMOSTATIC CARTRIDGE

CONCEALED INLETS G 1/2"

from page 42

Wood Scull Duplex  
integrated 2-3 wayWood Scull Duplex  
integrated 4-5-6 wayPearl Scull Duplex  
integrated 2-3 wayPearl Scull Duplex  
integrated 4-5-6 way

Scull shower head

Wood Scull Vertical  
2-3 wayWood Scull Vertical  
4-5-6 wayWood Scull Horizontal  
2-3 wayWood Scull Horizontal  
4-5-6 way

Body jet Tondo

Pearl Scull Vertical  
2-3 wayPearl Scull Vertical  
4-5-6 wayPearl Scull Horizontal  
2-3 wayPearl Scull Horizontal  
4-5-6 way

Stick 4

\* For other shower solutions, see Shower head section from page 295 and Optional &amp; Wellness section from page 367

## SHOWER CONCEALED THERMOSTATIC CARTRIDGE

ART. 0-SCL5101EST-CR outer part 2-way € 447,00  
ART. 0-SCL5102EST-CR outer part 3-way € 447,00




### WOOD SCULL

- Integrated duplex concealed shower mixer
- Handles in Italian walnut
  - Thermostatic cartridge
  - Rotating diverter with 2 or 3 outlet closure
  - 1 jet shower Stick in brass
  - Wall outlet with hand shower holder
  - PVC flexible hose 150 cm
  - Inlets G 1/2"
  - Concealed with protective cover<sup>3</sup>
  - Chrome

ART. W5100<sup>1</sup> concealed part 2-way € 470,00  
ART. W5101<sup>1</sup> concealed part 3-way € 506,00

(PN)



### AVAILABLE FINISHINGS

- MODERN 5  
CLASSIC 5  
PVD 5

For finishing surcharge, see table on the inside cover of the catalogue

Photo matt brushed nickel finishing  
1 See installation heights, flow rate and spare parts table page 566  
2 Order outer part number + concealed part number

3 See details page 530  
Neutral standard jet serigraph.  
For additional serigraph with icons, specify jet outlets (see page 572)  
and connection sequence when ordering.  
PN See legend on page 10

0-SCL5101-CR<sup>2</sup> 2-way TOTAL € 917,00  
0-SCL5102-CR<sup>2</sup> 3-way TOTAL € 953,00

## Scull

## SHOWER CONCEALED THERMOSTATIC CARTRIDGE

ART. 0-SCL5106EST-CR outer part 2-way € 552,00  
ART. 0-SCL5107EST-CR outer part 3-way € 552,00




### PEARL SCULL

- Integrated duplex concealed shower mixer
- Handles in Corian Glacier White
  - Thermostatic cartridge
  - Rotating diverter with 2 or 3 outlet closure
  - 1 jet shower Stick in brass
  - Wall outlet with hand shower holder
  - PVC flexible hose 150 cm
  - Inlets G 1/2"
  - Concealed with protective cover<sup>3</sup>
  - Chrome

ART. W5100<sup>1</sup> concealed part 2-way € 470,00  
ART. W5101<sup>1</sup> concealed part 3-way € 506,00

(PN)



### AVAILABLE FINISHINGS

- MODERN 5  
CLASSIC 5  
PVD 5

For finishing surcharge, see table on the inside cover of the catalogue

Photo matt brushed nickel finishing  
1 See installation heights, flow rate and spare parts table page 566  
2 Order outer part number + concealed part number


3 See details page 530  
Neutral standard jet serigraph.  
For additional serigraph with icons, specify jet outlets (see page 572)  
and connection sequence when ordering.  
PN See legend on page 10

ART. 0-SCL5103EST-CR outer part 4-way € 611,00  
ART. 0-SCL5104EST-CR outer part 5-way € 611,00  
ART. 0-SCL5105EST-CR outer part 6-way € 611,00

### WOOD SCULL

- Integrated duplex concealed shower mixer
- Handles in Italian walnut
  - Thermostatic cartridge
  - Rotating diverter with 4, 5 or 6 outlet closure
  - 1 jet shower Stick in brass
  - Wall outlet with hand shower holder
  - PVC flexible hose 150 cm
  - Inlets G 1/2"
  - Concealed with protective cover<sup>3</sup>
  - Chrome

ART. W5102<sup>1</sup> concealed part 4-way € 632,00  
ART. W5103<sup>1</sup> concealed part 5-way € 669,00  
ART. W5104<sup>1</sup> concealed part 6-way € 713,00



### AVAILABLE FINISHINGS

- MODERN 5  
CLASSIC 5  
PVD 5

For finishing surcharge, see table on the inside cover of the catalogue

Photo matt brushed nickel finishing  
1 See installation heights, flow rate and spare parts table page 566

2 Order outer part number + concealed part number

3 See details page 530



Neutral standard jet serigraph.

For additional serigraph with icons, specify jet outlets (see page 572)  
and connection sequence when ordering.

0-SCL5103-CR<sup>2</sup> 4-way TOTAL € 1.243,00  
0-SCL5104-CR<sup>2</sup> 5-way TOTAL € 1.280,00  
0-SCL5105-CR<sup>2</sup> 6-way TOTAL € 1.324,00

## Scull

## Scull




ART. 0-SCL5108EST-CR outer part 4-way € 792,00  
ART. 0-SCL5109EST-CR outer part 5-way € 792,00  
ART. 0-SCL5110EST-CR outer part 6-way € 792,00



### PEARL SCULL

- Integrated duplex concealed shower mixer
- Handles in Corian Glacier White
  - Thermostatic cartridge
  - Rotating diverter with 4, 5 or 6 outlet closure
  - 1 jet shower Stick in brass
  - Wall outlet with hand shower holder
  - PVC flexible hose 150 cm
  - Inlets G 1/2"
  - Concealed with protective cover<sup>3</sup>
  - Chrome

ART. W5102<sup>1</sup> concealed part 4-way € 632,00  
ART. W5103<sup>1</sup> concealed part 5-way € 669,00  
ART. W5104<sup>1</sup> concealed part 6-way € 713,00



### AVAILABLE FINISHINGS

- MODERN 5  
CLASSIC 5  
PVD 5

For finishing surcharge, see table on the inside cover of the catalogue



Photo matt brushed nickel finishing  
1 See installation heights, flow rate and spare parts table page 566

2 Order outer part number + concealed part number

3 See details page 530

Neutral standard jet serigraph.

For additional serigraph with icons, specify jet outlets (see page 572)  
and connection sequence when ordering.



0-SCL5108-CR<sup>2</sup> 4-way TOTAL € 1.424,00  
0-SCL5109-CR<sup>2</sup> 5-way TOTAL € 1.461,00  
0-SCL5110-CR<sup>2</sup> 6-way TOTAL € 1.505,00

## SHOWER CONCEALED THERMOSTATIC CARTRIDGE

Scull


ART. 0-SCL4101EST-CR outer part 2-way € 266,00  
ART. 0-SCL4102EST-CR outer part 3-way € 266,00



### WOOD SCULL


Vertical concealed shower mixer

- Handles in Italian walnut
- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome



ART. W21221CR<sup>1</sup> concealed part 2-way € 373,00  
ART. W21231CR<sup>1</sup> concealed part 3-way € 409,00

(PN)




### AVAILABLE FINISHINGS

MODERN 5

CLASSIC 5

PVD 1



For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing  
1 See installation heights, flow rate and spare parts table page 566  
2 Order outer part number + concealed part number  
3 See details page 530

Neutral standard jet serigraph.  
For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.  
PN See legend on page 10

0-SCL4101-CR<sup>2</sup> 2-way TOTAL € 639,00  
0-SCL4102-CR<sup>2</sup> 3-way TOTAL € 675,00

## Scull

## SHOWER CONCEALED THERMOSTATIC CARTRIDGE

Scull


ART. 0-SCL4101EST/O-CR outer part 2-way € 266,00  
ART. 0-SCL4102EST/O-CR outer part 3-way € 266,00



### WOOD SCULL


Horizontal concealed shower mixer

- Handles in Italian walnut
- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome



ART. W21221CR<sup>1</sup> concealed part 2-way € 373,00  
ART. W21231CR<sup>1</sup> concealed part 3-way € 409,00

(PN)




### AVAILABLE FINISHINGS

MODERN 5

CLASSIC 5

PVD 1



For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing  
1 See installation heights, flow rate and spare parts table page 566  
2 Order outer part number + concealed part number  
3 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.  
PN See legend on page 10


ART. 0-SCL4103EST-CR outer part 4-way € 446,00  
ART. 0-SCL4104EST-CR outer part 5-way € 446,00  
ART. 0-SCL4105EST-CR outer part 6-way € 446,00



### WOOD SCULL

Vertical concealed shower mixer

- Handles in Italian walnut
- Thermostatic cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome



ART. W21241CR<sup>1</sup> concealed part 4-way € 544,00  
ART. W21251CR<sup>1</sup> concealed part 5-way € 582,00  
ART. W21261CR<sup>1</sup> concealed part 6-way € 614,00




### AVAILABLE FINISHINGS

MODERN 5

CLASSIC 5

PVD 1



For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing  
1 See installation heights, flow rate and spare parts table page 566  
2 Order outer part number + concealed part number  
3 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.

0-SCL4103-CR<sup>2</sup> 4-way TOTAL € 990,00  
0-SCL4104-CR<sup>2</sup> 5-way TOTAL € 1.028,00  
0-SCL4105-CR<sup>2</sup> 6-way TOTAL € 1.060,00


ART. 0-SCL4103EST/O-CR outer part 4-way € 446,00  
ART. 0-SCL4104EST/O-CR outer part 5-way € 446,00  
ART. 0-SCL4105EST/O-CR outer part 6-way € 446,00




### WOOD SCULL

Horizontal concealed shower mixer

- Handles in Italian walnut
- Thermostatic cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome



ART. W21241CR<sup>1</sup> concealed part 4-way € 544,00  
ART. W21251CR<sup>1</sup> concealed part 5-way € 582,00  
ART. W21261CR<sup>1</sup> concealed part 6-way € 614,00




### AVAILABLE FINISHINGS

MODERN 5

CLASSIC 5

PVD 1



For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing  
1 See installation heights, flow rate and spare parts table page 566  
2 Order outer part number + concealed part number  
3 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.


## SHOWER CONCEALED THERMOSTATIC CARTRIDGE

ART. 0-SCL4106EST-CR outer part 2-way € 369,00  
ART. 0-SCL4107EST-CR outer part 3-way € 369,00




## PEARL SCULL

- Vertical concealed shower mixer
- Handles in Corian Glacier White
  - Thermostatic cartridge
  - Rotating diverter with 2 or 3 outlet closure
  - Inlets G 1/2"
  - Concealed with protective cover <sup>3</sup>
  - Chrome




ART. W21221CR <sup>1</sup> concealed part 2-way € 373,00  
ART. W21231CR <sup>1</sup> concealed part 3-way € 409,00

PN



## AVAILABLE FINISHINGS

MODERN 5  
CLASSIC 5  
PVD 1



For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing  
<sup>1</sup> See installation heights, flow rate and spare parts table page 566  
<sup>2</sup> Order outer part number + concealed part number  
<sup>3</sup> See details page 530  
Neutral standard jet serigraph. For additional screen printing with icons, specify jet outlets (see page 573) and connection sequence when ordering.  
PN See legend on page 10

0-SCL4106-CR <sup>2</sup> 2-way TOTAL € 742,00  
0-SCL4107-CR <sup>2</sup> 3-way TOTAL € 778,00

## Scull


## SHOWER CONCEALED THERMOSTATIC CARTRIDGE

ART. 0-SCL4106EST/O-CR outer part 2-way € 369,00  
ART. 0-SCL4107EST/O-CR outer part 3-way € 369,00



## PEARL SCULL

- Vertical concealed shower mixer
- Handles in Corian Glacier White
  - Thermostatic cartridge
  - Rotating diverter with 2 or 3 outlet closure
  - Inlets G 1/2"
  - Concealed with protective cover <sup>3</sup>
  - Chrome




ART. W21221CR <sup>1</sup> concealed part 2-way € 373,00  
ART. W21231CR <sup>1</sup> concealed part 3-way € 409,00

PN



AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1



For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing  
<sup>1</sup> See installation heights, flow rate and spare parts table page 566  
<sup>2</sup> Order outer part number + concealed part number  
<sup>3</sup> See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.  
PN See legend on page 10


0-SCL4106/O-CR <sup>2</sup> 2-way TOTAL € 742,00  
0-SCL4107/O-CR <sup>2</sup> 3-way TOTAL € 778,00

ART. 0-SCL4108EST-CR outer part 4-way € 611,00  
ART. 0-SCL4109EST-CR outer part 5-way € 611,00  
ART. 0-SCL4110EST-CR outer part 6-way € 611,00



## PEARL SCULL

- Vertical concealed shower mixer
- Handles in Corian Glacier White
  - Thermostatic cartridge
  - Rotating diverter with 4, 5 or 6 outlet closure
  - Inlets G 1/2"
  - Concealed with protective cover <sup>3</sup>
  - Chrome




ART. W21241CR <sup>1</sup> concealed part 4-way € 544,00  
ART. W21251CR <sup>1</sup> concealed part 5-way € 582,00  
ART. W21261CR <sup>1</sup> concealed part 6-way € 614,00



## AVAILABLE FINISHINGS

MODERN 5  
CLASSIC 5  
PVD 1



For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing  
<sup>1</sup> See installation heights, flow rate and spare parts table page 566  
<sup>2</sup> Order outer part number + concealed part number  
<sup>3</sup> See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.


0-SCL4108-CR <sup>2</sup> 4-way TOTAL € 1.155,00  
0-SCL4109-CR <sup>2</sup> 5-way TOTAL € 1.193,00  
0-SCL4110-CR <sup>2</sup> 6-way TOTAL € 1.225,00

ART. 0-SCL4108EST/O-CR outer part 4-way € 611,00  
ART. 0-SCL4109EST/O-CR outer part 5-way € 611,00  
ART. 0-SCL4110EST/O-CR outer part 6-way € 611,00




## PEARL SCULL


- Horizontal concealed shower mixer
- Handles in Corian Glacier White
  - Thermostatic cartridge
  - Rotating diverter with 4, 5 or 6 outlet closure
  - Inlets G 1/2"
  - Concealed with protective cover <sup>3</sup>
  - Chrome



ART. W21241CR <sup>1</sup> concealed part 4-way € 544,00  
ART. W21251CR <sup>1</sup> concealed part 5-way € 582,00  
ART. W21261CR <sup>1</sup> concealed part 6-way € 614,00



AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1




For finishing surcharge, see table on the inside cover of the catalogue  
Photo matt brushed nickel finishing  
<sup>1</sup> See installation heights, flow rate and spare parts table page 566  
<sup>2</sup> Order outer part number + concealed part number  
<sup>3</sup> See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.


ART. 26859-CR € 666,00

**SCULL shower head**

- Inspectable and serviceable
- Minimum flow rate 14 l/min
- Wall-mounted installation G1/2" fitting
- Easy-clean system, anti-liming silicon nozzles
- Chrome

**Features:**

- Rain with 151 nozzles

**AVAILABLE FINISHINGS**

MODERN 2

CLASSIC 1


PVD 9

For finishing surcharge, see table on the inside cover of the catalogue  
For other solutions, see from page 295

ART. 24970-CR € 96,00

**Body jet Round**

- Inspectable and serviceable
- Orientable
- Minimum flow rate 4 l/min
- Concealed installation
- Fitting G1/2"
- Easy-clean system, anti-liming silicon nozzles
- Chrome

**AVAILABLE FINISHINGS**

MODERN 9


CLASSIC 9

PVD 9

For finishing surcharge, see table on the inside cover of the catalogue  
See details page 564  
For other solutions, see from page 367

ART. 66171-CR brass € 140,00  
ART. 65171-CR ABS € 130,00**Duplex Stick 4**

- Concealed mount
- 1 jet shower, anti-liming, inspectable and serviceable
- Fitting G1/2"
- PVC flexible hose 150 cm
- Chrome

**AVAILABLE FINISHINGS**

MODERN 8

CLASSIC 8

PVD 6

For finishing surcharge, see table on the inside cover of the catalogue  
Finishings only available for brass version  
For other solutions, see from page 367  
PN See legend on page 10



Wall-mounted washbasin spout remote controls with rosaces

Bidet mixer with remote controls

Set shower head OttoMillimetri and arm Spigolo

3-hole tall washbasin mixer

Concealed shower mixer with integrated duplex



A creative gesture can make us travel through time, giving new meanings to the stylistic elements of the past: QTime.

**The elementary geometry of the cylinder engraved by a sign of time:  
the grooves of a Doric column sculpt the material by generating a new classic.**

#### Balance

Expertly balanced lines and basic shapes find application in the body and in the spout for a minimalist style.

#### Design

Contrasting shapes and geometries merge together in a timeless dialogue, for a story that speaks of well-being, balance and peace.

#### Classic & Contemporary

Soft but rigorous lines at the same time: classicism becomes contemporary.



# QTime

With QTime a new small-scale architectural landscape is born: revisited classic lines create an environment where contrasts live in an interplay of material, surfaces and colours.

## WASHBASIN

- 56** CERAMIC HEADWORKS  
**59** CONVENTIONAL CARTRIDGE

## BIDET

- 60** CERAMIC HEADWORKS  
**60** CONVENTIONAL CARTRIDGE

## ACCESSORIES

- 61** POP-UP WASTES  
**61** SIPHONS  
**61** FILTER TAPS

## SHOWER

- 66** CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"  
**69** CONCEALED - THERMOSTATIC CARTRIDGE - G 3/4"

## BATHTUB

- 72** BATHTUB DECK-MOUNTED - CERAMIC HEADWORKS  
**73** CONCEALED - CONVENTIONAL CARTRIDGE  
**73** FLOOR - CONVENTIONAL CARTRIDGE

## CERAMIC HEADWORKS

## WALL-MOUNTED WASHBASIN CONTROLS

from page 56



Remote controls with rosaces



Remote controls with plate

## TALL WASHBASIN

from page 58



Wall-mounted remote controls



3-hole

## WASHBASIN

from page 59



3-hole

## CONVENTIONAL CARTRIDGE

## WASHBASIN SINGLE-HOLE

from page 59



Single-control mixer



## CERAMIC HEADWORKS

## BIDET WALL-MOUNTED CONTROLS

from page 60



Wall-mounted remote controls

## BIDET

from page 60



3-hole

## CONVENTIONAL CARTRIDGE

## BIDET SINGLE-HOLE

from page 60



Single-control mixer



## ACCESSORIES

## POP-UP WASTES - SIPHONS - FILTER TAPS

from page 61



Pop-up waste



Minimal siphon




Filter taps


ART. 0-QTM2502EST-CR outer part € 435,00



- Wall-mounted washbasin mixer**
- Wall-mounted remote controls with rosaces
  - Spout center distance 162 mm
  - Ceramic headworks 90°
  - Inlets G 1/2"
  - Without drain
  - Concealed with protective cover <sup>2</sup>
  - Chrome



ART. W2501 concealed part € 294,00



- AVAILABLE FINISHINGS**
- |         |   |
|---------|---|
| MODERN  | 5 |
| CLASSIC | 5 |
| PVD     | 5 |


0-QTM2502-CR <sup>1</sup> TOTAL € 729,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 Order outer part number + concealed part number  
 2 See details page 532


ART. 0-QTM2504EST-CR outer part € 487,00



- Wall-mounted washbasin mixer XL**
- Wall-mounted remote controls with rosaces
  - Spout center distance 212 mm
  - Ceramic headwork 90°
  - Inlets G 1/2"
  - Without drain
  - Concealed with protective cover <sup>2</sup>
  - Chrome



ART. W2501 concealed part € 294,00



- AVAILABLE FINISHINGS**
- |         |   |
|---------|---|
| MODERN  | 5 |
| CLASSIC | 5 |
| PVD     | 5 |


0-QTM2504-CR <sup>1</sup> TOTAL € 781,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 Order outer part number + concealed part number  
 2 See details page 532


ART. 0-QTM2501EST-CR outer part € 477,00



- Wall-mounted washbasin mixer**
- Wall-mounted remote controls with plate
  - Spout center distance 162 mm
  - Ceramic headwork 90°
  - Inlets G 1/2"
  - Without drain
  - Concealed with protective cover <sup>2</sup>
  - Chrome



ART. W2501 concealed part € 294,00



- AVAILABLE FINISHINGS**
- |         |   |
|---------|---|
| MODERN  | 5 |
| CLASSIC | 5 |
| PVD     | 5 |


0-QTM2501-CR <sup>1</sup> TOTAL € 771,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 Order outer part number + concealed part number  
 2 See details page 532


ART. 0-QTM2503EST-CR outer part € 521,00



- Wall-mounted washbasin mixer XL**
- Wall-mounted remote controls with plate
  - Spout center distance 212 mm
  - Ceramic headwork 90°
  - Inlets G 1/2"
  - Without drain
  - Concealed with protective cover <sup>2</sup>
  - Chrome



ART. W2501 concealed part € 294,00



- AVAILABLE FINISHINGS**
- |         |   |
|---------|---|
| MODERN  | 5 |
| CLASSIC | 5 |
| PVD     | 5 |

0-QTM2503-CR <sup>1</sup> TOTAL € 815,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 Order outer part number + concealed part number  
 2 See details page 532


## WASHBASIN CERAMIC DISC CARTRIDGES

ART. 0-QTM1502EST-CR outer part € 732,00




### Tall washbasin mixer wall-mounted remote controls

- Spout center distance 200 mm
- Ceramic headwork 90°
- Inlets G 1/2"
- Connection flexible hose
- Without drain
- Concealed with protective cover<sup>2</sup>
- Chrome



ART. W2500 concealed part € 234,00



### AVAILABLE FINISHINGS

MODERN	5
CLASSIC	5
PVD	5

0-QTM1502-CR<sup>1</sup> TOTAL € 966,00


For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
2 See details page 532

ART. 0-QTM1501-CR complete article € 828,00



### 3-hole tall washbasin mixer

- Spout center distance 200 mm
- Ceramic headwork 90°
- Connection flexible hoses
- Without drain
- Chrome



### AVAILABLE FINISHINGS

MODERN	2
CLASSIC	1
PVD	9

For finishing surcharge, see table on the inside cover of the catalogue

## QTime


## WASHBASIN CERAMIC HEADWORKS

ART. 0-QTM0501-CR complete article € 706,00



### 3-hole washbasin mixer

- Spout center distance 130 mm
- Ceramic headwork 90°
- Connection flexible hoses
- Without drain
- Chrome



For finishing surcharge, see table on the inside cover of the catalogue

## QTime

## WASHBASIN CONVENTIONAL CARTRIDGE


## QTime

ART. 0-QTM0701-CR complete article € 693,00



### Washbasin 1-tap mixer

- Spout center distance 150 mm
- Single-control mixer
- Connection flexible hoses
- Without drain
- Chrome



### AVAILABLE FINISHINGS

MODERN	2
CLASSIC	1
PVD	9

For finishing surcharge, see table on the inside cover of the catalogue




ART. 0-QTM3502EST-CR outer part € 552,00




## Bidet mixer wall-mounted remote controls

- Spout center distance 69 mm
- Ceramic headwork 90°
- Inlets G 1/2"
- Connection flexible hose
- Without drain
- Concealed with protective cover<sup>2</sup>
- Chrome




ART. W2500 concealed part € 234,00



## AVAILABLE FINISHINGS

MODERN	5
CLASSIC	5
PVD	5

0-QTM3502-CR<sup>1</sup> TOTAL € 786,00

For finishing surcharge, see table on the inside cover of the catalogue

1 Order outer part number + concealed part number


2 See details page 532

ART. 0-QTM3501-CR complete article € 692,00



## 3-hole bidet mixer

- Spout center distance 69 mm
- Ceramic headwork 90°
- Connection flexible hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

MODERN	2
CLASSIC	1
PVD	9


For finishing surcharge, see table on the inside cover of the catalogue

ART. 70400-CR € 138,00



## Minimal siphon

- Siphon 1" 1/4
- Brass
- Chrome




## BIDET CONVENTIONAL CARTRIDGE

ART. 0-QTM3701-CR complete article € 643,00



## Single-hole bidet mixer

- Spout center distance 90 mm
- Single-control mixer
- Connection flexible hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

MODERN	2
CLASSIC	1
PVD	9


For finishing surcharge, see table on the inside cover of the catalogue

ART. 70600-CR € 119,00



## Filter tap pair

- 2 filter taps
- Fitting G 1/2" x G 3/8"
- Brass
- Chrome



## AVAILABLE FINISHINGS

MODERN	6
CLASSIC	6
PVD	5

For finishing surcharge, see table on the inside cover of the catalogue



QTime

## SHOWER

- 66** CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"  
**69** CONCEALED - THERMOSTATIC CARTRIDGE - G 3/4"

## BATHTUB

- 72** BATHTUB DECK-MOUNTED - CERAMIC HEADWORKS  
**73** CONCEALED - CONVENTIONAL CARTRIDGE  
**73** FLOOR - CONVENTIONAL CARTRIDGE

**THERMOSTATIC CARTRIDGE**

CONCEALED INLETS G 1/2"

from page 66



Integrated duplex 2-3 way



Integrated duplex 4-5-6 way



Vertical 2-3 way



Horizontal 2-3 way




Simultaneous 2-way openings



Simultaneous 3-way openings



High flow vertical 2-3-4-5-6 way



from page 69

**CONCEALED INLETS G 3/4"**

from page 66

**CERAMIC HEADWORKS**

BATHTUB DECK-MOUNTED

from page 72



5-hole 2-way



4-hole 2-way

**THERMOSTATIC CARTRIDGE**

CONCEALED INLETS G 1/2"

from page 73



Integrated duplex 2-3 way



Freestanding tub column

**COMPLETE SHOWER**

Spigolo



OttoMillimetri



Cascata Minimal Tonda



Stilo 4



Body jet Tondo



Atomizer Tondo

For other solutions see Shower head section from page 295 and Optional &amp; Wellness section from page 367


ART. 0-QTM5101EST-CR outer part 2-way € 615,00  
 ART. 0-QTM5102EST-CR outer part 3-way € 615,00



- Integrated duplex concealed shower mixer
- Thermostatic cartridge
  - Rotating diverter with 2 or 3 outlet closure
  - Stilo single-function shower in brass
  - Wall outlet with hand shower holder
  - PVC flexible hose 150 cm
  - Inlets G 1/2"
  - Concealed with protective cover <sup>3</sup>
  - Chrome

ART. W5100 <sup>1</sup> concealed part 2-way € 470,00  
 ART. W5101 <sup>1</sup> concealed part 3-way € 506,00

(PN)



## AVAILABLE FINISHINGS

MODERN 5  
 CLASSIC 5  
 PVD 5

0-QTM5101-CR <sup>2</sup> 2-way TOTAL € 1.085,00  
 0-QTM5102-CR <sup>2</sup> 3-way TOTAL € 1.121,00


For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 566

2 Order outer part number + concealed part number

3 See details page 530

PN See legend on page 10




ART. 0-QTM4101EST-CR outer part 2-way € 219,00  
 ART. 0-QTM4102EST-CR outer part 3-way € 219,00




## Vertical concealed shower mixer

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome



ART. W21221CR <sup>1</sup> concealed part 2-way € 373,00  
 ART. W21231CR <sup>1</sup> concealed part 3-way € 409,00

(PN)



## AVAILABLE FINISHINGS

MODERN 5  
 CLASSIC 5  
 PVD 1

0-QTM4101-CR <sup>2</sup> 2-way TOTAL € 592,00  
 0-QTM4102-CR <sup>2</sup> 3-way TOTAL € 628,00


For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 566

2 Order outer part number + concealed part number

3 See details page 530

PN See legend on page 10




ART. 0-QTM5103EST-CR outer part 4-way € 700,00  
 ART. 0-QTM5104EST-CR outer part 5-way € 700,00  
 ART. 0-QTM5105EST-CR outer part 6-way € 700,00



- Integrated duplex concealed shower mixer
- Thermostatic cartridge
  - Rotating diverter with 4, 5 or 6 outlet closure
  - Stilo single-function shower in brass
  - Wall outlet with hand shower holder
  - PVC flexible hose 150 cm
  - Inlets G 1/2"
  - Concealed with protective cover <sup>3</sup>
  - Chrome

ART. W5102 <sup>1</sup> concealed part 4-way € 632,00  
 ART. W5103 <sup>1</sup> concealed part 5-way € 669,00  
 ART. W5104 <sup>1</sup> concealed part 6-way € 713,00





## AVAILABLE FINISHINGS

MODERN 5  
 CLASSIC 5  
 PVD 5

0-QTM5103-CR <sup>2</sup> 4-way TOTAL € 1.332,00  
 0-QTM5104-CR <sup>2</sup> 5-way TOTAL € 1.369,00  
 0-QTM5105-CR <sup>2</sup> 6-way TOTAL € 1.413,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 566  
 2 Order outer part number + concealed part number  
 3 See details page 530




ART. 0-QTM4101EST/O-CR outer part 2-way € 219,00  
 ART. 0-QTM4102EST/O-CR outer part 3-way € 219,00

(PN)




## Horizontal concealed shower mixer

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome



ART. W21221CR <sup>1</sup> concealed part 2-way € 373,00  
 ART. W21231CR <sup>1</sup> concealed part 3-way € 409,00

(PN)




## AVAILABLE FINISHINGS

MODERN 5  
 CLASSIC 5  
 PVD 1



0-QTM4101/O-CR <sup>2</sup> 2-way TOTAL € 592,00  
 0-QTM4102/O-CR <sup>2</sup> 3-way TOTAL € 628,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 566  
 2 Order outer part number + concealed part number  
 3 See details page 530  
 PN See legend on page 10



ART. 0-QTM4201EST-CR<sup>1</sup> outer part 2-way € 304,00

- Concealed shower mixer with simultaneous openings
- Thermostatic cartridge
  - Outlets G 1/2", ceramic headwork 90°
  - Inlets G 1/2"
  - Concealed with protective cover<sup>4</sup>
  - Chrome

ART. W21028<sup>2</sup> concealed part 2-way € 437,00

## AVAILABLE FINISHINGS

MODERN	5
CLASSIC	5
PVD	1

0-QTM4201-CR<sup>3</sup> 2-way TOTAL € 741,00


For finishing surcharge, see table on the inside cover of the catalogue

1 For horizontal installation, order outer part 0-QTM4201EST/O-CR

2 See installation heights, flow rate and spare parts table page 567


3 Order outer part number + concealed part number

4 See details page 530


ART. 0-QTM4001EST-CR<sup>1</sup> outer part 2-way € 285,00

## Concealed high flow rate shower mixer

- Thermostatic cartridge
- 2 outlets G 1/2", ceramic headworks 90°
- Inlets G 3/4"
- Optional mounting kit, recommended<sup>4</sup>
- Chrome



Mounting kit

ART. KIT00020  
€ 134,00ART. W21029CR<sup>2</sup> concealed part 2-way € 690,00

## AVAILABLE FINISHINGS

MODERN	5
CLASSIC	5
PVD	1

0-QTM4001-CR<sup>3</sup> 2-way TOTAL € 975,00

For finishing surcharge, see table on the inside cover of the catalogue

1 For horizontal installation, order outer part 0-QTM4001EST/O-CR



2 See installation heights, flow rate and spare parts table page 568

3 Order outer part number + concealed part number

4 See details page 531

ART. 0-QTM4202EST-CR<sup>1</sup> outer part 3-way € 385,00

- Concealed shower mixer with simultaneous openings
- Thermostatic cartridge
  - 3 outlets G 1/2", ceramic headworks 90°
  - Inlets G 1/2"
  - Concealed with protective cover<sup>4</sup>
  - Chrome

ART. W21038<sup>2</sup> concealed part 3-way € 534,00

## AVAILABLE FINISHINGS

MODERN	5
CLASSIC	5
PVD	1

0-QTM4202-CR<sup>3</sup> 3-way TOTAL € 919,00


For finishing surcharge, see table on the inside cover of the catalogue

1 For horizontal installation, order outer part 0-QTM4202EST/O-CR

2 See installation heights, flow rate and spare parts table page 567


3 Order outer part number + concealed part number

4 See details page 530


ART. 0-QTM4002EST-CR<sup>1</sup> outer part 3-way € 346,00

## Concealed high flow rate shower mixer

- Thermostatic cartridge
- 3 outlets G 1/2", ceramic headwork 90°
- Inlets G 3/4"
- Optional mounting kit, recommended<sup>4</sup>
- Chrome



Mounting kit

ART. KIT00030  
€ 153,000-QTM4002-CR<sup>3</sup> 3-way TOTAL € 1.191,00

For finishing surcharge, see table on the inside cover of the catalogue

1 For horizontal installation, order outer part 0-QTM4002EST/O-CR


2 See installation heights, flow rate and spare parts table page 568

3 Order outer part number + concealed part number

4 See details page 531


ART. 0-QTM4003EST-CR<sup>1</sup> outer part 4-way € 417,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 4 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Chrome

ART. W21049CR<sup>2</sup> concealed part 4-way € 998,00

## AVAILABLE FINISHINGS





MODERN 5  
CLASSIC 5  
PVD 1

ART. KIT00040  
€ 171,000-QTM4003-CR<sup>3</sup> 4-way TOTAL € 1.415,00

- For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation, order outer part 0-QTM4003EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568  
 3 Order outer part number + concealed part number  
 4 See details page 530

ART. 0-QTM4005EST-CR<sup>1</sup> outer part 6-way € 535,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 6 G 1/2" outlets, ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Chrome

ART. KIT00060  
€ 227,00ART. W21069CR<sup>2</sup> concealed part 6-way € 1.312,00




- AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1

0-QTM4005-CR<sup>3</sup> 6-way TOTAL € 1.847,00

- For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation, order outer part 0-QTM4005EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568  
 3 Order outer part number + concealed part number  
 4 See details page 530

ART. 0-QTM4004EST-CR<sup>1</sup> outer part 5-way € 477,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 5 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Chrome

ART. KIT00050  
€ 193,00ART. W21059CR<sup>2</sup> concealed part 5-way € 1.152,00

- AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1


0-QTM4004-CR<sup>3</sup> 5-way TOTAL € 1.629,00

- For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation, order outer part 0-QTM4004EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568  
 3 Order outer part number + concealed part number  
 4 See details page 530

ART. 0-QTM6501-CR<sup>1</sup> complete article 2-way € 1.519,00

## 5-hole bathtub deck-mounted mixer

- Spout center distance 200 mm
- Ceramic headwork 90°
- Rotating diverter with 2 outlet closure
- Single-function shower Stick in brass
- NYLON flexible hose grey 150 cm
- Inlets G 1/2"
- Connection flexible hoses
- Chrome



## AVAILABLE FINISHINGS

MODERN 2

CLASSIC 1

PVD 9

For finishing surcharge, see table on the inside cover of the catalogue

1 See flow rate and spare parts tables page 571

Neutral standard jet serigraph.

For additional serigraph with icons, specify jet outlets (see page 574) and connection sequence when ordering.



ART. 0-QTM6101EST-CR outer part 2-way € 840,00

ART. 0-QTM6102EST-CR outer part 3-way € 840,00



## Concealed bathtub mixer

- Spout center distance 162 mm
- Ceramic headwork 90°
- Rotating diverter with 2 or 3 outlet closure
- Single-function shower Stick in brass
- Wall outlet with hand shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome

ART. W6100<sup>1</sup> concealed part 2-way € 606,00ART. W6101<sup>1</sup> concealed part 3-way € 606,00

## AVAILABLE FINISHINGS

MODERN 5

CLASSIC 5

PVD 5

For finishing surcharge, see table on the inside cover of the catalogue

1 See flow rate and spare parts tables page 571

2 Order outer part number + concealed part number


3 See details page 530

Neutral standard jet screen printing. For additional screen printing with icons, specify jet outlets (see page 574) and connection sequence when ordering.

ART. 0-QTM6502-CR<sup>1</sup> complete article 2-way € 719,00

## 4-hole bathtub deck-mounted mixer

- Ceramic headwork 90°
- Rotating diverter with 2 outlet closure
- Single-function shower Stick in brass
- NYLON flexible hose grey 150 cm
- Inlets G 1/2"
- Connection flexible hoses
- Overflow outlet
- Chrome



## AVAILABLE FINISHINGS

MODERN 2

CLASSIC 1

PVD 9

For finishing surcharge, see table on the inside cover of the catalogue

1 See flow rate and spare parts tables page 571


Neutral standard jet screen printing. For additional screen printing with icons, specify jet outlets (see page 574) and connection sequence when ordering.

ART. 0-QTM7301EST-CR outer part € 1.755,00



## Freestanding tub column

- Conventional cartridge
- Spout distance centre 255 mm
- Automatic diverter with stop
- One-jet brass Stick handshower
- PVD flexible hose 150 cm
- Inlets G 3/4"
- Chrome



ART. W7301 concealed part € 309,00



## AVAILABLE FINISHINGS

MODERN 4

CLASSIC 6

PVD 3

For finishing surcharge, see table on the inside cover of the catalogue

1 Order outer part number + concealed part number

# OCube

Design Architect Marco Fumagalli

A rigorous environment in shape and surface enriched by a detail: OCube.

**Minimalist shapes take the lead in a functional microcosm exploration. The product details are transformed into micro-architectures. The controls together build an urban landscape made up of knobs, spouts and diverters which acquire an almost architectural value through the purity of their shapes.**

## Precious detail

A detail characterizes these pure and regular facades, making OCube unique and immediately recognizable.

## Design

Thanks to the finishes, a trick of reflections highlights the clean forms and the study of detail.

## Play with contrasts

Game of contrasts, or tone on tone, the choice is free. The study of details and their value can and must make the difference; this is where OCube plays its trump card.

## Mixers



Wall-mounted washbasin mixer  
remote controls with rosaces  
Single-hole bidet mixer  
Set shower head OttoMillimetri and arm Extreme  
3-hole tall washbasin mixer  
Concealed shower mixer with integrated duplex



# OCube

Rational architecture with its proportions, rules and alignments leads us on this journey: pure and essential shapes that a detail makes distinctive. A rigorous environment in shapes and surfaces can get precious details that can be touched making OCube series unique and immediately recognisable.



## WASHBASIN

- 80** CERAMIC HEADWORKS  
**83** CONVENTIONAL CARTRIDGE

## BIDET

- 84** CERAMIC HEADWORKS  
**84** CONVENTIONAL CARTRIDGE

## ACCESSORIES

- 85** POP-UP WASTE  
**85** SIPHONS  
**85** FILTER TAPS

## SHOWER

- 90** CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"  
**93** CONCEALED - THERMOSTATIC CARTRIDGE - G 3/4"

## BATHTUB

- 96** BATHTUB DECK-MOUNTED - CERAMIC HEADWORKS  
**97** CONCEALED - CONVENTIONAL CARTRIDGE  
**97** FLOOR - CONVENTIONAL CARTRIDGE



## CERAMIC HEADWORKS

## WALL-MOUNTED WASHBASIN CONTROLS

from page 80



Remote controls with rosaces



Remote controls with plate

## TALL WASHBASIN

from page 82



Wall-mounted remote controls



3-hole

## WASHBASIN

from page 83



3-hole

## CONVENTIONAL CARTRIDGE

## SINGLE-HOLE WASHBASIN

from page 83



Single-control mixer

## CERAMIC HEADWORKS

## BIDET WALL-MOUNTED CONTROLS

from page 84



Wall-mounted remote controls

## BIDET

from page 84



3-hole

## CONVENTIONAL CARTRIDGE

## SINGLE-HOLE BIDET

from page 84



Single-control mixer

## ACCESSORIES

## POP-UP WASTE - SIPHONS - FILTER TAPS

from page 85



Pop-up waste




Minimal siphon




Filter taps


ART. 0-OCB2502EST-CR outer part € 482,00



- Wall-mounted washbasin mixer**
- Wall-mounted remote controls with rosaces
  - Spout center distance 162 mm
  - Ceramic headworks 90°
  - Inlets G 1/2"
  - Without drain
  - Concealed with protective cover <sup>2</sup>
  - Chrome



ART. W2501 Concealed part € 294,00




**AVAILABLE FINISHINGS**

MODERN	5
CLASSIC	5
PVD	5


0-OCB2502-CR <sup>1</sup> TOTAL € 776,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
2 See details page 532


ART. 0-OCB2504EST-CR outer part € 525,00



- Wall-mounted washbasin mixer XL**
- Wall-mounted remote controls with rosaces
  - Spout center distance 212 mm
  - Ceramic headworks 90°
  - Inlets G 1/2"
  - Without drain
  - Concealed with protective cover <sup>2</sup>
  - Chrome



ART. W2501 Concealed part € 294,00



**AVAILABLE FINISHINGS**

MODERN	5
CLASSIC	5
PVD	5



0-OCB2504-CR <sup>1</sup> TOTAL € 819,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
2 See details page 532


ART. 0-OCB2501EST-CR outer part € 506,00



- Wall-mounted washbasin mixer**
- Wall-mounted remote controls with plate
  - Spout center distance 162 mm
  - Ceramic headworks 90°
  - Inlets G 1/2"
  - Without drain
  - Concealed with protective cover <sup>2</sup>
  - Chrome



ART. W2501 Concealed part € 294,00




**AVAILABLE FINISHINGS**

MODERN	5
CLASSIC	5
PVD	5



0-OCB2501-CR <sup>1</sup> TOTAL € 800,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
2 See details page 532


ART. 0-OCB2503EST-CR outer part € 541,00



- Wall-mounted washbasin mixer XL**
- Wall-mounted remote controls with plate
  - Spout center distance 212 mm
  - Ceramic headworks 90°
  - Inlets G 1/2"
  - Without drain
  - Concealed with protective cover <sup>2</sup>
  - Chrome



ART. W2501 Concealed part € 294,00



**AVAILABLE FINISHINGS**

MODERN	5
CLASSIC	5
PVD	5

0-OCB2503-CR <sup>1</sup> TOTAL € 835,00


For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
2 See details page 532

ART. 0-OCB1502EST-CR outer part € 748,00




## Tall washbasin mixer wall-mounted remote controls

- Spout center distance 200 mm
- Ceramic headworks 90°
- Inlets G 1/2"
- Connection flexible hose
- Without drain
- Concealed with protective cover<sup>2</sup>
- Chrome



ART. W2500 Concealed part € 234,00



## AVAILABLE FINISHINGS

- MODERN 5  
CLASSIC 5  
PVD 5

0-OCB1502-CR<sup>1</sup> TOTAL € 982,00



For finishing surcharge, see table on the inside cover of the catalogue

1 Order outer part number + concealed part number

2 See details page 532

## 3-hole washbasin mixer

- Spout center distance 130 mm
- Ceramic headworks 90°
- Connection flexible hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

- MODERN 2  
CLASSIC 1  
PVD 9

For finishing surcharge, see table on the inside cover of the catalogue




ART. 0-OCB1501-CR complete article € 796,00



## 3-hole tall washbasin mixer

- Spout center distance 200 mm
- Ceramic headworks 90°
- Connection flexible hoses
- Without drain
- Chrome





## WASHBASIN CONVENTIONAL CARTRIDGE

ART. 0-OCB0701-CR complete article € 659,00



## Washbasin single-hole mixer

- Spout center distance 150 mm
- Single-control mixer
- Connection flexible hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

- MODERN 2  
CLASSIC 1  
PVD 9



For finishing surcharge, see table on the inside cover of the catalogue

## AVAILABLE FINISHINGS

- MODERN 2  
CLASSIC 1  
PVD 9

For finishing surcharge, see table on the inside cover of the catalogue




ART. 0-OCB3502EST-CR outer part € 613,00




## Bidet mixer wall-mounted remote controls

- Spout center distance 69 mm
- Ceramic headworks 90°
- Inlets G 1/2"
- Connection flexible hose
- Without drain
- Concealed with protective cover<sup>2</sup>
- Chrome




ART. W2500 Concealed part € 234,00



## AVAILABLE FINISHINGS

MODERN 5  
CLASSIC 5  
PVD 5

0-OCB3502-CR<sup>1</sup> TOTAL € 847,00

For finishing surcharge, see table on the inside cover of the catalogue

1 Order outer part number + concealed part number

2 See details page 532

ART. 70320-CR brass € 55,50  
ART. 70321-CR ABS € 37,00

PN



## Pop-up drain

- Pop-up waste 1" 1/4
- Brass / ABS
- 2-in-1 system for washbasin with or without overflow
- Chrome


AVAILABLE FINISHINGS  
MODERN 12  
CLASSIC 11  
PVD 2For finishing surcharge, see table on the inside cover of the catalogue  
PN See legend on page 10

ART. 0-OCB3501-CR complete article € 663,00



## 3-hole bidet mixer

- Spout center distance 69 mm
- Ceramic headworks 90°
- Connection flexible hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

MODERN 2  
CLASSIC 1  
PVD 9


For finishing surcharge, see table on the inside cover of the catalogue

ART. 70400-CR € 138,00



## Minimal siphon

- Siphon 1" 1/4
- Brass
- Chrome

AVAILABLE FINISHINGS  
MODERN 11  
CLASSIC 10  
PVD 10


For finishing surcharge, see table on the inside cover of the catalogue

ART. 0-OCB3701-CR complete article € 600,00



## Bidet single-hole mixer

- Spout center distance 89 mm
- Single-control mixer
- Connection flexible hoses
- Without drain
- Chrome

AVAILABLE FINISHINGS  
MODERN 2  
CLASSIC 1  
PVD 9


For finishing surcharge, see table on the inside cover of the catalogue

ART. 70600-CR € 119,00



## Filter tap pair

- 2 filter taps
- Fitting G 1/2" x G 3/8"
- Brass
- Chrome

AVAILABLE FINISHINGS  
MODERN 6  
CLASSIC 6  
PVD 5

For finishing surcharge, see table on the inside cover of the catalogue



OCube

## SHOWER

- 90** CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"  
**93** CONCEALED - THERMOSTATIC CARTRIDGE - G 3/4"

## BATHTUB

- 96** BATHTUB DECK-MOUNTED - CERAMIC HEADWORKS  
**97** CONCEALED - CONVENTIONAL CARTRIDGE  
**97** FLOOR - CONVENTIONAL CARTRIDGE



## THERMOSTATIC CARTRIDGE

CONCEALED INLETS G 1/2"

from page 90



Integrated duplex 2-3 way



Integrated duplex 4-5-6 way



Vertical 2-3 way



Horizontal 2-3 way



Simultaneous 2-way openings



Simultaneous 3-way openings

CONCEALED INLETS G 3/4"

from page 93



High flow vertical 2-3-4-5-6 way



## CERAMIC HEADWORKS

BATHTUB DECK-MOUNTED

from page 96



5-hole 2-way



4-hole 2-way

## THERMOSTATIC CARTRIDGE

CONCEALED INLETS G 1/2"

from page 97



Integrated duplex 2-3 way



Freestanding tub column

## CONVENTIONAL CARTRIDGE

CONCEALED INLETS G 3/4"

from page 97

## COMPLETE SHOWER



Extreme



OttoMillimetri



Cascade Minimal Quadra



Stilo 4



Body jet Quadro



Atomizer Quadro

For other solutions see Shower head section from page 295 and Optional &amp; Wellness section from page 367


ART. 0-OCB5101EST-CR outer part 2-way € 587,00  
ART. 0-OCB5102EST-CR outer part 3-way € 587,00



OCube


ART. W5100<sup>1</sup> Concealed part 2-way € 470,00  
ART. W5101<sup>1</sup> Concealed part 3-way € 506,00

PN



## Integrated duplex concealed shower mixer

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Square single-function shower in brass
- Wall outlet with hand shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome



## AVAILABLE FINISHINGS

MODERN 5

CLASSIC 5

PVD 5

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 566

2 Order outer part number + concealed part number

3 See details page 530


For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering

PN See legend on page 10

0-OCB5101-CR<sup>2</sup> 2-way TOTAL € 1.057,00  
0-OCB5102-CR<sup>2</sup> 3-way TOTAL € 1.093,00




ART. W5102<sup>1</sup> Concealed part 4-way € 632,00  
ART. W5103<sup>1</sup> Concealed part 5-way € 669,00  
ART. W5104<sup>1</sup> Concealed part 6-way € 713,00



## Integrated duplex concealed shower mixer

- Thermostatic cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Square single-function shower in brass
- Wall outlet with hand shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome



## AVAILABLE FINISHINGS

MODERN 5

CLASSIC 5

PVD 5

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 566

2 Order outer part number + concealed part number

3 See details page 530

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 558) and connection sequence when ordering


0-OCB5103-CR<sup>2</sup> 4-way TOTAL € 1.342,00  
0-OCB5104-CR<sup>2</sup> 5-way TOTAL € 1.379,00  
0-OCB5105-CR<sup>2</sup> 6-way TOTAL € 1.423,00

ART. 0-OCB4101EST-CR outer part 2-way € 287,00  
ART. 0-OCB4102EST-CR outer part 3-way € 287,00




## Vertical concealed shower mixer

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome



ART. W21221CR<sup>1</sup> Concealed part 2-way € 373,00  
ART. W21231CR<sup>1</sup> Concealed part 3-way € 409,00

PN



## AVAILABLE FINISHINGS

MODERN 5

CLASSIC 5

PVD 1

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 566


2 Order outer part number + concealed part number

3 See details page 530

Neutral standard jet serigraph.

For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

PN See legend on page 10




ART. 0-OCB4101EST/O-CR outer part 2-way € 287,00  
ART. 0-OCB4102EST/O-CR outer part 3-way € 287,00




## Horizontal concealed shower mixer

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome



ART. W21221CR<sup>1</sup> Concealed part 2-way € 373,00  
ART. W21231CR<sup>1</sup> Concealed part 3-way € 409,00

PN




## AVAILABLE FINISHINGS

MODERN 5

CLASSIC 5

PVD 1



0-OCB4101/O-CR<sup>2</sup> 2-way TOTAL € 660,00  
0-OCB4102/O-CR<sup>2</sup> 3-way TOTAL € 696,00

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 566

2 Order outer part number + concealed part number




3 See details page 530

Neutral standard jet screen printing. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

PN See legend on page 10

ART. 0-OCB4201EST-CR<sup>1</sup> outer part 2-way € 405,00

- Concealed shower mixer with simultaneous openings
- Thermostatic cartridge
  - 2 outlets G 1/2", ceramic headworks 90°
  - Inlets G 1/2"
  - Concealed with protective cover<sup>4</sup>
  - Chrome

ART. W21028<sup>2</sup> Concealed part 2-way € 437,00




AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1

0-OCB4201-CR<sup>3</sup> 2-way TOTAL € 842,00

- For finishing surcharge, see table on the inside cover of the catalogue  
1 For horizontal installation, order outer part 0-OCB4201EST/O-CR  
2 See installation heights, flow rate and spare parts table page 567  
3 Order outer part number + concealed part number  
Neutral standard jet serigraph.  
For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 0-OCB4202EST-CR<sup>1</sup> outer part 3-way € 510,00

- Concealed shower mixer with simultaneous openings
- Thermostatic cartridge
  - 3 outlets G 1/2", ceramic headworks 90°
  - Inlets G 1/2"
  - Concealed with protective cover<sup>4</sup>
  - Chrome

ART. W21038<sup>2</sup> Concealed part 3-way € 534,00

AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1



0-OCB4202-CR<sup>3</sup> 3-way TOTAL € 1.044,00

- For finishing surcharge, see table on the inside cover of the catalogue  
1 For horizontal installation, order outer part 0-OCB4202EST/O-CR  
2 See installation heights, flow rate and spare parts table page 567  
3 Order outer part number + concealed part number  
4 See details page 530

Neutral standard jet screen printing. For additional screen printing with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 0-OCB4001EST-CR<sup>1</sup> outer part 2-way € 357,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 2 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Chrome

ART. W21029CR<sup>2</sup> Concealed part 2-way € 690,00



AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1

0-OCB4001-CR<sup>3</sup> 2-way TOTAL € 1.047,00

- For finishing surcharge, see table on the inside cover of the catalogue  
1 For horizontal installation, order outer part 0-OCB4001EST/O-CR  
2 See installation heights, flow rate and spare parts table page 568  
3 Order outer part number + concealed part number  
4 See details page 531  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 0-OCB4002EST-CR<sup>1</sup> outer part 3-way € 455,00


- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 3 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Chrome

ART. W21039CR<sup>2</sup> Concealed part 3-way € 845,00

AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1

0-OCB4002-CR<sup>3</sup> 3-way TOTAL € 1.300,00


- For finishing surcharge, see table on the inside cover of the catalogue  
1 For horizontal installation, order outer part 0-OCB4002EST/O-CR  
2 See installation heights, flow rate and spare parts table page 568  
3 Order outer part number + concealed part number  
4 See details page 531  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering





ART. KIT00030  
€ 153,00

ART. 0-OCB4003EST-CR<sup>1</sup> outer part 4-way € 561,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 4 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Chrome



Mounting kit

ART. KIT00040  
€ 171,00ART. W21049CR<sup>2</sup> Concealed part 4-way € 998,00


AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1

0-OCB4003-CR<sup>3</sup> 4-way TOTAL € 1.559,00



- For finishing surcharge, see table on the inside cover of the catalogue  
1 For horizontal installation, order outer part 0-OCB4003EST/O-CR  
2 See installation heights, flow rate and spare parts table page 568  
3 Order outer part number + concealed part number  
4 See details page 531  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 0-OCB4005EST-CR<sup>1</sup> outer part 6-way € 752,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 6 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Chrome



Mounting kit

ART. KIT00060  
€ 227,00ART. W21069CR<sup>2</sup> Concealed part 6-way € 1.312,00


AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1

0-OCB4005-CR<sup>3</sup> 6-way TOTAL € 2.064,00



- For finishing surcharge, see table on the inside cover of the catalogue  
1 For horizontal installation, order outer part 0-OCB4005 EST/O-CR  
2 See installation heights, flow rate and spare parts table page 568  
3 Order outer part number + concealed part number  
4 See details page 531  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 0-OCB4004EST-CR<sup>1</sup> outer part 5-way € 658,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 5 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Chrome



Mounting kit

ART. KIT00050  
€ 193,00ART. W21059CR<sup>2</sup> Concealed part 5-way € 1.152,00

AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1


0-OCB4004-CR<sup>3</sup> 5-way TOTAL € 1.810,00

- For finishing surcharge, see table on the inside cover of the catalogue  
1 For horizontal installation, order outer part 0-OCB4004EST/O-CR  
2 See installation heights, flow rate and spare parts table page 568  
3 Order outer part number + concealed part number  
4 See details page 531

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering


## BATHTUB DECK-MOUNTED CERAMIC HEADWORKS - G 1/2"

ART. 0-OCB6501-CR<sup>1</sup> complete article 2-way € 1.643,00



### 5-hole bathtub deck-mounted mixer

- Spout center distance 200 mm
- Ceramic headworks 90°
- Rotating diverter with 2 outlet closure
- Single-function shower Square in brass
- NYLON flexible hose grey 150 cm
- Inlets G 1/2"
- Connection flexible hoses
- Chrome



### AVAILABLE FINISHINGS

MODERN	2
CLASSIC	1
PVD	9

For finishing surcharge, see table on the inside cover of the catalogue

1 See flow rate and spare parts tables page 571

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

## OCube


## BATHTUB - CONCEALED THERMOSTATIC CARTRIDGE - G 1/2"

ART. 0-OCB6101EST-CR outer part 2-way € 944,00  
ART. 0-OCB6102EST-CR outer part 3-way € 944,00




### Concealed bathtub mixer

- Spout center distance 162 mm
- Ceramic headworks 90°
- Rotating diverter with 2 or 3 outlet closure
- Single-function shower Square in brass
- Wall outlet with hand shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome



ART. W6100<sup>1</sup> Concealed part 2-way € 606,00  
ART. W6101<sup>1</sup> Concealed part 3-way € 606,00



### AVAILABLE FINISHINGS

MODERN	5
CLASSIC	5
PVD	5

For finishing surcharge, see table on the inside cover of the catalogue

1 See flow rate and spare parts tables page 571

2 Order outer part number + concealed part number

3 See details page 530


Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 0-OCB6502-CR<sup>1</sup> complete article 2-way € 880,00



### 4-hole bathtub deck-mounted mixer

- Ceramic headworks 90°
- Rotating diverter with 2 outlet closure
- Single-function shower Square in brass
- NYLON flexible hose grey 150 cm
- Inlets G 1/2"
- Connection flexible hoses
- Overflow outlet
- Chrome



### AVAILABLE FINISHINGS

MODERN	2
CLASSIC	1
PVD	9

For finishing surcharge, see table on the inside cover of the catalogue

1 See flow rate and spare parts tables page 571

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

## OCube

0-OCB7301-CR<sup>1</sup> TOTAL € 2.260,00




### AVAILABLE FINISHINGS

MODERN	4
CLASSIC	6
PVD	3

For finishing surcharge, see table on the inside cover of the catalogue

1 Order outer part number + concealed part number



## OCube

# DSide

Design Architect Marco Fumagalli

With a simple gesture the shapes become articulated, taking on a distinctive and recognizable character, so DSide is born.

**Geometric shapes, simple and complex at the same time, are at the root of the structure of minerals.**

**Architecture captures the forms and the rules, design interprets them.**

## Distinctive character

The finishes emphasise geometric shapes by highlighting volumes and enhancing details, giving them their own distinctive and recognizable character.

## Design

What is defined as minimal design does not necessarily consist of elementary forms. The complexity is generated by a simple variation of the basic geometry, which builds relationships between the sides and the angles that define the volume.

## Rules and complexity

Geometry takes on a leading value in the form construction, detail becomes rule. DSide turns the balance upside down, recompose it and raise it to a precious and harmonious whole. The finishes put in evidence the geometric shapes by highlighting the volumes and enhancing the details.

## Mixers



# DSide

Light, unexpected geometries, dynamic surfaces, everything contributes to the construction of a unique bathroom environment. DSide leads the game with its shapes and its precious details, communicates with the environment by harmonizing and enriching it.



## WASHBASIN

- 104** CERAMIC HEADWORKS  
**107** CONVENTIONAL CARTRIDGE

## BIDET

- 108** CERAMIC HEADWORKS  
**108** CONVENTIONAL CARTRIDGE

## ACCESSORIES

- 109** POP-UP WASTES  
**109** SIPHONS  
**109** FILTER TAPS

## SHOWER

- 114** CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"  
**117** CONCEALED - THERMOSTATIC CARTRIDGE - G 3/4"

## BATHTUB

- 120** BATHTUB DECK-MOUNTED - CERAMIC HEADWORKS  
**121** CONCEALED - CONVENTIONAL CARTRIDGE  
**121** FLOOR - CONVENTIONAL CARTRIDGE

**CERAMIC HEADWORKS****WALL-MOUNTED WASHBASIN CONTROLS**

from page 104



Remote controls with rosaces



Remote controls with plate

**TALL WASHBASIN**

from page 106



Wall-mounted remote controls



3-hole

**WASHBASIN**

from page 107



3-hole

**CONVENTIONAL CARTRIDGE****SINGLE-HOLE WASHBASIN**

from page 107



Single-control mixer

**CERAMIC HEADWORKS****BIDET WALL-MOUNTED CONTROLS**

from page 108



Wall-mounted remote controls

from page 106

**BIDET**

from page 108



3-hole

**CONVENTIONAL CARTRIDGE****SINGLE-HOLE BIDET**

from page 108



Single-control mixer

**ACCESSORIES****POP-UP WASTE - SIPHONS - FILTER TAPS**

from page 109



Pop-up waste




Minimal siphon






Filter taps


ART. 0-DSD2502EST-CR outer part € 431,00



- Wall-mounted washbasin mixer
- Wall-mounted remote controls with rosaces
  - Spout center distance 162 mm
  - Ceramic headworks 90°
  - Inlets G 1/2"
  - Without drain
  - Concealed with protective cover<sup>2</sup>
  - Chrome



ART. W2501 concealed part € 294,00



**AVAILABLE FINISHINGS**  
MODERN 5  
CLASSIC 5  
PVD 5




0-DSD2502-CR<sup>1</sup> TOTAL € 725,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
2 See details page 532


ART. 0-DSD2504EST-CR outer part € 477,00



- Wall-mounted washbasin mixer XL
- Wall-mounted remote controls with rosaces
  - Spout center distance 212 mm
  - Ceramic headworks 90°
  - Inlets G 1/2"
  - Without drain
  - Concealed with protective cover<sup>2</sup>
  - Chrome



ART. W2501 concealed part € 294,00



**AVAILABLE FINISHINGS**  
MODERN 5  
CLASSIC 5  
PVD 5




0-DSD2504-CR<sup>1</sup> TOTAL € 771,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
2 See details page 532


ART. 0-DSD2501EST-CR outer part € 461,00



- Wall-mounted washbasin mixer
- Wall-mounted remote controls with plate
  - Spout center distance 162 mm
  - Ceramic headworks 90°
  - Inlets G 1/2"
  - Without drain
  - Concealed with protective cover<sup>2</sup>
  - Chrome



ART. W2501 concealed part € 294,00



**AVAILABLE FINISHINGS**  
MODERN 5  
CLASSIC 5  
PVD 5




0-DSD2501-CR<sup>1</sup> TOTAL € 755,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
2 See details page 532


ART. 0-DSD2503EST-CR outer part € 496,00



- Wall-mounted washbasin mixer XL
- Wall-mounted remote controls with plate
  - Spout center distance 212 mm
  - Ceramic headworks 90°
  - Inlets G 1/2"
  - Without drain
  - Concealed with protective cover<sup>2</sup>
  - Chrome



ART. W2501 concealed part € 294,00



**AVAILABLE FINISHINGS**  
MODERN 5  
CLASSIC 5  
PVD 5


0-DSD2503-CR<sup>1</sup> TOTAL € 790,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
2 See details page 532


ART. 0-DSD1502EST-CR outer part € 704,00



- Tall washbasin mixer wall-mounted remote controls**
- Spout center distance 200 mm
  - Ceramic headworks 90°
  - Inlets G 1/2"
  - Connection flexible hose
  - Without drain
  - Concealed with protective cover<sup>2</sup>
  - Chrome



ART. W2500 concealed part € 234,00



- AVAILABLE FINISHINGS**
- |         |   |
|---------|---|
| MODERN  | 5 |
| CLASSIC | 5 |
| PVD     | 5 |


0-DSD1502-CR<sup>1</sup> TOTAL € 938,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
2 See details page 532

ART. 0-DSD1501-CR complete article € 749,00



- 3-hole tall washbasin mixer**
- Spout center distance 200 mm
  - Ceramic headworks 90°
  - Connection flexible hoses
  - Without drain
  - Chrome



- AVAILABLE FINISHINGS**
- |         |   |
|---------|---|
| MODERN  | 2 |
| CLASSIC | 1 |
| PVD     | 9 |


For finishing surcharge, see table on the inside cover of the catalogue



ART. 0-DSD0501-CR complete article € 655,00



- 3-hole washbasin mixer**
- Spout center distance 130 mm
  - Ceramic headworks 90°
  - Connection flexible hoses
  - Without drain
  - Chrome



- AVAILABLE FINISHINGS**
- |         |   |
|---------|---|
| MODERN  | 2 |
| CLASSIC | 1 |
| PVD     | 9 |

For finishing surcharge, see table on the inside cover of the catalogue




## WASHBASIN CONVENTIONAL CARTRIDGES

ART. 0-DSD0701-CR complete article € 614,00



- Washbasin single-hole mixer**
- Spout center distance 150 mm
  - Single-control mixer
  - Connection flexible hoses
  - Without drain
  - Chrome



- AVAILABLE FINISHINGS**
- |         |   |
|---------|---|
| MODERN  | 2 |
| CLASSIC | 1 |
| PVD     | 9 |


For finishing surcharge, see table on the inside cover of the catalogue



ART. 0-DSD3502EST-CR outer part € 563,00




ART. W2500 concealed part € 234,00

0-DSD3502-CR<sup>1</sup> TOTAL € 797,00

## Bidet mixer wall-mounted remote controls

- Spout center distance 69 mm
- Ceramic headworks 90°
- Inlets G 1/2"
- Connection flexible hose
- Without drain
- Concealed with protective cover<sup>2</sup>
- Chrome



## AVAILABLE FINISHINGS

MODERN 5  
CLASSIC 5  
PVD 5


For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
2 See details page 532

ART. 0-DSD3501-CR complete article € 610,00



## 3-hole bidet mixer

- Spout center distance 69 mm
- Ceramic headworks 90°
- Connection flexible hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

MODERN 2  
CLASSIC 1  
PVD 9

For finishing surcharge, see table on the inside cover of the catalogue


## BIDET CONVENTIONAL CARTRIDGE

ART. 0-DSD3701-CR complete article € 566,00



## Bidet single-hole mixer

- Spout center distance 89 mm
- Single-control mixer
- Connection flexible hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

MODERN 2  
CLASSIC 1  
PVD 9


For finishing surcharge, see table on the inside cover of the catalogue

ART. 70600-CR € 119,00



## Filter tap pair


- 2 filter taps
- Fitting G 1/2" x G 3/8"
- Brass
- Chrome



## AVAILABLE FINISHINGS

MODERN 6  
CLASSIC 6  
PVD 5

For finishing surcharge, see table on the inside cover of the catalogue



DSide

## SHOWER

- 114** CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"  
**117** CONCEALED - THERMOSTATIC CARTRIDGE - G 3/4"

## BATHTUB

- 120** BATHTUB DECK-MOUNTED - CERAMIC HEADWORKS  
**121** CONCEALED - CONVENTIONAL CARTRIDGE  
**121** FLOOR - CONVENTIONAL CARTRIDGE



## THERMOSTATIC CARTRIDGE

CONCEALED INLETS G 1/2"

from page 114



Integrated Duplex 2-3 way



Integrated Duplex 4-5-6 way



Vertical 2-3 way



Horizontal 2-3 way



Simultaneous 2-way openings



Simultaneous 3-way openings




High flow vertical 2-3-4-5-6 way



## CERAMIC HEADWORKS

BATHTUB DECK-MOUNTED

from page 120



5-hole 2-way



4-hole 2-way



## THERMOSTATIC CARTRIDGE

CONCEALED INLETS G 1/2"


from page 121



Integrated Duplex 2-3 way



Freestanding tub column



## COMPLETE SHOWER PROPOSAL




Ceiling installation kit



OttoMillimetri



Cascade Minimal Quadra



CONCEALED INLETS G 3/4"

from page 117



Stilo 4



Body Jet Quadro



Atomizer Quadro

For other solutions see Shower head section from page 173 and Optional &amp; Wellness section from page 367

ART. 0-DSD5101EST-CR outer part 2-way € 540,00  
ART. 0-DSD5102EST-CR outer part 3-way € 540,00




**Integrated duplex concealed shower mixer**

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Square single-function shower in brass
- Wall outlet with hand shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome

ART. W5100<sup>1</sup> concealed part 2-way € 470,00  
ART. W5101<sup>1</sup> concealed part 3-way € 506,00





PN



**AVAILABLE FINISHINGS**  
MODERN 5  
CLASSIC 5  
PVD 5

For finishing surcharge, see table on the inside cover of the catalogue  
1 See installation heights, flow rate and spare parts table page 566  
2 Order outer part number + concealed part number  
3 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering.  
PN See legend on page 10

0-DSD5101-CR<sup>2</sup> 2-way TOTAL € 1.010,00  
0-DSD5102-CR<sup>2</sup> 3-way TOTAL € 1.046,00




ART. 0-DSD5103EST-CR outer part 4-way € 639,00  
ART. 0-DSD5104EST-CR outer part 5-way € 639,00  
ART. 0-DSD5105EST-CR outer part 6-way € 639,00



**Integrated duplex concealed shower mixer**

- Thermostatic cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Square single-function shower in brass
- Wall outlet with hand shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome




ART. W5102<sup>1</sup> concealed part 4-way € 632,00  
ART. W5103<sup>1</sup> concealed part 5-way € 669,00  
ART. W5104<sup>1</sup> concealed part 6-way € 713,00



**AVAILABLE FINISHINGS**  
MODERN 5  
CLASSIC 5  
PVD 5

For finishing surcharge, see table on the inside cover of the catalogue  
1 See installation heights, flow rate and spare parts table page 566  
2 Order outer part number + concealed part number  
3 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering.

0-DSD5103-CR<sup>2</sup> 4-way TOTAL € 1.271,00  
0-DSD5104-CR<sup>2</sup> 5-way TOTAL € 1.308,00  
0-DSD5105-CR<sup>2</sup> 6-way TOTAL € 1.352,00





ART. 0-DSD4101EST-CR outer part 2-way € 237,00  
ART. 0-DSD4102EST-CR outer part 3-way € 237,00



**Vertical concealed shower mixer**

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome



ART. W21221CR<sup>1</sup> concealed part 2-way € 373,00  
ART. W21231CR<sup>1</sup> concealed part 3-way € 409,00

PN



**AVAILABLE FINISHINGS**  
MODERN 5  
CLASSIC 5  
PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
1 See installation heights, flow rate and spare parts table page 566  
2 Order outer part number + concealed part number  
3 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.  
PN See legend on page 10



0-DSD4101-CR<sup>2</sup> 2-way TOTAL € 610,00  
0-DSD4102-CR<sup>2</sup> 3-way TOTAL € 646,00

ART. 0-DSD4101EST/O-CR outer part 2-way € 237,00  
ART. 0-DSD4102EST/O-CR outer part 3-way € 237,00




**Horizontal concealed shower mixer**

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome



ART. W21221CR<sup>1</sup> concealed part 2-way € 373,00  
ART. W21231CR<sup>1</sup> concealed part 3-way € 409,00

PN



**AVAILABLE FINISHINGS**  
MODERN 5  
CLASSIC 5  
PVD 1


For finishing surcharge, see table on the inside cover of the catalogue  
1 See installation heights, flow rate and spare parts table page 566  
2 Order outer part number + concealed part number  
3 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.  
PN See legend on page 10

## SHOWER - CONCEALED THERMOSTATIC CARTRIDGE - G 1/2"

ART. 0-DSD4201EST-CR<sup>1</sup> outer part 2-way € 330,00



Concealed shower mixer with simultaneous openings  
 • Thermostatic cartridge  
 • 2 outlets G 1/2", ceramic headworks 90°  
 • Inlets G 1/2"  
 • Concealed with protective cover<sup>4</sup>  
 • Chrome




DSide

## SHOWER - CONCEALED THERMOSTATIC CARTRIDGE - G 3/4"

ART. 0-DSD4001EST-CR<sup>1</sup> outer part 2-way € 314,00



Concealed high flow rate shower mixer  
 • Thermostatic cartridge  
 • 2 outlets G 1/2", ceramic headworks 90°  
 • Inlets G 3/4"  
 • Optional mounting kit, recommended<sup>4</sup>  
 • Chrome



DSide

ART. W21028<sup>2</sup> concealed part 2-way € 437,00




AVAILABLE FINISHINGS  
 MODERN 5  
 CLASSIC 5  
 PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation, order outer part 0-DSD4201EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 567  
 3 Order outer part number + concealed part number  
 4 See details page 530  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.

0-DSD4201-CR<sup>3</sup> 2-way TOTAL € 767,00

ART. W21029CR<sup>2</sup> concealed part 2-way € 690,00




AVAILABLE FINISHINGS  
 MODERN 5  
 CLASSIC 5  
 PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation, order outer part 0-DSD4001EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568  
 3 Order outer part number + concealed part number  
 4 See details page 531  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.

ART. 0-DSD4202EST-CR<sup>1</sup> outer part 3-way € 420,00




Concealed shower mixer with simultaneous openings  
 • Thermostatic cartridge  
 • 3 outlets G 1/2", ceramic headworks 90°  
 • Inlets G 1/2"  
 • Concealed with protective cover<sup>4</sup>  
 • Chrome



ART. 0-DSD4002EST-CR<sup>1</sup> outer part 3-way € 383,00




Concealed high flow rate shower mixer  
 • Thermostatic cartridge  
 • 3 outlets G 1/2", ceramic headworks 90°  
 • Inlets G 3/4"  
 • Optional mounting kit, recommended<sup>4</sup>  
 • Chrome



DSide

ART. W21038<sup>2</sup> concealed part 3-way € 534,00




AVAILABLE FINISHINGS  
 MODERN 5  
 CLASSIC 5  
 PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation, order outer part 0-DSD4202EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 567  
 3 Order outer part number + concealed part number  
 4 See details page 530  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.


0-DSD4202-CR<sup>3</sup> 3-way TOTAL € 954,00

ART. W21039CR<sup>2</sup> concealed part 3-way € 845,00



AVAILABLE FINISHINGS  
 MODERN 5  
 CLASSIC 5  
 PVD 1


For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation, order outer part 0-DSD4002EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568  
 3 Order outer part number + concealed part number  
 4 See details page 531  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.




DSide

ART. 0-DSD4003EST-CR<sup>1</sup> outer part 4-way € 466,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 4 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Chrome



Mounting kit

ART. KIT00040  
€ 171,00ART. W21049CR<sup>2</sup> concealed part 4-way € 998,00

#### AVAILABLE FINISHINGS


MODERN	5
CLASSIC	5
PVD	1

0-DSD4003-CR<sup>3</sup> 4-way TOTAL € 1.464,00



- For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation, order outer part 0-DSD4003EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568  
 3 Order outer part number + concealed part number  
 4 See details page 531  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.

ART. 0-DSD4004EST-CR<sup>1</sup> outer part 5-way € 534,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 5 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Chrome



Mounting kit

ART. KIT00050  
€ 193,00ART. W21059CR<sup>2</sup> concealed part 5-way € 1.152,00

#### AVAILABLE FINISHINGS


MODERN	5
CLASSIC	5
PVD	1

0-DSD4004-CR<sup>3</sup> 5-way TOTAL € 1.686,00



- For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation, order outer part 0-DSD4004EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568  
 3 Order outer part number + concealed part number  
 4 See details page 531  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.

ART. 0-DSD4005EST-CR<sup>1</sup> outer part 6-way € 609,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 6 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Chrome




Mounting kit

ART. KIT00060  
€ 227,00ART. W21069CR<sup>2</sup> concealed part 6-way € 1.312,000-DSD4005-CR<sup>3</sup> 6-way TOTAL € 1.921,00

#### AVAILABLE FINISHINGS


MODERN	5
CLASSIC	5
PVD	1

- For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation, order outer part 0-DSD4005 EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568  
 3 Order outer part number + concealed part number  
 4 See details page 531  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering.

ART. 0-DSD6501-CR<sup>1</sup> complete article 2-way € 1.527,00

## 5-hole bathtub deck-mounted mixer

- Spout center distance 200 mm
- Ceramic headworks 90°
- Rotating diverter with 2 outlet closure
- Single-function shower Square in brass
- NYLON flexible hose grey 150 cm
- Inlets G 1/2"
- Connection flexible hoses
- Chrome



## AVAILABLE FINISHINGS

MODERN	2
CLASSIC	1
PVD	9

For finishing surcharge, see table on the inside cover of the catalogue


1 See flow rate and spare parts tables page 571

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 574) and connection sequence when ordering.

ART. 0-DSD6502-CR<sup>1</sup> complete article 2-way € 815,00

## 4-hole bathtub deck-mounted mixer

- Ceramic headworks 90°
- Rotating diverter with 2 outlet closure
- Single-function shower Square in brass
- NYLON flexible hose grey 150 cm
- Inlets G 1/2"
- Connection flexible hoses
- Overflow outlet
- Chrome



## AVAILABLE FINISHINGS

MODERN	2
CLASSIC	1
PVD	9

For finishing surcharge, see table on the inside cover of the catalogue

1 See flow rate and spare parts tables page 571

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 574) and connection sequence when ordering.



ART. 0-DSD6101EST-CR outer part 2-way € 873,00

ART. 0-DSD6102EST-CR outer part 3-way € 873,00




## Concealed bathtub mixer

- Spout center distance 162 mm
- Ceramic headworks 90°
- Rotating diverter with 2 or 3 outlet closure
- Single-function shower Square in brass
- Wall outlet with hand shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome



DSide

ART. W6100<sup>1</sup> concealed part 2-way € 606,00ART. W6101<sup>1</sup> concealed part 3-way € 606,00

## AVAILABLE FINISHINGS

MODERN	5
CLASSIC	5
PVD	5

0-DSD6101-CR<sup>2</sup> TOTAL € 1.479,000-DSD6102-CR<sup>2</sup> TOTAL € 1.479,00

For finishing surcharge, see table on the inside cover of the catalogue

1 See flow rate and spare parts tables page 571

2 Order outer part number + concealed part number

3 See details page 530


Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 574) and connection sequence when ordering.

ART. 0-DSD7301EST-CR outer part € 2.024,00



## Freestanding tub column

- Conventional cartridge
- Spout distance center 255 mm
- Automatic diverter with stop
- Square brass shower 1-jet
- PVC flexible hose 150 cm
- Inlets G 3/4"
- Chrome



ART. W7301 concealed part € 309,00



## AVAILABLE FINISHINGS

MODERN	4
CLASSIC	6
PVD	3

# Still-Oh

Still-Oh is the result of a complex alchemy between forms and functions.

The collection reinterprets a traditional product of the company, the STILO shower head, which with STILL-OH is revisited in a modern key and enriched to become a complete serie with faucets and showers, while maintaining its distinctive touch.

## Iconic identities

The sinuous and comfortable lines of the spouts meet the solid volumes of the controls, enriched by a precious and elegant detail, to generate a contemporary and exclusive design.

## Alchemy and style

Still-Oh is the perfect alchemy between forms and functions. The collection characterises the bathroom with an original and precious style: unique, elegant and functional elements merge together.

## Significant details

A precious detail that gives a simple and clean line a unique personality. Still-Oh was created to decorate a functional bathroom with a strong yet refined character.



# Still-Oh

Still-Oh is the result of a complex synergy between functionality and design.

The carefully studied ergonomics, as well as aesthetics and the brilliance of a detail, are essential ingredients that contribute to the definition of a timeless identity.



## WASHBASIN

- 128** CERAMIC HEADWORKS  
**129** CONVENTIONAL CARTRIDGE

## BIDET

- 131** CONVENTIONAL CARTRIDGE

## ACCESSORIES

- 132** POP-UP WASTES  
**132** MINIMAL SIPHON  
**132** FILTER TAPS

## SHOWER

- 136** CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"

## BATHTUB

- 136** DECK-MOUNTED - CERAMIC HEADWORKS  
**137** CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"  
**137** FLOOR - CONVENTIONAL CARTRIDGE - G 3/4"



## CERAMIC HEADWORKS

## TALL WASHBASIN



3-hole

from page 128

## WALL-MOUNTED SINGLE-CONTROL WASHBASIN



Wall-mounted remote controls

from page 130

## WASHBASIN



3-hole

from page 128

## SINGLE-CONTROL WASHBASIN



Single-control mixer

from page 131

## CONVENTIONAL CARTRIDGE

## TALL WASHBASIN



2-hole

from page 129

## CONVENTIONAL CARTRIDGE

## SINGLE-CONTROL BIDET



Single-control mixer

from page 131

## WASHBASIN



2-hole

from page 129

## ACCESSORIES

## POP-UP WASTES - MINIMAL SIPHON - FILTER TAPS



Pop-up waste



Minimal siphon



Filter taps


from page 132

## WASHBASIN CERAMIC HEADWORKS

ART. 0-STL1501-CR complete article € 597,00



**3-hole tall washbasin mixer**  
 • Spout center distance 191 mm  
 • Ceramic headworks  
 • Connection flexible hoses  
 • Without drain  
 • Chrome




## Still-Oh

## WASHBASIN CONVENTIONAL CARTRIDGE

ART. 0-STL1702-CR complete article € 462,00



**2-hole tall washbasin mixer**  
 • Spout center distance 191 mm  
 • Conventional cartridge  
 • Connection flexible hoses  
 • Without drain  
 • Chrome



## Still-Oh


**AVAILABLE FINISHINGS**  
 MODERN 2  
 CLASSIC 1  
 PVD 9

For finishing surcharge, see table on the inside cover of the catalogue

ART. 0-STL0501-CR complete article € 538,00



**3-hole washbasin mixer**  
 • Spout center distance 165 mm  
 • Ceramic headworks  
 • Connection flexible hoses  
 • Without drain




**AVAILABLE FINISHINGS**  
 MODERN 2  
 CLASSIC 1  
 PVD 9

For finishing surcharge, see table on the inside cover of the catalogue

ART. 0-STL0702-CR complete article € 407,00



**2-hole washbasin mixer**  
 • Spout center distance 165 mm  
 • Conventional cartridge  
 • Connection flexible hoses  
 • Without drain  
 • Chrome



**AVAILABLE FINISHINGS**  
 MODERN 2  
 CLASSIC 1  
 PVD 9

For finishing surcharge, see table on the inside cover of the catalogue


## WASHBASIN CONVENTIONAL CARTRIDGE

ART. 0-STL2701EST-CR outer part € 211,00




Wall-mounted single-control washbasin mixer

- Spout center distance 120 mm
- Conventional cartridge
- Inlets G 1/2"
- Wall-mounted remote controls with rosaces
- Without drain
- Chrome



ART. W2502 concealed part € 136,00

PN



AVAILABLE FINISHINGS

- |         |   |
|---------|---|
| MODERN  | 5 |
| CLASSIC | 5 |
| PVD     | 5 |

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
PN See legend on page 10

0-STL2701-CR<sup>1</sup> TOTAL € 347,00

## Still-Oh



## WASHBASIN CONVENTIONAL CARTRIDGE

ART. 0-STL0701-CR complete article € 366,00



Single-hole washbasin mixer

- Spout center distance 165 mm
- Conventional cartridge
- Connection flexible hoses
- Without drain
- Chrome



## Still-Oh

Still-Oh


Still-Oh

ART. 0-STL2702EST-CR outer part € 261,00




Wall-mounted single-control washbasin mixer XL

- Spout center distance 220 mm
- Conventional cartridge
- Inlets G 1/2"
- Wall-mounted remote controls with rosaces
- Without drain
- Chrome



ART. W2502 concealed part € 136,00

PN



AVAILABLE FINISHINGS

- |         |   |
|---------|---|
| MODERN  | 5 |
| CLASSIC | 5 |
| PVD     | 5 |

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
PN See legend on page 10

0-STL2702-CR<sup>1</sup> TOTAL € 397,00



## BIDET CONVENTIONAL CARTRIDGE

ART. 0-STL3701-CR complete article € 356,00



Bidet mixer

- Spout center distance 97 mm
- Conventional cartridge
- Connection flexible hoses
- Without drain



## Still-Oh

130

131

## ACCESSORIES


ART. 70320-CR brass € 55,50  
ART. 70321-CR ABS € 37,00

PN



### Pop-up drain

- Waste 1" 1/4
- Brass / ABS
- 2-in-1 system for washbasin with or without overflow
- Chrome



AVAILABLE FINISHINGS  
MODERN 12  
CLASSIC 11  
PVD 2


For finishing surcharge, see table on the inside cover of the catalogue  
PN See legend on page 10

ART. 70400-CR € 138,00



### Minimal siphon

- Siphon 1" 1/4
- Brass
- Chrome



AVAILABLE FINISHINGS  
MODERN 11  
CLASSIC 10  
PVD 10


For finishing surcharge, see table on the inside cover of the catalogue

ART. 70600-CR € 119,00



### Filter tap pair

- 2 filter taps
- Fitting G 1/2" x G 3/8"
- Brass
- Chrome



AVAILABLE FINISHINGS  
MODERN 6  
CLASSIC 6  
PVD 5

For finishing surcharge, see table on the inside cover of the catalogue



Still-Oh

SHOWER

**136**

CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"

BATHTUB

**136**

DECK-MOUNTED - CERAMIC HEADWORKS

**137**

CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"

**137**

FLOOR - CONVENTIONAL CARTRIDGE - G 3/4"



## THERMOSTATIC CARTRIDGE

CONCEALED INLETS G 1/2"

from page 136



Vertical 2-3 way



Horizontal 2-3 way



## CERAMIC HEADWORKS

BATHTUB DECK-MOUNTED

from page 136



5-hole 2-way

## COMPLETE SHOWER PROPOSAL

from page 138



Shower arm



Shower head



Duplex

from page 137

## THERMOSTATIC CARTRIDGE

CONCEALED INLETS G 1/2"

from page 137



Integrated Duplex 2-3 way

For other solutions see Shower head section from page 295 and Optional &amp; Wellness section from page 367

## CONVENTIONAL CARTRIDGE

CONCEALED INLETS G 3/4"

from page 137




Freestanding tub column

## SHOWER - CONCEALED THERMOSTATIC CARTRIDGE - G 1/2"

ART. 0-STL4101EST-CR outer part 2-way € 239,00  
ART. 0-STL4102EST-CR outer part 3-way € 239,00




- Vertical or horizontal concealed shower mixer
- Thermostatic cartridge
  - Rotating diverter with 2 or 3 outlet closure
  - Inlets G 1/2"
  - Concealed with protective cover<sup>3</sup>
  - Chrome



ART. W21221CR<sup>1</sup> concealed part 2-way € 373,00  
ART. W21231CR<sup>1</sup> concealed part 3-way € 409,00

PN



AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1

0-STL4101-CR<sup>2</sup> 2-way TOTAL € 612,00  
0-STL4102-CR<sup>2</sup> 3-way TOTAL € 648,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 See installation heights, flow rate and spare parts table page 566  
2 Order outer part number + concealed part number  
3 See details page 530  
PN See legend on page 10

## Still-Oh


## BATHTUB THERMOSTATIC CARTRIDGE - G 1/2"

ART. 0-STL6101EST-CR outer part 2-way € 679,00




### Concealed bathtub mixer

- Spout center distance mm 138 thermostatic cartridge
- Rotating diverter with 1 outlet closure
- Still-Oh brass shower 1 jet
- Wall outlet with hand shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome



ART. W6100<sup>1</sup> concealed part 2-way € 606,00




AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 5

## BATHTUB CERAMIC HEADWORKS

ART. 0-STL6501-CR complete article € 974,00



- Bathtub deck-mounted mixer
- Spout center distance mm 165
  - Rotating diverter with 2 outlet closure
  - Ceramic headwork 90°
  - Still-Oh brass shower 1 jet
  - Nylon flexible hose grey 150 cm
  - Inlets G 1/2"
  - Connection flexible hoses
  - Chrome



AVAILABLE FINISHINGS  
MODERN 2  
CLASSIC 1  
PVD 9

For finishing surcharge, see table on the inside cover of the catalogue  
1 See flow rate and spare parts tables page 571  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 574) and connection sequence when ordering


## Still-Oh

## BATHTUB CONVENTIONAL CARTRIDGE - G 3/4"

ART. 0-STL7301EST-CR outer part € 1.527,00



- Freestanding tub column
- Conventional cartridge
  - Spout distance center 221 mm
  - Automatic diverter with stop
  - Stick brass shower 1 jet
  - PVC flexible hose 150 cm
  - Inlets G 3/4"
  - Chrome



ART. W7301 concealed part € 309,00



AVAILABLE FINISHINGS  
MODERN 4  
CLASSIC 6  
PVD 3

0-STL7301-CR<sup>1</sup> TOTAL € 1.836,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number



## Still-Oh

## Still-Oh

ART. 23220-CR € 238,00

**Still-Oh shower head**

- Inspectable and serviceable
- 126 anti-liming silicone nozzles, easy-clean system
- Chrome

**AVAILABLE FINISHINGS**

MODERN	3
CLASSIC	3
PVD	2



For finishing surcharge, see table on the inside cover of the catalogue


For shower arm combination see from page 342

See installation heights page 560

ART. 20026C35-CR € 64,50

**Shower arm Tondo XL**

- Brass
- ø 26
- Fitting G 1/2"
- Chrome

**AVAILABLE FINISHINGS**

MODERN	2
CLASSIC	2
PVD	1

For finishing surcharge, see table on the inside cover of the catalogue


For shower heads combination see from page 344

See installation heights page 560

ART. 65290-CR € 117,00

**Duplex Still-Oh**

- Anti-liming, inspectable and serviceable, brass shower 1 jet
- Wall outlet with shower holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome

**AVAILABLE FINISHINGS**

MODERN	8
CLASSIC	8
PVD	6

For finishing surcharge, see table on the inside cover of the catalogue


# Race

Simplicity that becomes refinement, a sign that becomes precious: Race.

**Sobriety, practicality, functionality but also style, elegance, class: the weave impressed on the metal sculpts the identity of a dynamic, contemporary collection and a style that becomes iconic.**

## A unique sign

A distinctive sign to give the bathroom an even stronger identity, making each project unique and strongly identifiable.



# Race

Research, study, harmonious proportions, pure shapes, minimalism: all these elements come together to define a collection in perfect balance between simplicity and elegance.

## WASHBASIN

- 146** CONVENTIONAL CARTRIDGE

## BIDET

- 149** CONVENTIONAL CARTRIDGE

## ACCESSORIES

- 150** POP-UP WASTES

- 150** MINIMAL SIPHON


- 150** FILTER TAPS

## SHOWER

- 154** CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"

- 157** CONCEALED - MECHANICAL CARTRIDGE - G 1/2"

- 159** CONCEALED - CONVENTIONAL CARTRIDGE - G 1/2"





## CONVENTIONAL CARTRIDGE

## WALL-MOUNTED WASHBASIN SPOUTS AND SINGLE-CONTROLS

from page 146

Wall-mounted  
remote controls

Wall-mounted spout



1-way single-control mixer



## CONVENTIONAL CARTRIDGE

## BIDET

from page 149



Single-control mixer

## TALL WASHBASIN

from page 148



Single-control mixer

Race

Race

## ACCESSORIES

## POP-UP WASTES - MINIMAL SIPHON - FILTER TAPS

from page 150



Pop-up waste



Minimal siphon



Filter taps

## WASHBASIN

from page 148



Single-control mixer

## WASHBASIN CONVENTIONAL CARTRIDGE - G 1/2"


ART. 0-RCE2700EST-CR outer part € 187,00



- Wall-mounted washbasin mixer**
- Spout center distance 120 mm
  - Conventional cartridge
  - Inlets G 1/2"
  - Without drain
  - Chrome

ART. W2502 concealed part € 136,00

(PN)



AVAILABLE FINISHINGS	
MODERN	5
CLASSIC	5
PVD	5

0-RCE2700-CR<sup>1</sup> TOTAL € 323,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
PN See legend on page 10


## Race

## WASHBASIN CONVENTIONAL CARTRIDGE - G 1/2"


ART. 0-ITD2900-CR center distance 133 mm € 76,00  
ART. 0-ITD2901-CR center distance 233 mm € 122,00




- Wall-mounted washbasin/bathtub spout**
- Spout center distance 133 mm
  - Inlets G 1/2"
  - To pair with mixer
  - Chrome



- Wall-mounted washbasin/bathtub spout XL**
- Spout center distance 233 mm
  - Inlets G 1/2"
  - To pair with mixer
  - Chrome



AVAILABLE FINISHINGS	
MODERN	13
CLASSIC	12
PVD	11




For finishing surcharge, see table on the inside cover of the catalogue

ART. 0-RCE2701EST-CR outer part € 236,00




- Wall-mounted washbasin mixer XL**
- Spout center distance 220 mm
  - Conventional cartridge
  - Inlets G 1/2"
  - Without drain
  - Chrome



ART. W2502 concealed part € 136,00

(PN)



AVAILABLE FINISHINGS	
MODERN	5
CLASSIC	5
PVD	5


0-RCE2701-CR<sup>1</sup> TOTAL € 372,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
PN See legend on page 10

ART. 0-RCE4700EST-CR<sup>3</sup> outer part 1-way € 80,00



- 1-way single-control mixer
- Conventional cartridge
- Inlets G 1/2"
- Wall-mounted remote control
- To pair with wall-mounted spout
- Chrome




ART. W4700<sup>1</sup> concealed part 1-way € 78,00

(PN)



AVAILABLE FINISHINGS	
MODERN	13
CLASSIC	12
PVD	11



0-RCE4700-CR<sup>2</sup> TOTAL € 158,00


For finishing surcharge, see table on the inside cover of the catalogue  
1 See installation heights, flow rate and spare parts table page 570  
2 Order outer part number + concealed part number  
3 Also available with rectangular plate Art. O-RCE4702EST-CR same price  
PN See legend on page 10

ART. 0-RCE1701-CR standard € 289,00  
ART. 0-RCE1702-CR energy saving system<sup>1</sup> € 289,00




- Single-control tall washbasin mixer**
- Spout center distance 151 mm
  - Conventional cartridge
  - Connection flexible hoses
  - Without drain
  - Chrome

AVAILABLE FINISHINGS		
MODERN	2	
CLASSIC	1	
PVD	4	



- Bidet mixer**
- Spout center distance 112 mm
  - Conventional cartridge
  - Connection flexible hoses
  - Without drain
  - Chrome



AVAILABLE FINISHINGS		
MODERN	2	
CLASSIC	1	
PVD	4	

For finishing surcharge, see table on the inside cover of the catalogue  
1 See details page 534



For finishing surcharge, see table on the inside cover of the catalogue  
1 See details page 534

ART. 0-RCE0701-CR standard € 226,00  
ART. 0-RCE0702-CR energy saving system<sup>1</sup> € 226,00



- Single-control washbasin mixer**
- Spout center distance 115 mm
  - Conventional cartridge
  - Connection flexible hoses
  - Without drain
  - Chrome

AVAILABLE FINISHINGS		
MODERN	2	
CLASSIC	1	
PVD	4	




For finishing surcharge, see table on the inside cover of the catalogue  
1 See details page 534

ART. 70320-CR brass € 55,50  
 ART. 70321-CR ABS € 37,00

PN

**Pop-up drain**

- Pop-up waste 1" 1/4
- Brass / ABS
- 2-in-1 system for washbasin with or without overflow
- Chrome




**AVAILABLE FINISHINGS**  
**MODERN** 12  
**CLASSIC** 11  
**PVD** 2

For finishing surcharge, see table on the inside cover of the catalogue  
 PN See legend on page 10

ART. 70400-CR € 138,00

**Minimal siphon**

- Siphon 1" 1/4
- Brass
- Chrome




**AVAILABLE FINISHINGS**  
**MODERN** 11  
**CLASSIC** 10  
**PVD** 10

For finishing surcharge, see table on the inside cover of the catalogue

ART. 70600-CR € 119,00


**Filter tap pair**

- 2 filter taps
- Fitting G 1/2" x G 3/8"
- Brass
- Chrome



**AVAILABLE FINISHINGS**  
**MODERN** 6  
**CLASSIC** 6  
**PVD** 5

For finishing surcharge, see table on the inside cover of the catalogue



Race

## SHOWER

**154**

CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"

**157**

CONCEALED - MECHANICAL CARTRIDGE - G 1/2"

**159**

CONCEALED - CONVENTIONAL CARTRIDGE - G 1/2"



## THERMOSTATIC CARTRIDGE

CONCEALED INLETS G 1/2"

from page 154



Integrated Duplex 2-3 way



Pocket 2-3-way



## CONVENTIONAL CARTRIDGE

CONCEALED INLETS G 1/2"

from page 159

Single-control mixer  
Integrated duplex 2-waySingle-control mixer  
Integrated duplex 1-way

Vertical 2-3 way



Horizontal 2-3 way



Single-control handles 2-3 way



2-way single-control mixer



1-way single-control mixer

## MECHANICAL CARTRIDGE

CONCEALED INLETS G 1/2"

from page 157



Integrated Duplex 2-3 way



Vertical 2-3 way



Horizontal 2-3 way


ART. 0-RCE5101EST-CR outer part 2-way € 381,00  
 ART. 0-RCE5102EST-CR outer part 3-way € 381,00




- Integrated duplex concealed shower mixer**
- Thermostatic cartridge
  - Rotating diverter with 2 or 3 outlet closure
  - Stick brass shower 1 jet
  - Wall outlet with shower holder
  - PVC flexible hose 150 cm
  - Inlets G 1/2"
  - Concealed with protective cover <sup>3</sup>
  - Easy-grip kit included
  - Chrome

ART. W5100 <sup>1</sup> concealed part 2-way € 470,00  
 ART. W5101 <sup>1</sup> concealed part 3-way € 506,00

PN



AVAILABLE FINISHINGS  
 MODERN 5  
 CLASSIC 5  
 PVD 1



For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 566  
 2 Order outer part number + concealed part number  
 3 See details page 530  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering  
 PN See legend on page 10

0-RCE5101-CR <sup>2</sup> TOTAL € 851,00  
 0-RCE5102-CR <sup>2</sup> TOTAL € 887,00


ART. 0-RCE5112EST-CR outer part 2-way € 406,00  
 ART. 0-RCE5113EST-CR outer part 3-way € 406,00




- POCKET concealed shower mixer integrated duplex**
- Thermostatic cartridge
  - Rotating diverter with 2 or 3 outlet closure
  - Stick brass shower 1 jet
  - Wall outlet with shower holder
  - PVC flexible hose 150 cm
  - Inlets G 1/2"
  - Concealed with protective cover <sup>3</sup>
  - Chrome

ART. W5105 <sup>1</sup> concealed part 2-way € 529,00  
 ART. W5106 <sup>1</sup> concealed part 3-way € 565,00

PN



AVAILABLE FINISHINGS  
 MODERN 5  
 CLASSIC 5  
 PVD 1




For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 566  
 2 Order outer part number + concealed part number  
 3 See details page 530  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering  
 PN See legend on page 10

0-RCE5112-CR <sup>2</sup> TOTAL € 935,00  
 0-RCE5113-CR <sup>2</sup> TOTAL € 971,00

ART. 0-RCE4101EST-CR outer part 2-way € 194,00  
 ART. 0-RCE4102EST-CR outer part 3-way € 194,00



- Vertical concealed shower mixer**
- Thermostatic cartridge
  - Rotating diverter with 2 or 3 outlet closure
  - Inlets G 1/2"
  - Concealed with protective cover <sup>3</sup>
  - Chrome




ART. W21221CR <sup>1</sup> concealed part 2-way € 373,00  
 ART. W21231CR <sup>1</sup> concealed part 3-way € 409,00

PN



AVAILABLE FINISHINGS  
 MODERN 5  
 CLASSIC 5  
 PVD 1




For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 566  
 2 Order outer part number + concealed part number  
 3 See details page 530  
 PN See legend on page 10

0-RCE4101-CR <sup>2</sup> TOTAL € 567,00  
 0-RCE4102-CR <sup>2</sup> TOTAL € 603,00

ART. 0-RCE4101EST/O-CR outer part 2-way € 194,00  
 ART. 0-RCE4102EST/O-CR outer part 3-way € 194,00




- Horizontal concealed shower mixer**
- Thermostatic cartridge
  - Rotating diverter with 2 or 3 outlet closure
  - Inlets G 1/2"
  - Concealed with protective cover <sup>3</sup>
  - Chrome




ART. W21221CR <sup>1</sup> concealed part 2-way € 373,00  
 ART. W21231CR <sup>1</sup> concealed part 3-way € 409,00

PN



AVAILABLE FINISHINGS  
 MODERN 5  
 CLASSIC 5  
 PVD 1



For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 566  
 2 Order outer part number + concealed part number  
 3 See details page 530  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering  
 PN See legend on page 10


0-RCE4101/O-CR <sup>2</sup> TOTAL € 567,00  
 0-RCE4102/O-CR <sup>2</sup> TOTAL € 603,00

## SHOWER THERMOSTATIC CARTRIDGE - G 1/2"


ART. 0-RCE4103EST-CR outer part € 128,00



- Concealed shower mixer thermostatic only
- Thermostatic cartridge
- Inlets G 1/2"
- No diverter tap with closure to be ordered separately
- Up to a maximum of 3 diverter taps can be connected with 2 or 3 outlet closure, for a maximum of 9-way<sup>2</sup>
- Chrome



ART. W21800CR concealed part € 273,00



AVAILABLE FINISHINGS	
MODERN	13
CLASSIC	12
PVD	11


For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number and combine  
1, 2 or 3 diverter taps with 2 or 3 outlet closure depending on the utilities that need to be connected  
2 See details page 537

0-RCE4103-CR<sup>1</sup> TOTAL € 401,00


ART. 0-RCE4801EST-CR outer part 2-way € 90,00  
ART. 0-RCE4802EST-CR outer part 3-way € 90,00



- Diverter tap with stop
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- No thermostatic mixer to be ordered separately<sup>2</sup>
- Chrome



ART. W21801CR<sup>1</sup> concealed part 2-way € 147,00  
ART. W21802CR<sup>1</sup> concealed part 3-way € 186,00



AVAILABLE FINISHINGS	
MODERN	13
CLASSIC	12
PVD	11

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number and match thermostatic mixer art. W21800CR  
2 See details page 537

0-RCE4801-CR<sup>2</sup> TOTAL € 237,00  
0-RCE4802-CR<sup>2</sup> TOTAL € 276,00


## Race

## SHOWER MECHANICAL CARTRIDGE - G 1/2"


ART. 0-RCE5301EST-CR outer part 2-way € 341,00  
ART. 0-RCE5302EST-CR outer part 3-way € 341,00



- Integrated duplex concealed shower mixer
- Mechanical cartridge
- Rotating diverter with 2 or 3 outlet closure
- Stick brass shower 1 jet<sup>1</sup>
- Wall outlet with shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>4</sup>
- Chrome




ART. W21529CR<sup>1</sup> concealed part 2-way € 417,00  
ART. W21539CR<sup>1</sup> concealed part 3-way € 450,00



AVAILABLE FINISHINGS	
MODERN	5
CLASSIC	5
PVD	5

For finishing surcharge, see table on the inside cover of the catalogue  
1 See installation heights, flow rate and spare parts table page 569  
2 Order outer part number + concealed part number  
3 Also available with ABS shower  
4 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering  
PN See legend on page 10




0-RCE5301-CR<sup>2</sup> TOTAL € 758,00  
0-RCE5302-CR<sup>2</sup> TOTAL € 791,00




ART. 0-RCE4301EST-CR outer part 2-way € 186,00  
ART. 0-RCE4302EST-CR outer part 3-way € 186,00

- Vertical concealed shower mixer
- Mechanical cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome




ART. W21421CR<sup>1</sup> concealed part 2-way € 330,00  
ART. W21431CR<sup>1</sup> concealed part 3-way € 359,00



AVAILABLE FINISHINGS	
MODERN	5
CLASSIC	5
PVD	1

For finishing surcharge, see table on the inside cover of the catalogue  
1 See installation heights, flow rate and spare parts table page 569  
2 Order outer part number + concealed part number  
3 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering  
PN See legend on page 10



0-RCE4301-CR<sup>2</sup> TOTAL € 516,00  
0-RCE4302-CR<sup>2</sup> TOTAL € 545,00

## Race

## SHOWER MECHANICAL CARTRIDGE - G 1/2"

ART. 0-RCE4301EST/O-CR outer part 2-way € 186,00  
ART. 0-RCE4302EST/O-CR outer part 3-way € 186,00




### Horizontal concealed shower mix

- Mechanical cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome

ART. W21421CR<sup>1</sup> concealed part 2-way € 330,00  
ART. W21431CR<sup>1</sup> concealed part 3-way € 359,00

PN



### AVAILABLE FINISHINGS

MODERN	5
CLASSIC	5
PVD	1

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 569

2 Order outer part number + concealed part number

3 See details page 530

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

PN See legend on page 10

0-RCE4301/O-CR<sup>2</sup> TOTAL € 516,00  
0-RCE4302/O-CR<sup>2</sup> TOTAL € 545,00

## Race


## SHOWER CONVENTIONAL CARTRIDGE - G 1/2"

ART. 0-RCE5704EST-CR brass shower outer part € 279,00  
ART. 0-RCE5703EST-CR ABS shower outer part € 268,00




### 2-way single-control concealed shower mixer

- Conventional cartridge
- Automatic diverter with stop<sup>3</sup>
- Stick brass/ABS shower 1 jet
- Wall outlet with shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>4</sup>
- Chrome



ART. W5701<sup>1</sup> concealed part € 273,00

PN



### AVAILABLE FINISHINGS

MODERN	5
CLASSIC	5
PVD	5

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 570

2 Order outer part number + concealed part number

3 See details page 536


4 See details page 530

PN See legend on page 10

0-RCE5704-CR<sup>2</sup> TOTAL € 552,00  
0-RCE5703-CR<sup>2</sup> TOTAL € 541,00

## Race

0-RCE5701-CR<sup>2</sup> TOTAL € 473,00  
0-RCE5702-CR<sup>2</sup> TOTAL € 464,00



### AVAILABLE FINISHINGS


MODERN	5
CLASSIC	5
PVD	5

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 570

2 Order outer part number + concealed part number

3 See details page 530



ART. 0-RCE5701EST-CR brass shower outer part € 246,00  
ART. 0-RCE5702EST-CR ABS shower outer part € 237,00



### 1-way single-control concealed shower mixer

- Conventional cartridge
- Stick brass/ABS shower 1 jet
- Wall outlet with shower head mount
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 570

2

3

3


See details page 530

PN See legend on page 10


ART. 0-RCE4701EST-CR outer part 2-way € 117,00




- 2-way single-control concealed shower mixer**
- Conventional cartridge
  - Automatic diverter with stop<sup>3</sup>
  - Inlets G 1/2"
  - Chrome

ART. W4701<sup>1</sup> concealed part 2-way € 115,00

PN



AVAILABLE FINISHINGS	
MODERN	13
CLASSIC	12
PVD	11

0-RCE4701-CR<sup>2</sup> TOTAL € 232,00

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 570


2 Order outer part number + concealed part number

3 See details page 536

PN See legend on page 10

ART. 0-RCE4700EST-CR<sup>3</sup> outer part 1-way € 80,00

- 1-way single-control concealed shower mixer**
- Conventional cartridge
  - Inlets G 1/2"
  - Wall-mounted remote control
  - Chrome

ART. W4700<sup>1</sup> concealed part 1-way € 78,00

PN



AVAILABLE FINISHINGS	
MODERN	13
CLASSIC	12
PVD	11

0-RCE4700-CR<sup>2</sup> TOTAL € 158,00

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 570

2 Order outer part number + concealed part number

3 Also available with rectangular plate Art. 0-RCE4702EST-CR same price.

PN See legend on page 10

# Navis316

Design, functionality and steel-proof resistance:  
Navis316.

**Noble and recyclable, stainless steel  
is the main protagonist of the Navis316 collection,  
produced with the specific AISI316L alloy.**

## Noble material

The Stainless steel AISI316L is synonymous with performance, hygiene, strength and ease of care.

## Stainless steel design

The purity of stainless steel enhances design: aesthetics is expressed by subtraction of elements to highlight its functional component and versatility.

Concealed shower mixer  
thermostatic only and  
diverter tap with stop  
Brushed stainless steel  
AISI316L

Towel bar  
Brushed stainless  
steel AISI316L



Set shower head  
and arm Navis316  
Brushed stainless  
steel AISI316L

Duplex  
Brushed stainless steel  
AISI316L

Single-hole  
washbasin mixer  
Brushed stainless  
steel AISI316L



# Navis316

Essential design and functionality, combined with sustainability and eco-friendliness, are at the centre of the design of Navis316: the simple, clean geometries of the line enhance the natural elegance of steel, creating a collection capable of interpreting trends and exploiting the multiple properties of the stainless steel AISI316L.

## WASHBASIN

- 168** CONVENTIONAL CARTRIDGE

## BIDET

- 171** CONVENTIONAL CARTRIDGE

## ACCESSORIES

- 172** POP-UP WASTES

- 172** SIPHONS

- 172** FILTER TAPS

## SHOWER

- 176** CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"

- 177** CONCEALED - CONVENTIONAL CARTRIDGE - G 1/2"

## BATHTUB

- 178** MIXING CARTRIDGE WITH INTEGRATED DIVERTER

## SHOWER

- 179** COMPLETE SET SHOWER ARM AND SHOWER HEAD

- 179** DUPLEX

- 180** SHOWERS

## KITCHEN

- 180** CONVENTIONAL CARTRIDGE

## BATHROOM ACCESSOIRES

- 181**

**CONVENTIONAL CARTRIDGE****WALL-MOUNTED WASHBASIN SPOUTS AND SINGLE-CONTROLS**

from page 168



Wall-mounted spout



Wall-mounted spout



1-way single-control mixer

**WASHBASIN COLUMN**

from page 171



Freestanding washbasin column

**TALL WASHBASIN**

from page 170



Single-control mixer

**BIDET**

from page 171



Single-control mixer

**WASHBASIN**

from page 170



Single-control mixer

**ACCESSORIES**

from page 172



Pop-up wastes



Minimal siphon



Filter taps


## WASHBASIN CONVENTIONAL CARTRIDGE

ART. 0-NVS2700EST-316 outer part € 337,00




Wall-mounted washbasin mixer

- Spout center distance 120 mm
- Conventional cartridge
- Inlets G 1/2"
- Without drain
- Brushed stainless steel AISI316L



ART. W2502 concealed part € 136,00

PN



0-NVS2700-316<sup>1</sup> TOTAL € 473,00


1 Order outer part number + concealed part number  
PN See legend on page 10

ART. 0-NVS2701EST-316 outer part € 344,00




Wall-mounted washbasin mixer XL

- Spout center distance 220 mm
- Conventional cartridge
- Inlets G 1/2"
- Without drain
- Brushed stainless steel AISI316L



ART. W2502 concealed part € 136,00

PN



0-NVS2701-316<sup>1</sup> TOTAL € 480,00

1 Order outer part number + concealed part number  
PN See legend on page 10

## Navis316

## WASHBASIN CONVENTIONAL CARTRIDGE


ART. 0-NVS2900-316 center distance 190 mm € 170,00

ART. 0-NVS2901-316 center distance 258 mm € 194,00




Wall-mounted washbasin/bathtub spout

- Spout center distance 190 mm
- Inlets G 1/2"
- To pair with mixer
- Brushed stainless steel AISI316L



Wall-mounted washbasin/bathtub spout XL

- Spout center distance 258 mm
- Inlets G 1/2"
- To pair with mixer
- Brushed stainless steel AISI316L




ART. 0-NVS4700EST-316 outer part € 184,00



1-way single-control mixer

- Conventional cartridge
- Inlets G 1/2"
- Wall-mounted remote control
- To pair with wall-mounted spout
- Brushed stainless steel AISI316L



ART. W4700<sup>1</sup> concealed part € 78,00

PN



0-NVS4700-316<sup>2</sup> TOTAL € 262,00


1 See installation heights, flow rate and spare parts table page 570  
2 Order outer part number + concealed part number  
PN See legend on page 10

ART. 0-NVS1701-316 complete article € 388,00



**Single-control tall washbasin mixer**

- Spout center distance 206 mm
- Conventional cartridge
- Connection flexible hoses
- Without drain
- Brushed stainless steel AISI316L




ART. 0-NVS7301EST-316 outer part € 2.363,00



**Freestanding washbasin column**

- Spout center distance 246 mm
- Conventional cartridge
- Inlets G 1/2"
- Brushed stainless steel AISI316L



ART. W7302 concealed part € 235,00

0-NVS7301-316<sup>1</sup>

TOTAL € 2.598,00



1 Order outer part number + concealed part number

ART. 0-NVS0701-316 complete article € 297,00



**Single-control washbasin mixer**

- Spout center distance 121 mm
- Conventional cartridge
- Connection flexible hoses
- Without drain
- Brushed stainless steel AISI316L





ART. 0-NVS3701-316 complete article € 386,00



**Bidet mixer**

- Spout center distance 96 mm
- Conventional cartridge
- Connection flexible hoses
- Without drain
- Brushed stainless steel AISI316L




ART. 70320X € 52,00

PN

**Bidet mixer**

- Pop-up waste 1" 1/4
- Brushed stainless steel AISI 304
- 2-in-1 system for washbasin with or without overflow




PN See legend on page 10

ART. 70400X € 102,00

**Siphon**



- Siphon 1" 1/4
- Brushed stainless steel AISI 304



ART. 70600X € 154,00

**Filter tap pair**

- 2 filter taps
- Fitting G 1/2" x G 3/8"
- Brushed stainless steel AISI 304



Navis316

## SHOWER

**176**

CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"

**177**

CONCEALED - CONVENTIONAL CARTRIDGE - G 1/2"

## BATHTUB

**178**

MIXING CARTRIDGE WITH INTEGRATED DIVERTER

## SHOWER

**179**

COMPLETE SET SHOWER ARM AND SHOWER HEAD

**179**

DUPLEX

**180**

SHOWERS

## KITCHEN

**180**

CONVENTIONAL CARTRIDGE

## BATHROOM ACCESSOIRES

**181**

**THERMOSTATIC CARTRIDGE****SHOWER CONCEALED INLETS G 1/2"**

from page 176



Single-control 2-3 way

**CONVENTIONAL CARTRIDGE****SHOWER CONCEALED INLETS G 1/2"**

from page 177



2-way single-control mixer



1-way single-control mixer

**MIXING CARTRIDGE WITH INTEGRATED DIVERTER****CONCEALED INLETS G 1/2"**

from page 178



Freestanding tub column

**COMPLETE SHOWER PROPOSAL****SHOWER**

from page 179

Complete set shower arm  
and shower head

Duplex



Shower

**CONVENTIONAL CARTRIDGE****KITCHEN**

from page 180



Kitchen mixer

**BATHROOM ACCESSOIRES****BATHROOM ACCESSOIRES**

from page 181



Toilet brush holder



Wall-mounted toilet brush holder



Towel bar



Toilet Paper Holder



Robe Hook




Shelf


ART. 0-NVS4101EST-316 outer part € 162,00



- Concealed shower mixer  
thermostatic only**
- Thermostatic cartridge
  - Inlets G 1/2"
  - No diverter tap with closure to be ordered separately
  - Up to a maximum of 3 diverter taps can be connected with 2 or 3 outlet closure, for a maximum of 9-way<sup>2</sup>
  - Brushed stainless steel AISI316L



ART. W21800CR concealed part € 273,00

0-NVS4101-316<sup>1</sup> TOTAL € 435,00



Order outer part number + concealed part number and combine 1, 2 or 3 diverter taps with 2 or 3 outlet closure depending on the utilities that need to be connected.

2 See details page 537





ART. 0-NVS4701EST-316 outer part € 261,00



- 2-way single-control concealed shower mixer**
- Conventional cartridge
  - Automatic diverter with stop<sup>3</sup>
  - Inlets G 1/2"
  - Brushed stainless steel AISI316L

ART. 0-NVS4801EST-316 outer part 2-way € 153,00  
ART. 0-NVS4802EST-316 outer part 3-way € 153,00



- Diverter tap with stop**
- Rotating diverter with 2 or 3 outlet closure
  - Inlets G 1/2 "
  - No thermostatic mixer to be ordered separately<sup>2</sup>
  - Easy-grip kit included<sup>3</sup>
  - Brushed stainless steel AISI316L

ART. W21801CR concealed part 2-way € 147,00  
ART. W21802CR concealed part 3-way € 186,000-NVS4801-316<sup>1</sup> TOTAL € 300,00  
0-NVS4802-316<sup>1</sup> TOTAL € 339,001 Order outer part number + concealed part number and match thermostatic mixer art. W21800CR  
2 See details page pag. 537  
3 See details page pag. 533ART. W4701<sup>1</sup> concealed part € 115,000-NVS4701-316<sup>2</sup> TOTAL € 376,001 See installation heights, flow rate and spare parts table page 570  
2 Order outer part number + concealed part number3 See details page 536  
PN See legend on page 10

ART. 0-NVS4700EST-316 outer part € 184,00





- 1-way single-control concealed shower mixer**
- Conventional cartridge
  - Inlets G 1/2"
  - Wall-mounted remote control
  - Brushed stainless steel AISI316L

ART. W4700<sup>1</sup> concealed part € 78,000-NVS4700-316<sup>2</sup> TOTAL € 262,001 See installation heights, flow rate and spare parts table page 570  
2 Order outer part number + concealed part number  
PN See legend on page 10

ART. 0-NVS7302EST-316 outer part € 3.128,00

**Freestanding tub column**

- Spout distance center 246 mm
- Mixing cartridge with integrated diverter
- Inlets G 1/2"
- Stainless steel shower 1-jet
- PVC flexible hose 150 cm
- Brushed stainless steel AISI316L



ART. W7302 concealed part € 235,00

0-NVS7302-316<sup>1</sup>



TOTAL € 3.363,00

1 Order outer part number + concealed part number

ART. 26112C35-316 complete article € 531,00

**Complete set shower arm and shower head**



- Shower head OttoMillimetri Ø 250
- Inspectable and serviceable
- Flat 7,5mm thickness
- Minimum flow 6/l min
- Flow limiter 11 l/min at 3 bar
- Anti-liming silicone nozzles, easy-clean system
- Brushed stainless steel AISI316L
- Brushed stainless steel AISI316 shower arm
- Ø 25
- Center distance 35 cm
- Fitting G 1/2"



ART. 66184-316 complete article € 357,00

**Duplex**


- Anti-liming, inspectable and serviceable, brushed stainless steel shower, 1 jet
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm
- Brushed stainless steel AISI316L



ART. 99002-316 complete article € 134,00

**Shower**



- 1 jet shower
- Anti-liming
- Brushed stainless steel AISI316L



ART. 99000-316 € 265,00

**Toilet Brush Holder**



- Brushed stainless steel AISI316L

**KITCHEN CONVENTIONAL CARTRIDGE**

ART. 0-NVS9701-316 complete article € 497,00




**KITCHEN** mixer with swivel spout  
 • Spout center distance 219 mm  
 • Conventional cartridge energy saving system  
 • Swivel spout 360°  
 • Connection flexible hoses  
 • Without drain  
 • Brushed stainless steel AISI316L



ART. 99001-316 € 351,00

**Wall-mounted toilet brush holder**


- Brushed stainless steel AISI316L



ART. 99005-316 884 mm € 296,00  
 ART. 99004-316 684 mm € 272,00  
 ART. 99003-316 484 mm € 255,00

**Towel Bar**

- Brushed stainless steel AISI316L





ART. 99006-316 € 169,00



Toilet Paper Holder

- Brushed stainless steel AISI316L




ART. 99007-316 € 87,00



Robe Hook

- Brushed stainless steel AISI316L





ART. 99008-316 € 193,00



Shelf

- 250x120 cm
- Brushed stainless steel AISI316L



# IlTondo

Pastel colours, material and form come together, giving birth to IlTondo.

**The circle, symbol of harmony, balance and lack of oppositions, recalls the cyclic nature of life.**

## Distinctive texture

A new, unique and personal bathroom concept that makes colour and embossed texture its hallmarks.

## Lines and proportions

The simplicity of the lines and perfectly balanced proportions of the products meet the vibrant power of pastel shades, generating a new and unmistakable style.

## Material and colour

Minimalist shapes in which colours exalt material texture and dialogue with the environment.



# IlTondo

Pastel colours, material and form come together giving life to ILTONDO, a new concept of unique and personal bathroom furniture, which makes colour and embossed texture its hallmarks. The simplicity of lines and perfectly balanced proportions meet the vibrant strength of pastel colours, generating an unmistakable new style.



## WASHBASIN

- 190** CONVENTIONAL CARTRIDGE

## BIDET

- 193** CONVENTIONAL CARTRIDGE

## ACCESSORIES

- 194** POP-UP WASTES

- 194** SIPHONS

- 194** FILTER TAPS

## SHOWER

- 198** CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"

- 206** CONCEALED - THERMOSTATIC CARTRIDGE - G 3/4"

- 209** CONCEALED - MECHANICAL CARTRIDGE - G 1/2"

- 212** CONCEALED - CONVENTIONAL CARTRIDGE - G 1/2"

## BATHTUB

- 214** CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"

- 214** CONCEALED - CONVENTIONAL CARTRIDGE - G 3/4"

## SHOWER HEADS

- 215**



## CONVENTIONAL CARTRIDGE

## WALL-MOUNTED WASHBASIN SPOUTS AND SINGLE-CONTROLS

from page 190



Wall-mounted spout



Wall-mounted spout



1-way single-control mixer



from page 193

## BIDET



Single-control mixer

## TALL WASHBASIN

from page 192



Single-control mixer



from page 194

## ACCESSORIES

## POP-UP WASTES - SIPHONS - FILTER TAPS



Pop-up waste



Minimal siphon



Filter taps

## SINGLE-HOLE WASHBASIN

from page 192



Single-control mixer



## WASHBASIN CONVENTIONAL CARTRIDGE


ART. 0-ITD2701EST-CR outer part € 175,00

PN




### Wall-mounted washbasin mixer

- Spout center distance 120 mm
- Conventional cartridge
- Inlets G 1/2"
- Without drain
- Chrome



ART. W2502 concealed part € 136,00

PN



### AVAILABLE FINISHINGS

MODERN	5
CLASSIC	5
PVD	5

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
PN See legend on page 10

0-ITD2701-CR<sup>1</sup> TOTAL € 311,00

## IlTondo

## WASHBASIN CONVENTIONAL CARTRIDGE


ART. 0-ITD2900-CR center distance 133 mm € 76,00

ART. 0-ITD2901-CR center distance 233 mm € 122,00




### Wall-mounted washbasin spout

- Spout center distance 133 mm
- Inlets G 1/2"
- To pair with mixer
- Chrome



### Wall-mounted washbasin spout XL

- Spout center distance 233 mm
- Inlets G 1/2"
- To pair with mixer
- Chrome



### AVAILABLE FINISHINGS

MODERN	13
CLASSIC	12
PVD	11

For finishing surcharge, see table on the inside cover of the catalogue


ART. 0-ITD2702EST-CR outer part € 221,00

PN




### Wall-mounted washbasin XL

- Spout center distance 220 mm
- Conventional cartridge
- Inlets G 1/2"
- Without drain
- Chrome



ART. W2502 concealed part € 136,00

PN



### AVAILABLE FINISHINGS

MODERN	5
CLASSIC	5
PVD	5

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
PN See legend on page 10

0-ITD2702-CR<sup>1</sup> TOTAL € 357,00

## IlTondo

## WASHBASIN CONVENTIONAL CARTRIDGE

## IlTondo


ART. 0-ITD4704EST-CR<sup>3</sup> outer part 1-way € 75,00

PN




### 1-way single-control concealed shower mixer

- Conventional cartridge
- Inlets G 1/2"
- Wall-mounted remote control
- Chromeo



ART. W4700<sup>1</sup> concealed part 1-way € 78,00

PN



### AVAILABLE FINISHINGS

MODERN	13
CLASSIC	12
PVD	11

0-ITD4704-CR<sup>2</sup> 1-way TOTAL € 153,00

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 570

2 Order outer part number + concealed part number

3 Also available with square plate Art. 0-ITD4707EST-CR same price



PN See legend on page 10

## WASHBASIN CONVENTIONAL CARTRIDGE

ART. 0-ITD1701-CR standard € 265,00  
ART. 0-ITD1702-CR energy saving system<sup>1</sup> € 265,00



- Single-control tall washbasin mixer**
- Spout center distance 151 mm
  - Conventional Cartridge
  - Connection flexible hoses
  - Without drain
  - Chrome



AVAILABLE FINISHINGS  
MODERN 2  
CLASSIC 1  
PVD 4

For finishing surcharge, see table on the inside cover of the catalogue  
1 See details page 534  
PN See legend on page 10

## IlTondo


## BIDET CONVENTIONAL CARTRIDGE

ART. 0-ITD3701-CR standard € 223,00  
ART. 0-ITD3702-CR energy saving system<sup>1</sup> € 223,00



### Bidet mixer

- Spout center distance 112 mm
- Conventional cartridge
- Connection flexible hoses
- Without drain
- Chrome



AVAILABLE FINISHINGS  
MODERN 2  
CLASSIC 1  
PVD 4


For finishing surcharge, see table on the inside cover of the catalogue  
1 See details page 534  
PN See legend on page 10

ART. 0-ITD0701-CR standard € 211,00

ART. 0-ITD0702-CR energy saving system<sup>1</sup> € 211,00



- Single-control washbasin mixer**
- Spout center distance 115 mm
  - Conventional cartridge
  - Connection flexible hoses
  - Without drain
  - Chrome



AVAILABLE FINISHINGS  
MODERN 2  
CLASSIC 1  
PVD 4

For finishing surcharge, see table on the inside cover of the catalogue  
1 See details page 534  
PN See legend on page 10

## IlTondo

## IlTondo

## ACCESSORIES


ART. 70320-CR brass € 55,50  
ART. 70321-CR ABS € 37,00

PN



### Pop-up drain

- Pop-up waste 1" 1/4
- Brass / ABS
- 2-in-1 system for washbasin with or without overflow
- Chrome



AVAILABLE FINISHINGS  
MODERN 12  
CLASSIC 11  
PVD 2


For finishing surcharge, see table on the inside cover of the catalogue  
PN See legend on page 10

ART. 70400-CR € 138,00



### Minimal siphon

- Siphon 1" 1/4
- Brass
- Chrome



AVAILABLE FINISHINGS  
MODERN 11  
CLASSIC 10  
PVD 10


For finishing surcharge, see table on the inside cover of the catalogue

ART. 70600-CR € 119,00



### Filter tap pair

- 2 filter taps
- Fitting G 1/2" x G 3/8"
- Brass
- Chrome



AVAILABLE FINISHINGS  
MODERN 6  
CLASSIC 6  
PVD 5

For finishing surcharge, see table on the inside cover of the catalogue



### SHOWER

- |            |   |
|------------|---|
| <b>198</b> | CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2" |
| <b>206</b> | CONCEALED - THERMOSTATIC CARTRIDGE - G 3/4" |
| <b>209</b> | CONCEALED - MECHANICAL CARTRIDGE - G 1/2"   |
| <b>212</b> | CONCEALED - CONVENTIONAL CARTRIDGE - G 1/2" |

### BATHTUB


- |            |   |
|------------|---|
| <b>214</b> | CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2" |
| <b>214</b> | CONCEALED - CONVENTIONAL CARTRIDGE - G 3/4" |

### SHOWER HEADS

- |            |
|------------|
| <b>215</b> |
|------------|

## THERMOSTATIC CARTRIDGE

## CONCEALED INLETS G 1/2"

Integrated duplex  
2-3 wayIntegrated duplex  
4-5-6 wayPocket  
2-3 wayVertical  
2-3 wayVertical  
4-5-6 wayHorizontal  
2-3 wayHorizontal  
4-5-6 waySingle-control  
handles 2-3 waySingle-control  
handles 4-5-6 waySimultaneous openings  
2-way

3-way

4-way

5-way

6-way

## CONCEALED INLETS G 3/4"

High flow rate  
2-way

3-way

4-way

5-way

6-way

## MECHANICAL CARTRIDGE

## CONCEALED INLETS G 1/2"

Integrated duplex  
2-3 wayIntegrated duplex  
4-5-6 wayVertical  
2-3 wayVertical  
4-5-6 wayHorizontal  
2-3 wayHorizontal  
4-5-6 way

## CONVENTIONAL CARTRIDGE

## CONCEALED INLETS G 1/2"



NEW

Single-control mixer  
Integrated duplex  
2-way

NEW

Single-control mixer  
Integrated duplex  
1-way

NEW



2-way single-control  
mixer

NEW

1-way single-control  
mixer


## BATHTUB

## CONCEALED INLETS G 1/2"

Concealed thermostatic  
bathtub mixer

## SHOWER HEADS

## SHOWER HEADS

ILTONDO  
Wall-mounted  
shower heads

ILTONDO 20



ILTONDO 15



ILTONDO 10

ART. 21828EST/A-CR outer part 2-way € 309,00  
 ART. 21838EST/A-CR outer part 3-way € 309,00




**Integrated duplex concealed shower mixer**

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Stick single-function shower in brass<sup>3</sup>
- Wall outlet with hand shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>4</sup>
- Easy-grip kit included<sup>5</sup>
- Chrome

ART. W5100<sup>1</sup> concealed part 2-way € 470,00  
 ART. W5101<sup>1</sup> concealed part 3-way € 506,00

**AVAILABLE FINISHINGS**  
**MODERN** 5  
**CLASSIC** 5  
**PVD** 5



For finishing surcharge, see table on the inside cover of the catalogue

<sup>1</sup> See installation heights, flow rate and spare parts table page 566

<sup>2</sup> Order outer part number + concealed part number

<sup>3</sup> Also available with ABS shower


<sup>4</sup> See details page 530

<sup>5</sup> See details page 533

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering

PN See legend on page 10

21828/A-CR<sup>2</sup> 2-way TOTAL € 779,00  
 21838/A-CR<sup>2</sup> 3-way TOTAL € 815,00



ART. 21848EST/A-CR outer part 4-way € 391,00  
 ART. 21858EST/A-CR outer part 5-way € 391,00  
 ART. 21868EST/A-CR outer part 6-way € 391,00





**Integrated duplex concealed shower mixer**

- Thermostatic cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Stick single-function shower in brass<sup>3</sup>
- Wall outlet with hand shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>4</sup>
- Easy-grip kit included<sup>5</sup>
- Chrome

ART. W5102<sup>1</sup> concealed part 4-way € 632,00  
 ART. W5103<sup>1</sup> concealed part 5-way € 669,00  
 ART. W5104<sup>1</sup> concealed part 6-way € 713,00

**AVAILABLE FINISHINGS**  
**MODERN** 5  
**CLASSIC** 5  
**PVD** 5



For finishing surcharge, see table on the inside cover of the catalogue

<sup>1</sup> See installation heights, flow rate and spare parts table page 566

<sup>2</sup> Order outer part number + concealed part number

<sup>3</sup> Also available with ABS shower

<sup>4</sup> See details page 530

<sup>5</sup> See details page 533

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering

21848/A-CR<sup>2</sup> 4-way TOTAL € 1.023,00  
 21858/A-CR<sup>2</sup> 5-way TOTAL € 1.060,00  
 21868/A-CR<sup>2</sup> 6-way TOTAL € 1.104,00


ART. 0-ITD5112EST-CR outer part 2-way € 362,00  
 ART. 0-ITD5113EST-CR outer part 3-way € 362,00




**Concealed shower mixer  
POCKET integrated duplex**

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Stick single-function shower in brass<sup>3</sup>
- Wall outlet with hand shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>4</sup>
- Easy-grip kit included<sup>5</sup>
- Chrome

ART. W5105<sup>1</sup> concealed part 2-way € 529,00  
 ART. W5106<sup>1</sup> concealed part 3-way € 565,00



**AVAILABLE FINISHINGS**  
**MODERN** 5  
**CLASSIC** 5  
**PVD** 5



For finishing surcharge, see table on the inside cover of the catalogue

<sup>1</sup> See installation heights, flow rate and spare parts table page 566

<sup>2</sup> Order outer part number + concealed part number

<sup>3</sup> Also available with ABS shower

<sup>4</sup> See details page 530

<sup>5</sup> See details page 533

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering  
 PN See legend on page 10

0-ITD5112-CR<sup>2</sup> 2-way TOTAL € 891,00  
 0-ITD5113-CR<sup>2</sup> 3-way TOTAL € 927,00



For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 566  
 2 Order outer part number + concealed part number  
 3 Also available with ABS shower  
 4 See details page 530  
 5 See details page 533  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering

21848/A-CR<sup>2</sup> 4-way TOTAL € 1.023,00  
 21858/A-CR<sup>2</sup> 5-way TOTAL € 1.060,00  
 21868/A-CR<sup>2</sup> 6-way TOTAL € 1.104,00

ART. 21228EST/A-CR outer part 2-way € 157,00  
 ART. 21238EST/A-CR outer part 3-way € 157,00

PN




## Vertical concealed shower mixer

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Easy-grip kit included<sup>4</sup>
- Chrome

ART. W21221CR<sup>1</sup> concealed part 2-way € 373,00  
 ART. W21231CR<sup>1</sup> concealed part 3-way € 409,00

PN



## AVAILABLE FINISHINGS



- MODERN 5  
 CLASSIC 5  
 PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 566  
 2 Order outer part number + concealed part number

- 3 See details page 530  
 4 See details page 533

Neutral standard jet serigraph. For additional serigraph with icons,  
 specify jet outlets (see page 573) and connection sequence when ordering  
 PN See legend on page 10

21228/A-CR<sup>2</sup> 2-way TOTAL € 530,00  
 21238/A-CR<sup>2</sup> 3-way TOTAL € 566,00





ART. 21228EST/AO-CR outer part 2-way € 157,00  
 ART. 21238EST/AO-CR outer part 3-way € 157,00

PN




## Horizontal concealed shower mixer

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Easy-grip kit included<sup>4</sup>
- Chrome



ART. W21221CR<sup>1</sup> concealed part 2-way € 373,00  
 ART. W21231CR<sup>1</sup> concealed part 3-way € 409,00

PN



## AVAILABLE FINISHINGS

- MODERN 5  
 CLASSIC 5  
 PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 566  
 2 Order outer part number + concealed part number

- 3 See details page 530  
 4 See details page 533



Neutral standard jet serigraph. For additional serigraph with icons,  
 specify jet outlets (see page 573) and connection sequence when ordering  
 PN See legend on page 10

21228/AO-CR<sup>2</sup> 2-way TOTAL € 530,00  
 21238/AO-CR<sup>2</sup> 3-way TOTAL € 566,00

ART. 21248EST/A-CR outer part 4-way € 239,00  
 ART. 21258EST/A-CR outer part 5-way € 239,00  
 ART. 21268EST/A-CR outer part 6-way € 239,00

## Vertical concealed shower mixer

- Thermostatic cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Easy-grip kit included<sup>4</sup>
- Chrome



ART. W21241CR<sup>1</sup> concealed part 4-way € 544,00  
 ART. W21251CR<sup>1</sup> concealed part 5-way € 582,00  
 ART. W21261CR<sup>1</sup> concealed part 6-way € 614,00

## AVAILABLE FINISHINGS

- MODERN 5  
 CLASSIC 5  
 PVD 1

For finishing surcharge, see table on the inside cover of the catalogue

- 1 See installation heights, flow rate and spare parts table page 566  
 2 Order outer part number + concealed part number

- 3 See details page 530  
 4 See details page 533

Neutral standard jet serigraph. For additional serigraph with icons,  
 specify jet outlets (see page 573) and connection sequence when ordering



21248/A-CR<sup>2</sup> 4-way TOTAL € 783,00  
 21258/A-CR<sup>2</sup> 5-way TOTAL € 821,00  
 21268/A-CR<sup>2</sup> 6-way TOTAL € 853,00




ART. 21248EST/AO-CR outer part 4-way € 239,00  
 ART. 21258EST/AO-CR outer part 5-way € 239,00  
 ART. 21268EST/AO-CR outer part 6-way € 239,00

## Horizontal concealed shower mixer

- Thermostatic cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Easy-grip kit included<sup>4</sup>
- Chrome



ART. W21241CR<sup>1</sup> concealed part 4-way € 544,00  
 ART. W21251CR<sup>1</sup> concealed part 5-way € 582,00  
 ART. W21261CR<sup>1</sup> concealed part 6-way € 614,00



## AVAILABLE FINISHINGS

- MODERN 5  
 CLASSIC 5  
 PVD 1

For finishing surcharge, see table on the inside cover of the catalogue

- 1 See installation heights, flow rate and spare parts table page 566  
 2 Order outer part number + concealed part number


- 3 See details page 530  
 4 See details page 533

Neutral standard jet serigraph. For additional serigraph with icons,  
 specify jet outlets (see page 573) and connection sequence when ordering


ART. 21809EST-CR outer part € 104,00



- Concealed shower mixer thermostatic only**
- Thermostatic cartridge
  - Inlets G 1/2"
  - Diverter tap with closure to be ordered separately
  - Up to a maximum of 3 diverter taps can be connected with 2 or 3 outlet closure, for a maximum of 9-way<sup>2</sup>
  - Chrome



ART. W21800CR concealed part € 273,00






- AVAILABLE FINISHINGS**
- |         |    |
|---------|----|
| MODERN  | 13 |
| CLASSIC | 12 |
| PVD     | 11 |

21809-CR<sup>1</sup> TOTAL € 377,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 Order outer part number + concealed part number and match 1, 2 or 3 diverter taps with 2 or 3 outlet closure depending on the utilities to be connected  
 2 See details page 537

ART. 21027EST/A-CR<sup>1</sup> outer part 2-way € 227,00

- Concealed shower mixer with simultaneous openings**
- Thermostatic cartridge
  - 2 outlets G 1/2", ceramic headworks 90°
  - Inlets G 1/2"
  - Concealed with protective cover<sup>4</sup>
  - Easy-grip kit included<sup>5</sup>
  - Chrome

ART. W21028<sup>2</sup> concealed part 2-way € 437,00




- AVAILABLE FINISHINGS**
- |         |   |
|---------|---|
| MODERN  | 5 |
| CLASSIC | 5 |
| PVD     | 1 |

21027/A-CR<sup>3</sup> 2-way TOTAL € 664,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21027EST/AO-CR  
 2 See installation heights, flow rate and spare parts table page 567  
 3 Order outer part number + concealed part number  
 4 See details page 530  
 5 See details page 533  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21808EST-CR outer part 2-way € 73,00  
ART. 21807EST-CR outer part 3-way € 73,00

- Diverter tap with stop**
- Rotating diverter with 2 or 3 outlet closure
  - Inlets G 1/2"
  - Thermostatic mixer to be ordered separately<sup>2</sup>
  - Easy-grip kit included<sup>3</sup>
  - Chrome

ART. W21801CR concealed part 2-way € 147,00  
ART. W21802CR concealed part 3-way € 186,00




- AVAILABLE FINISHINGS**
- |         |    |
|---------|----|
| MODERN  | 13 |
| CLASSIC | 12 |
| PVD     | 11 |

21808-CR<sup>1</sup> 2-way TOTAL € 220,00  
21807-CR<sup>1</sup> 3-way TOTAL € 259,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 Order outer part number + concealed part number and match thermostatic mixer art. W21800  
 2 See details page 537  
 3 See details page 533  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21037EST/A-CR<sup>1</sup> outer part 3-way € 292,00

- Concealed shower mixer with simultaneous openings**
- Thermostatic cartridge
  - 3 outlets G 1/2", ceramic headworks 90°
  - Inlets G 1/2"
  - Concealed with protective cover<sup>4</sup>
  - Easy-grip kit included<sup>5</sup>
  - Chrome

ART. W21038<sup>2</sup> concealed part 3-way € 534,00

- AVAILABLE FINISHINGS**
- |         |   |
|---------|---|
| MODERN  | 5 |
| CLASSIC | 5 |
| PVD     | 1 |



21037/A-CR<sup>3</sup> 3-way TOTAL € 826,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21037EST/AO-CR  
 2 See installation heights, flow rate and spare parts table page 567  
 3 Order outer part number + concealed part number  
 4 See details page 530  
 5 See details page 533  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21047EST/A-CR<sup>1</sup> outer part 4-way € 366,00


## Concealed shower mixer with simultaneous openings

- Thermostatic cartridge
- 4 outlets G 1/2", ceramic headworks 90°
- Inlets G 1/2"
- Concealed with protective cover <sup>4</sup>
- Easy-grip kit included <sup>5</sup>
- Chrome

ART. W21048<sup>2</sup> concealed part 4-way € 629,00

## AVAILABLE FINISHINGS

- MODERN 5  
CLASSIC 5  
PVD 1

21047/A-CR<sup>3</sup> 4-way TOTAL € 995,00

For finishing surcharge, see table on the inside cover of the catalogue

1 For horizontal installation order 21047EST/AO-CR

2 See installation heights, flow rate and spare parts table page 567

3 Order outer part number + concealed part number

4 See details page 530



5 See details page 533

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21057EST/A-CR<sup>1</sup> outer part 5-way € 431,00


## Concealed shower mixer with simultaneous openings

- Thermostatic cartridge
- 5 outlets G 1/2", ceramic headworks 90°
- Inlets G 1/2"
- Concealed with protective cover <sup>4</sup>
- Easy-grip kit included <sup>5</sup>
- Chrome

ART. W21058<sup>2</sup> concealed part 5-way € 715,00

## AVAILABLE FINISHINGS

- MODERN 5  
CLASSIC 5  
PVD 1

21057/A-CR<sup>3</sup> 5-way TOTAL € 1.146,00

For finishing surcharge, see table on the inside cover of the catalogue

1 For horizontal installation order 21057EST/AO-CR

2 See installation heights, flow rate and spare parts table page 567

3 Order outer part number + concealed part number

4 See details page 530


5 See details page 533

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21067EST/A-CR<sup>1</sup> outer part 6-way € 490,00

## Concealed shower mixer with simultaneous openings

- Thermostatic cartridge
- 6 outlets G 1/2", ceramic headworks 90°
- Inlets G 1/2"
- Concealed with protective cover <sup>4</sup>
- Easy-grip kit included <sup>5</sup>
- Chrome

ART. W21068<sup>2</sup> concealed part 6-way € 808,0021067/A-CR<sup>3</sup> 6-way TOTAL € 1.298,00

## AVAILABLE FINISHINGS

- MODERN 5  
CLASSIC 5  
PVD 1

For finishing surcharge, see table on the inside cover of the catalogue

1 For horizontal installation order 21067EST/AO-CR


2 See installation heights, flow rate and spare parts table page 567

3 Order outer part number + concealed part number

4 See details page 530



5 See details page 533

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering




ART. 21029EST-CR<sup>1</sup> outer part 2-way € 241,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 2 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Easy-grip kit included<sup>5</sup>
  - Chrome


ART. W21029CR<sup>2</sup> concealed part 2-way € 690,00

**AVAILABLE FINISHINGS**  
MODERN 5  
CLASSIC 5  
PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21029EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568  
 3 Order outer part number + concealed part number  
 4 See details page 531  
 5 See details page 533  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

21029-CR<sup>3</sup> 2-way TOTAL € 931,00ART. KIT00020  
€ 134,00ART. 21049EST-CR<sup>1</sup> outer part 4-way € 376,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 4 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Easy-grip kit included<sup>5</sup>
  - Chrome




Mounting kit




ART. W21049CR<sup>2</sup> concealed part 4-way € 998,00

**AVAILABLE FINISHINGS**  
MODERN 5  
CLASSIC 5  
PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21049EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568  
 3 Order outer part number + concealed part number  
 4 See details page 531  
 5 See details page 533  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

21049-CR<sup>3</sup> 4-way TOTAL € 1.374,00ART. KIT00040  
€ 171,00ART. 21039EST-CR<sup>1</sup> outer part 3-way € 295,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 3 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Easy-grip kit included<sup>5</sup>
  - Chrome


ART. KIT00030  
€ 153,00ART. W21039CR<sup>2</sup> concealed part 3-way € 845,00

**AVAILABLE FINISHINGS**  
MODERN 5  
CLASSIC 5  
PVD 1


For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21039EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568  
 3 Order outer part number + concealed part number  
 4 See details page 531  
 5 See details page 533  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

21039-CR<sup>3</sup> 3-way TOTAL € 1.140,00ART. 21059EST-CR<sup>1</sup> outer part 5-way € 432,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 5 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Easy-grip kit included<sup>5</sup>
  - Chrome




Mounting kit

ART. W21059CR<sup>2</sup> concealed part 5-way € 1.152,00


**AVAILABLE FINISHINGS**  
MODERN 5  
CLASSIC 5  
PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21059EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568  
 3 Order outer part number + concealed part number  
 4 See details page 531  
 5 See details page 533  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

21059-CR<sup>3</sup> 5-way TOTAL € 1.584,00ART. KIT00050  
€ 193,00

ART. 21069EST-CR<sup>1</sup> outer part 6-way € 486,00

Concealed high flow rate shower mixer  
 • Thermostatic cartridge  
 • 6 outlets G 1/2", ceramic headworks 90°  
 • Inlets G 3/4"  
 • Optional mounting kit, recommended<sup>4</sup>  
 • Easy-grip kit included<sup>5</sup>  
 • Chrome


ART. W21069CR<sup>2</sup> concealed part 6-way € 1.312,00

AVAILABLE FINISHINGS  
 MODERN 5  
 CLASSIC 5  
 PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21069EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568  
 3 Order outer part number + concealed part number  
 4 See details page 531  
 5 See details page 533  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

21069-CR<sup>3</sup> 6-way

TOTAL € 1.798,00




ART. KIT00060  
 € 227,00

ART. 21528EST/A-CR<sup>3</sup> outer part 2-way € 310,00  
 ART. 21538EST/A-CR<sup>3</sup> outer part 3-way € 310,00




ART. W21529CR<sup>1</sup> concealed part 2-way € 417,00  
 ART. W21539CR<sup>1</sup> concealed part 3-way € 450,00



21528/A-CR<sup>2</sup> 2-way TOTAL € 727,00  
 21538/A-CR<sup>2</sup> 3-way TOTAL € 760,00

Integrated duplex concealed shower mixer  
 • Mechanical cartridge  
 • Rotating diverter with 2 or 3 outlet closure  
 • Stick single-function shower in brass<sup>3</sup>  
 • Wall outlet with hand shower holder  
 • PVC flexible hose 150 cm  
 • Inlets G 1/2"  
 • Concealed with protective cover<sup>4</sup>  
 • Easy-grip kit included<sup>5</sup>  
 • Chrome




AVAILABLE FINISHINGS  
 MODERN 5  
 CLASSIC 5  
 PVD 5

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 569  
 2 Order outer part number + concealed part number  
 3 Also available with ABS shower  
 4 See details page 530  
 5 See details page 533  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering  
 PN See legend on page 10

ART. 21948EST/A-CR<sup>3</sup> outer part 4-way € 394,00  
 ART. 21958EST/A-CR<sup>3</sup> outer part 5-way € 394,00  
 ART. 21968EST/A-CR<sup>3</sup> outer part 6-way € 394,00




ART. W21949CR<sup>1</sup> concealed part 4-way € 572,00  
 ART. W21959CR<sup>1</sup> concealed part 5-way € 609,00  
 ART. W21969CR<sup>1</sup> concealed part 6-way € 644,00



21948/A-CR<sup>2</sup> 4-way TOTAL € 966,00  
 21958/A-CR<sup>2</sup> 5-way TOTAL € 1.003,00  
 21968/A-CR<sup>2</sup> 6-way TOTAL € 1.038,00

Integrated duplex concealed shower mixer  
 • Mechanical cartridge  
 • Rotating diverter with 4, 5 or 6 outlet closure  
 • Stick single-function shower in brass<sup>3</sup>  
 • Wall outlet with hand shower holder  
 • PVC flexible hose 150 cm  
 • Inlets G 1/2"  
 • Concealed with protective cover<sup>4</sup>  
 • Easy-grip kit included<sup>5</sup>  
 • Chrome



AVAILABLE FINISHINGS  
 MODERN 5  
 CLASSIC 5  
 PVD 5

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 569  
 2 Order outer part number + concealed part number  
 3 Also available with ABS shower  
 4 See details page 530  
 5 See details page 533  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering


ART. 21428EST/A-CR outer part 2-way € 161,00  
 ART. 21438EST/A-CR outer part 3-way € 161,00

PN




## Vertical concealed shower mixer

- Mechanical cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Easy-grip kit included <sup>4</sup>
- Chrome




ART. W21421CR <sup>1</sup> concealed part 2-way € 330,00  
 ART. W21431CR <sup>1</sup> concealed part 3-way € 359,00

PN



## AVAILABLE FINISHINGS

- MODERN 5  
 CLASSIC 5  
 PVD 1




21428/A-CR <sup>2</sup> 2-way TOTAL € 491,00  
 21438/A-CR <sup>2</sup> 3-way TOTAL € 520,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 569  
 2 Order outer part number + concealed part number  
 3 See details page 530  
 4 See details page 533  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering  
 PN See legend on page 10

ART. 21348EST/A-CR outer part 4-way € 246,00  
 ART. 21358EST/A-CR outer part 5-way € 246,00  
 ART. 21368EST/A-CR outer part 6-way € 246,00

Vertical concealed shower mixer


- Mechanical cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Easy-grip kit included <sup>4</sup>
- Chrome



ART. W21341CR <sup>1</sup> concealed part 4-way € 491,00  
 ART. W21351CR <sup>1</sup> concealed part 5-way € 524,00  
 ART. W21361CR <sup>1</sup> concealed part 6-way € 573,00


## AVAILABLE FINISHINGS

- MODERN 5  
 CLASSIC 5  
 PVD 1



21348/A-CR <sup>2</sup> 4-way TOTAL € 737,00  
 21358/A-CR <sup>2</sup> 5-way TOTAL € 770,00  
 21368/A-CR <sup>2</sup> 6-way TOTAL € 819,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 569  
 2 Order outer part number + concealed part number  
 3 See details page 530  
 4 See details page 533  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering




ART. 21428EST/AO-CR outer part 2-way € 161,00  
 ART. 21438EST/AO-CR outer part 3-way € 161,00

PN




## Horizontal concealed shower mixer

- Mechanical cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Easy-grip kit included <sup>4</sup>
- Chrome



ART. W21421CR <sup>1</sup> concealed part 2-way € 330,00  
 ART. W21431CR <sup>1</sup> concealed part 3-way € 359,00

PN



AVAILABLE FINISHINGS  
 MODERN 5  
 CLASSIC 5  
 PVD 1


For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 569  
 2 Order outer part number + concealed part number  
 3 See details page 530  
 4 See details page 533  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering  
 PN See legend on page 10

21428/AO-CR <sup>2</sup> 2-way TOTAL € 491,00  
 21438/AO-CR <sup>2</sup> 3-way TOTAL € 520,00


ART. 21348EST/AO-CR outer part 4-way € 246,00  
 ART. 21358EST/AO-CR outer part 5-way € 246,00  
 ART. 21368EST/AO-CR outer part 6-way € 246,00

Horizontal concealed shower mixer

- Mechanical cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Easy-grip kit included <sup>4</sup>
- Chrome





ART. W21341CR <sup>1</sup> concealed part 4-way € 491,00  
 ART. W21351CR <sup>1</sup> concealed part 5-way € 524,00  
 ART. W21361CR <sup>1</sup> concealed part 6-way € 573,00



AVAILABLE FINISHINGS  
 MODERN 5  
 CLASSIC 5  
 PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 569  
 2 Order outer part number + concealed part number  
 3 See details page 530  
 4 See details page 533  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering




ART. 0-ITD5705EST-CR brass shower outer part € 259,00  
 ART. 0-ITD5706EST-CR ABS shower outer part € 247,00



- 2-way single-control concealed shower mixer**
- Conventional cartridge
  - Automatic diverter with stop <sup>3</sup>
  - Stick single-function shower in brass/ABS
  - Wall outlet with shower holder
  - PVC flexible hose 150 cm
  - Inlets G 1/2"
  - Concealed with protective cover <sup>4</sup>
  - Chrome


ART. W5701 <sup>1</sup> concealed part € 273,00



**AVAILABLE FINISHINGS**  
 MODERN 5  
 CLASSIC 5  
 PVD 5

0-ITD5705-CR <sup>2</sup> brass shower TOTAL € 532,00  
 0-ITD5706-CR <sup>2</sup> ABS shower TOTAL € 520,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 570  
 2 Order outer part number + concealed part number  
 3 See details page 536  
 4 See details page 530  
 PN See legend on page 10



ART. 0-ITD5707EST-CR brass shower outer part € 228,00  
 ART. 0-ITD5708EST-CR ABS shower outer part € 219,00



- 1-way single-control concealed shower mixer**
- Conventional cartridge
  - Stick single-function shower in brass/ABS
  - Wall outlet with shower holder
  - PVC flexible hose 150 cm
  - Inlets G 1/2"
  - Concealed with protective cover <sup>3</sup>
  - Chrome


ART. W5700 <sup>1</sup> concealed part € 227,00



**AVAILABLE FINISHINGS**  
 MODERN 5  
 CLASSIC 5  
 PVD 5

0-ITD5707-CR <sup>2</sup> brass shower TOTAL € 455,00  
 0-ITD5708-CR <sup>2</sup> ABS shower TOTAL € 446,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 570  
 2 Order outer part number + concealed part number  
 3 See details page 530




ART. 0-ITD4705EST-CR <sup>4</sup> outer part 2-way € 105,00

(PN)




- 2-way single control concealed shower mixer**
- Conventional cartridge
  - Automatic diverter with stop <sup>3</sup>
  - Inlets G 1/2"
  - Chrome



ART. W4701 <sup>1</sup> concealed part 2-way € 115,00

(PN)



**AVAILABLE FINISHINGS**  
 MODERN 13  
 CLASSIC 12  
 PVD 11

0-ITD4705-CR <sup>2</sup> 2-way TOTAL € 220,00


For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 570  
 2 Order outer part number + concealed part number  
 3 See details page 536  
 4 Also available with square plate Art. 0-ITD4706EST-CR same price  
 PN See legend on page 10

ART. 0-ITD4704EST-CR <sup>3</sup> outer part 1-way € 75,00

(PN)




- 1-way single-control concealed shower mixer**
- Conventional cartridge
  - Inlets G 1/2"
  - Wall-mounted remote control
  - Chrome



ART. W4700 <sup>1</sup> concealed part 1-way € 78,00

(PN)



**AVAILABLE FINISHINGS**  
 MODERN 13  
 CLASSIC 12  
 PVD 11

0-ITD4704-CR <sup>2</sup> 1-way TOTAL € 153,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 570  
 2 Order outer part number + concealed part number  
 3 Also available with square plate Art. 0-ITD4707EST-CR same price  
 PN See legend on page 10


## BATHTUB THERMOSTATIC CARTRIDGE - G 1/2"

ART. 0-ITD6101EST-CR outer part € 514,00



- Concealed bathtub mixer**
- Concealed bathtub mixer
  - Spout distance center 138 mm
  - Thermostatic cartridge
  - Rotating diverter with 2 or 3 outlet closure
  - Stick single-function shower in brass
  - Wall outlet with hand shower holder
  - PVC flexible hose 150 cm
  - Inlets G 1/2"
  - Concealed with protective cover<sup>3</sup>
  - Chrome

ART. W6100<sup>1</sup> concealed part € 606,00



AVAILABLE FINISHINGS  
MODERN 13  
CLASSIC 12  
PVD 11


For finishing surcharge, see table on the inside cover of the catalogue  
1 See installation heights, flow rate and spare parts table page 571  
2 Order outer part number + concealed part number  
3 See details page 536  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 574) and connection sequence when ordering

0-ITD6101-CR<sup>2</sup> 2-way TOTAL € 1.120,00

## IlTondo


## SHOWER HEADS WALL-MOUNTED

ART. 26883X complete article € 385,00



### ILTONGO WALL-MOUNTED SHOWER HEAD

- Inspectable and serviceable
- Flow limiter 6 l/min at 3 bar
- Wall-mounted installation inlets G 1/2"
- Anti-liming rain aerator, inspectable and removable
- Stainless steel



AVAILABLE FINISHINGS  
BRD / PTQ / PBL / VBL € 559,00  
NEOP / BIOP € 539,00  
SPZ € 481,00

See installation heights page 558

## BATHTUB CONVENTIONAL CARTRIDGE - G 3/4"

ART. 0-ITD7301EST-CR outer part € 1.504,00



- Freestanding tub column**
- Conventional cartridge
  - Spout center distance 221 mm
  - Automatic diverter with stop
  - Stick 1 jet shower in brass
  - Chrome

ART. W7301 concealed part € 309,00



AVAILABLE FINISHINGS  
MODERN 4  
CLASSIC 6  
PVD 3


0-ITD7301-CR<sup>1</sup> TOTAL € 1.813,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number

## IlTondo


## SHOWER HEADS CEILING-MOUNTED

ART. 26880X complete article € 361,00



### ILTONGO 10 CEILING-MOUNTED SHOWER HEAD

- Inspectable and serviceable
- Flow limiter 6 l/min at 3 bar
- H 100 mm ø50
- Ceiling installation inlets G 1/2"
- Anti-liming rain aerator, inspectable and removable
- Stainless steel



AVAILABLE FINISHINGS  
BRD / PTQ / PBL / VBL € 524,00  
NEOP / BIOP € 506,00  
SPZ € 452,00

See installation heights page 558-559


ART. 26881X complete article € 366,00



## LTONDO 15

## CEILING-MOUNTED SHOWER HEAD

- Inspectable and serviceable
- Flow limiter 6 l/min at 3 bar
- H 150 mm Ø50
- Ceiling installation inlets G 1/2"
- Anti-liming rain aerator, inspectable and removable
- Stainless steel



## AVAILABLE FINISHINGS

BRD / PTQ / PBL / VBL € 531,00

NEOP / BIOP € 513,00

SPZ € 458,00



ECO

See installation heights page 558-559


ART. 26882X complete article € 371,00



## ILTONGO 20

## CEILING-MOUNTED SHOWER HEAD

- Inspectable and serviceable
- Flow limiter 6 l/min at 3 bar
- H 200 Ø mm 50
- Ceiling installation inlets G 1/2"
- Anti-liming rain aerator, inspectable and removable
- Stainless steel



## AVAILABLE FINISHINGS

BRD / PTQ / PBL / VBL € 538,00

NEOP / BIOP € 520,00

SPZ € 464,00



ECO

See installation heights page 558-559

# IIQuadro

Perfect proportions, rigorous shapes, refined lines:  
IIQuadro, synonymous with equilibrium.

**Minimalist and modern style  
resulting from a well-balanced  
interplay of geometries.**

## A simple gesture

Turning an everyday gesture  
into an elegant ritual.

Concealed shower  
mixer with  
integrated duplex



Concealed  
washbasin mixer

Single-hole  
washbasin mixer

Single-hole  
washbasin mixer

Set shower  
head MySlim  
and arm Extreme

# IlQuadro

The square shape, with its geometric balance, evokes solidity, stability and protection. While its rounded shape evokes dynamism, serenity and completeness. In IlQuadro collection, two geometries merge into a perfect balance of contrasts to enhance functionality and elegance.

## WASHBASIN

- 224** CONVENTIONAL CARTRIDGE

## BIDET

- 228** CONVENTIONAL CARTRIDGE

## ACCESSORIES

- 229** BASIN WASTES

- 229** SIPHONS

- 229** FILTER TAPS

## SHOWER

- 234** CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"

- 241** CONCEALED - THERMOSTATIC CARTRIDGE - G 3/4"

- 244** CONCEALED - MECHANICAL CARTRIDGE - G 1/2"

- 247** CONCEALED - CONVENTIONAL CARTRIDGE - G 1/2"






## CONVENTIONAL CARTRIDGE

## WALL-MOUNTED WASHBASIN SPOUTS AND CONTROLS

from page 224



Wall-mounted spout



1-way single-control mixer

## ACCESSORIES

## POP-UP WASTE - SIPHONS - FILTER TAPS

from page 229



Pop-up waste



Minimal siphon



Filter taps

## TALL WASHBASIN

from page 226



Single-control mixer

## WASHBASIN

from page 226



Single-control mixer



Single-control mixer

## BIDET

from page 228



Single-control mixer




Single-control mixer

## WASHBASIN CONVENTIONAL CARTRIDGE

ART. 0-IQD2702EST-CR outer part € 310,00


PN



- Wall-mounted washbasin mixer**
- Spout center distance 161 mm
  - Conventional cartridge
  - Inlets G 1/2"
  - Without drain
  - Chrome

ART. W2502 concealed part € 136,00

PN




AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 5

0-IQD2702-CR<sup>1</sup> TOTAL € 446,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
PN See legend on page 10

ART. 0-IQD2703EST-CR outer part € 341,00


PN



- Wall-mounted washbasin mixer XL**
- Spout center distance 211 mm
  - Conventional cartridge
  - Inlets G 1/2"
  - Without drain
  - Chrome

ART. W2502 concealed part € 136,00

PN



AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 5

0-IQD2703-CR<sup>1</sup> TOTAL € 477,00


For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
PN See legend on page 10

## IIQuadro


## WASHBASIN CONVENTIONAL CARTRIDGE

ART. 28110-CR spout center distance 161 mm € 181,00


ART. 28111-CR spout center distance 211 mm € 218,00





- Wall-mounted washbasin/bathtub spout**
- Spout center distance 161 mm
  - Inlet G" 1/2
  - To pair with mixer
  - Chrome



- Wall-mounted washbasin/bathtub spout XL**
- Spout center distance 211 mm
  - Inlets G 1/2"
  - To pair with mixer
  - Chrome



AVAILABLE FINISHINGS  
MODERN 2  
CLASSIC 1  
PVD 4





For finishing surcharge, see table on the inside cover of the catalogue

ART. 0-IQD4702EST-CR outer part € 121,00

PN



- 1-way single-control mixer**
- Conventional cartridge
  - Inlets G 1/2"
  - Wall-mounted remote control
  - To pair with wall-mounted spout
  - Chrome



ART. W4700<sup>1</sup> concealed part € 78,00

PN



AVAILABLE FINISHINGS  
MODERN 13  
CLASSIC 12  
PVD 11

0-IQD4702-CR<sup>2</sup> TOTAL € 199,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 See installation heights, flow rate and spare parts table page 570  
2 Order outer part number + concealed part number  
PN See legend on page 10

## IIQuadro


ART. 0-IQD1701-CR complete article € 329,00

PN



**Single-control tall washbasin mixer**

- Spout center distance 200 mm
- Conventional cartridge
- Connection flexible hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS


MODERN	2
CLASSIC	1
PVD	9

For finishing surcharge, see table on the inside cover of the catalogue  
PN See legend on page 10

ART. 0-IQD0701-CR complete article € 564,00

**Single-control washbasin mixer**

- Spout center distance 150 mm
- Conventional cartridge
- Connection flexible hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

MODERN	2
CLASSIC	1
PVD	9

For finishing surcharge, see table on the inside cover of the catalogue


ART. 0-IQD0702-CR complete article € 256,00

PN



**Single-control washbasin mixer**

- Spout center distance 122 mm
- Conventional cartridge
- Connection flexible hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

MODERN	2
CLASSIC	1
PVD	9

For finishing surcharge, see table on the inside cover of the catalogue  
PN See legend on page 10

ART. 0-IQD3702-CR complete article € 271,00

PN

**Bidet mixer**

- Spout center distance 112 mm
- Conventional cartridge
- Connection flexible hoses
- Without drain
- Chrome

## AVAILABLE FINISHINGS




MODERN	2
CLASSIC	1
PVD	9

For finishing surcharge, see table on the inside cover of the catalogue  
PN See legend on page 10

ART. 0-IQD3701-CR complete article € 520,00

**Single-control bidet mixer**

- Spout center distance 89 mm
- Conventional cartridge
- Connection flexible hoses
- Without drain
- Chrome





## AVAILABLE FINISHINGS

MODERN	2
CLASSIC	1
PVD	9


For finishing surcharge, see table on the inside cover of the catalogue

ART. 70320-CR brass € 55,50  
ART. 70321-CR ABS € 37,00

PN

**Pop-up drain**

- Pop-up waste 1" 1/4
- Brass / ABS
- 2-in-1 system for washbasin with or without overflow
- Chrome





AVAILABLE FINISHINGS  
MODERN 12  
CLASSIC 11  
PVD 2

For finishing surcharge, see table on the inside cover of the catalogue  
PN See legend on page 10

ART. 70400-CR € 138,00

**Minimal siphon**

- Siphon 1" 1/4
- Brass
- Chrome





AVAILABLE FINISHINGS  
MODERN 11  
CLASSIC 10  
PVD 10

For finishing surcharge, see table on the inside cover of the catalogue

ART. 70600-CR € 119,00

**Filter tap pair**

- 2 filter taps
- Fitting G 1/2" x G 3/8"
- Brass
- Chrome



AVAILABLE FINISHINGS  
MODERN 6  
CLASSIC 6  
PVD 5

For finishing surcharge, see table on the inside cover of the catalogue




IIQuadro

## SHOWER

<b>234</b>	CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2"
<b>241</b>	CONCEALED - THERMOSTATIC CARTRIDGE - G 3/4"
<b>244</b>	CONCEALED - MECHANICAL CARTRIDGE - G 1/2"
<b>247</b>	CONCEALED - CONVENTIONAL CARTRIDGE - G 1/2"

**THERMOSTATIC CARTRIDGE****CONCEALED INLETS G 1/2"**


from page 234

**CONCEALED INLETS G 3/4"**

from page 241

**MECHANICAL CARTRIDGE****CONCEALED INLETS G 1/2"**

from page 244

**CONVENTIONAL CARTRIDGE****CONCEALED INLETS G 1/2"**

from page 247




ART. 21821EST-CR<sup>3</sup> outer part 2-way € 372,00  
 ART. 21831EST-CR<sup>3</sup> outer part 3-way € 372,00

PN



**Integrated duplex concealed shower mixer**

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Square single-function shower in brass<sup>3</sup>
- Wall outlet with hand shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>4</sup>
- Chrome



ART. W5100<sup>1</sup> concealed part 2-way € 470,00  
 ART. W5101<sup>1</sup> concealed part 3-way € 506,00

PN


**AVAILABLE FINISHINGS**

- MODERN 5  
 CLASSIC 5  
 PVD 5

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 566

2 Order outer part number + concealed part number

3 Also available with ABS shower

4 See details page 530

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering



PN See legend on page 10

21821-CR<sup>2</sup> 2-way TOTAL € 842,00  
 21831-CR<sup>2</sup> 3-way TOTAL € 878,00


ART. 21800EST-CR outer part € 120,00


**Concealed shower mixer thermostatic only**

- Thermostatic cartridge
- Inlets G 1/2"
- No diverter tap with closure to be ordered separately
- Up to a maximum of 3 diverter taps can be connected with 2 or 3 outlet closure, for a maximum of 9-way<sup>2</sup>
- Chrome



ART. W21800CR concealed part € 273,00


**AVAILABLE FINISHINGS**

- MODERN 13  
 CLASSIC 12  
 PVD 11

For finishing surcharge, see table on the inside cover of the catalogue


1 Order outer part number + concealed part number and match 1, 2 or 3 diverter taps with 2 or 3 outlet closure depending on the utilities to be connected.

2 See details page 537


ART. 21841EST-CR<sup>3</sup> outer part 4-way € 485,00  
 ART. 21851EST-CR<sup>3</sup> outer part 5-way € 485,00  
 ART. 21861EST-CR<sup>3</sup> outer part 6-way € 485,00


**Integrated duplex concealed shower mixer**

- Thermostatic cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Square single-function shower in brass<sup>3</sup>
- Wall outlet with shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>4</sup>
- Chrome



ART. W5102<sup>1</sup> concealed part 4-way € 632,00  
 ART. W5103<sup>1</sup> concealed part 5-way € 669,00  
 ART. W5104<sup>1</sup> concealed part 6-way € 713,00


**AVAILABLE FINISHINGS**

- MODERN 5  
 CLASSIC 5  
 PVD 5

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 566

2 Order outer part number + concealed part number

3 Also available with ABS shower

4 See details page 530



Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering

21841-CR<sup>2</sup> 4-way TOTAL € 1.117,00  
 21851-CR<sup>2</sup> 5-way TOTAL € 1.154,00  
 21861-CR<sup>2</sup> 6-way TOTAL € 1.198,00


ART. 21801EST-CR outer part 2-way € 120,00  
 ART. 21802EST-CR outer part 3-way € 120,00


**Diverter tap with stop**

- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- No thermostatic mixer to be ordered separately<sup>2</sup>
- Chrome



ART. W21801CR concealed part 2-way € 147,00  
 ART. W21802CR concealed part 3-way € 186,00


**AVAILABLE FINISHINGS**

- MODERN 13  
 CLASSIC 12  
 PVD 11

For finishing surcharge, see table on the inside cover of the catalogue  
 1 Order outer part number + concealed part number

and match thermostatic mixer art. W21800

2 See details page 537

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering


ART. 21221EST-CR outer part 2-way € 192,00  
 ART. 21231EST-CR outer part 3-way € 192,00

PN



## Vertical concealed shower mixer

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome




ART. W21221CR <sup>1</sup> concealed part 2-way € 373,00  
 ART. W21231CR <sup>1</sup> concealed part 3-way € 409,00

PN



## AVAILABLE FINISHINGS

- MODERN 5  
 CLASSIC 5  
 PVD 1



21221-CR <sup>2</sup> 2-way TOTAL € 565,00  
 21231-CR <sup>2</sup> 3-way TOTAL € 601,00

For finishing surcharge, see table on the inside cover of the catalogue

<sup>1</sup> See installation heights, flow rate and spare parts table page 566<sup>2</sup> Order outer part number + concealed part number<sup>3</sup> See details page 530

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

PN See legend on page 10


ART. 21221EST/O-CR outer part 2-way € 192,00  
 ART. 21231EST/O-CR outer part 3-way € 192,00

PN




## Horizontal concealed shower mixer

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome




ART. W21221CR <sup>1</sup> concealed part 2-way € 373,00  
 ART. W21231CR <sup>1</sup> concealed part 3-way € 409,00

PN



## AVAILABLE FINISHINGS


- MODERN 5  
 CLASSIC 5  
 PVD 1



ART. 21241EST-CR outer part 4-way € 296,00  
 ART. 21251EST-CR outer part 5-way € 296,00  
 ART. 21261EST-CR outer part 6-way € 296,00

## Vertical concealed shower mixer


- Thermostatic cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome



ART. W21241CR <sup>1</sup> concealed part 4-way € 544,00  
 ART. W21251CR <sup>1</sup> concealed part 5-way € 582,00  
 ART. W21261CR <sup>1</sup> concealed part 6-way € 614,00

## AVAILABLE FINISHINGS

- MODERN 5  
 CLASSIC 5  
 PVD 1



21241-CR <sup>2</sup> 4-way TOTAL € 840,00  
 21251-CR <sup>2</sup> 5-way TOTAL € 878,00  
 21261-CR <sup>2</sup> 6-way TOTAL € 910,00

For finishing surcharge, see table on the inside cover of the catalogue

<sup>1</sup> See installation heights, flow rate and spare parts table page 566<sup>2</sup> Order outer part number + concealed part number<sup>3</sup> See details page 530



Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering




ART. 21241EST/O-CR outer part 4-way € 296,00  
 ART. 21251EST/O-CR outer part 5-way € 296,00  
 ART. 21261EST/O-CR outer part 6-way € 296,00

## Horizontal concealed shower mixer

- Thermostatic cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome



ART. W21241CR <sup>1</sup> concealed part 4-way € 544,00  
 ART. W21251CR <sup>1</sup> concealed part 5-way € 582,00  
 ART. W21261CR <sup>1</sup> concealed part 6-way € 614,00



## AVAILABLE FINISHINGS

- MODERN 5  
 CLASSIC 5  
 PVD 1



For finishing surcharge, see table on the inside cover of the catalogue

<sup>1</sup> See installation heights, flow rate and spare parts table page 566<sup>2</sup> Order outer part number + concealed part number<sup>3</sup> See details page 530

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21022EST-CR<sup>1</sup> outer part 2-way € 316,00


- Concealed shower mixer with simultaneous openings
- Thermostatic cartridge
  - 2 outlets G 1/2", ceramic headworks 90°
  - Inlets G 1/2"
  - Concealed with protective cover <sup>4</sup>
  - Chrome

ART. W21028<sup>2</sup> concealed part 2-way € 437,00



- AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1

21022-CR<sup>3</sup> 2-way TOTAL € 753,00

- For finishing surcharge, see table on the inside cover of the catalogue  
1 For horizontal installation order 21022EST/O-CR  
2 See installation heights, flow rate and spare parts table page 567  
3 Order outer part number + concealed part number  
4 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21032EST-CR<sup>1</sup> outer part 3-way € 434,00



- Concealed shower mixer with simultaneous openings
- Thermostatic cartridge
  - 3 outlets G 1/2", ceramic headworks 90°
  - Inlets G 1/2"
  - Concealed with protective cover <sup>4</sup>
  - Chrome

ART. W21038<sup>2</sup> concealed part 3-way € 534,00



- AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1

21032-CR<sup>3</sup> 3-way TOTAL € 968,00

- For finishing surcharge, see table on the inside cover of the catalogue  
1 For horizontal installation order 21032EST/O-CR  
2 See installation heights, flow rate and spare parts table page 567  
3 Order outer part number + concealed part number  
4 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21042EST-CR<sup>1</sup> outer part 4-way € 553,00


- Concealed shower mixer simultaneous openings
- Thermostatic cartridge
  - 4 outlets G 1/2", ceramic headwork 90°
  - Inlets G 1/2"
  - Concealed with protective cover <sup>4</sup>
  - Chrome

ART. W21048<sup>2</sup> concealed part 4-way € 629,00



- AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1

21042-CR<sup>3</sup> 4-way TOTAL € 1.182,00

- For finishing surcharge, see table on the inside cover of the catalogue  
1 For horizontal installation order 21042EST/O-CR  
2 See installation heights, flow rate and spare parts table page 567  
3 Order outer part number + concealed part number  
4 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21052EST-CR<sup>1</sup> outer part 5-way € 665,00


- Concealed shower mixer with simultaneous openings
- Thermostatic cartridge
  - 5 outlets G 1/2", ceramic headworks 90°
  - Inlets G 1/2"
  - Concealed with protective cover <sup>4</sup>
  - Chrome

ART. W21058<sup>2</sup> concealed part 5-way € 715,00

- AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1

21052-CR<sup>3</sup> 5-way TOTAL € 1.370,00

- For finishing surcharge, see table on the inside cover of the catalogue  
1 For horizontal installation order 21052EST/O-CR  
2 See installation heights, flow rate and spare parts table page 567  
3 Order outer part number + concealed part number  
4 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering




ART. 21062EST-CR<sup>1</sup> outer part 6-way € 791,00

- Concealed shower mixer with simultaneous openings
- Thermostatic cartridge
  - 6 outlets G 1/2", ceramic headworks 90°
  - Inlets G 1/2"
  - Concealed with protective cover<sup>4</sup>
  - Chrome

ART. W21068<sup>2</sup> concealed part 6-way € 808,00


AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1

21062-CR<sup>3</sup> 6-way TOTAL € 1.599,00



For finishing surcharge, see table on the inside cover of the catalogue  
1 For horizontal installation order 21062EST/O-CR  
2 See installation heights, flow rate and spare parts table page 567  
3 Order outer part number + concealed part number  
4 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21020EST-CR<sup>1</sup> outer part 2-way € 300,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 2 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Chrome



Mounting kit

ART. KIT00020  
€ 134,00ART. W21029CR<sup>2</sup> concealed part 2-way € 690,00

AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1

21020-CR<sup>3</sup> 2-way TOTAL € 990,00


For finishing surcharge, see table on the inside cover of the catalogue  
1 For horizontal installation order 21020EST/O-CR

2 See installation heights, flow rate and spare parts table page 568  
3 Order outer part number + concealed part number


4 See details page 531  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21030EST-CR<sup>1</sup> outer part 3-way € 410,00

- Concealed high flow rate shower mixer
- Thermostatic cartridge
  - 3 outlets G 1/2", ceramic headworks 90°
  - Inlets G 3/4"
  - Optional mounting kit, recommended<sup>4</sup>
  - Chrome



Mounting kit

ART. KIT00030  
€ 153,00ART. W21039CR<sup>2</sup> concealed part 3-way € 845,00

AVAILABLE FINISHINGS  
MODERN 5  
CLASSIC 5  
PVD 1

21030-CR<sup>3</sup> 3-way TOTAL € 1.255,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 For horizontal installation order 21030EST/O-CR



2 See installation heights, flow rate and spare parts table page 568  
3 Order outer part number + concealed part number

4 See details page 531  
Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21040EST-CR<sup>1</sup> outer part 4-way € 533,00

## Concealed high flow rate shower mixer

- Thermostatic cartridge
- 4 outlets G 1/2", ceramic headworks 90°
- Inlets G 3/4"
- Optional mounting kit, recommended<sup>4</sup>
- Chrome

ART. W21049CR<sup>2</sup> concealed part 4-way € 998,00

## AVAILABLE FINISHINGS

MODERN 5

CLASSIC 5

PVD 1

For finishing surcharge, see table on the inside cover of the catalogue

1 For horizontal installation order 21040EST/O-CR

2 See installation heights, flow rate and spare parts table page 568


3 Order outer part number + concealed part number

4 See details page 531

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering



21040-CR<sup>3</sup> 4-way TOTAL € 1.531,00ART. KIT00040  
€ 171,00

Mounting kit

ART. 21050EST-CR<sup>1</sup> outer part 5-way € 610,00

## Concealed high flow rate shower mixer

- Thermostatic cartridge
- 5 outlets G 1/2", ceramic headworks 90°
- Inlets G 3/4"
- Optional mounting kit, recommended<sup>4</sup>
- Chrome

ART. W21059CR<sup>2</sup> concealed part 5-way € 1.152,00

## AVAILABLE FINISHINGS

MODERN 5

CLASSIC 5

PVD 1

For finishing surcharge, see table on the inside cover of the catalogue


1 For horizontal installation order 21050EST/O-CR

2 See installation heights, flow rate and spare parts table page 568

3 Order outer part number + concealed part number


4 See details page 531

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering


21050-CR<sup>3</sup> 5-way TOTAL € 1.762,00ART. KIT00050  
€ 193,00ART. 21060EST-CR<sup>1</sup> outer part 6-way € 715,00

## Concealed high flow rate shower mixer

- Thermostatic cartridge
- 6 outlets G 1/2", ceramic headworks 90°
- Inlets G 3/4"
- Optional mounting kit, recommended<sup>4</sup>
- Chrome



Mounting kit

ART. KIT00060  
€ 227,00

## AVAILABLE FINISHINGS

MODERN 5

CLASSIC 5

PVD 1

For finishing surcharge, see table on the inside cover of the catalogue

1 For horizontal installation order 21060EST/O-CR

2 See installation heights, flow rate and spare parts table page 568

3 Order outer part number + concealed part number

4 See details page 531

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering


21060-CR<sup>3</sup> 6-way TOTAL € 2.027,00

ART. 21521EST-CR outer part 2-way € 373,00  
 ART. 21531EST-CR outer part 3-way € 373,00




## Integrated duplex concealed shower mixer

- Mechanical cartridge
- Rotating diverter with 2 or 3 outlet closure
- Square single-function shower in brass<sup>3</sup>
- Wall outlet with hand shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>4</sup>
- Chrome




ART. W21529CR<sup>1</sup> concealed part 2-way € 417,00  
 ART. W21539CR<sup>1</sup> concealed part 3-way € 450,00



## AVAILABLE FINISHINGS

- MODERN 5  
 CLASSIC 5  
 PVD 5



For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 569

2 Order outer part number + concealed part number

3 Also available with ABS shower

4 See details page 530

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering

PN See legend on page 10

21521-CR<sup>2</sup> 2-way TOTAL € 790,00  
 21531-CR<sup>2</sup> 3-way TOTAL € 823,00


ART. 21421EST-CR outer part 2-way € 193,00  
 ART. 21431EST-CR outer part 3-way € 193,00

PN




## Vertical concealed shower mixer

- Mechanical cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome




ART. W21421CR<sup>1</sup> concealed part 2-way € 330,00  
 ART. W21431CR<sup>1</sup> concealed part 3-way € 359,00

PN



## AVAILABLE FINISHINGS

- MODERN 5  
 CLASSIC 5  
 PVD 1



For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 569

2 Order outer part number + concealed part number

3 See details page 530

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

PN See legend on page 10


21421-CR<sup>2</sup> 2-way TOTAL € 523,00  
 21431-CR<sup>2</sup> 3-way TOTAL € 552,00

ART. 21941EST-CR<sup>3</sup> outer part 4-way € 477,00  
 ART. 21951EST-CR<sup>3</sup> outer part 5-way € 477,00  
 ART. 21961EST-CR<sup>3</sup> outer part 6-way € 477,00




## Integrated duplex concealed shower mixer

- Mechanical cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Square single-function shower in brass<sup>3</sup>
- Wall outlet with hand shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover<sup>4</sup>
- Chrome




ART. W21949CR<sup>1</sup> concealed part 4-way € 572,00  
 ART. W21959CR<sup>1</sup> concealed part 5-way € 609,00  
 ART. W21969CR<sup>1</sup> concealed part 6-way € 644,00



## AVAILABLE FINISHINGS

- MODERN 5  
 CLASSIC 5  
 PVD 5



For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 569

2 Order outer part number + concealed part number

3 Also available with ABS shower

4 See details page 530

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering


21941-CR<sup>2</sup> 4-way TOTAL € 1.049,00  
 21951-CR<sup>2</sup> 5-way TOTAL € 1.086,00  
 21961-CR<sup>2</sup> 6-way TOTAL € 1.121,00

ART. 21341EST-CR outer part 4-way € 296,00  
 ART. 21351EST-CR outer part 5-way € 296,00  
 ART. 21361EST-CR outer part 6-way € 296,00




## Vertical concealed shower mixer

- Mechanical cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome




ART. W21341CR<sup>1</sup> concealed part 4-way € 491,00  
 ART. W21351CR<sup>1</sup> concealed part 5-way € 524,00  
 ART. W21361CR<sup>1</sup> concealed part 6-way € 573,00



## AVAILABLE FINISHINGS

- MODERN 5  
 CLASSIC 5  
 PVD 1



For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 569


2 Order outer part number + concealed part number

3 See details page 530

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering



21341-CR<sup>2</sup> 4-way TOTAL € 787,00  
 21351-CR<sup>2</sup> 5-way TOTAL € 820,00  
 21361-CR<sup>2</sup> 6-way TOTAL € 869,00

ART. 21421EST/O-CR outer part 2-way € 193,00  
 ART. 21431EST/O-CR outer part 3-way € 193,00




## Horizontal concealed shower mixer

- Mechanical cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome



ART. W21421CR <sup>1</sup> concealed part 2-way € 330,00  
 ART. W21431CR <sup>1</sup> concealed part 3-way € 359,00



## AVAILABLE FINISHINGS

MODERN 5  
 CLASSIC 5  
 PVD 1

21421/O-CR <sup>2</sup> 2-way TOTAL € 523,00  
 21431/O-CR <sup>2</sup> 3-way TOTAL € 552,00

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 569

2 Order outer part number + concealed part number

3 See details page 530

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering



PN See legend on page 10

ART. 21341EST/O-CR outer part 4-way € 296,00  
 ART. 21351EST/O-CR outer part 5-way € 296,00  
 ART. 21361EST/O-CR outer part 6-way € 296,00




## Horizontal concealed shower mixer

- Mechanical cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome



ART. W21341CR <sup>1</sup> concealed part 4-way € 491,00  
 ART. W21351CR <sup>1</sup> concealed part 5-way € 524,00  
 ART. W21361CR <sup>1</sup> concealed part 6-way € 573,00



## AVAILABLE FINISHINGS

MODERN 5  
 CLASSIC 5  
 PVD 1

21341/O-CR <sup>2</sup> 4-way TOTAL € 787,00  
 21351/O-CR <sup>2</sup> 5-way TOTAL € 820,00  
 21361/O-CR <sup>2</sup> 6-way TOTAL € 869,00

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 569

2 Order outer part number + concealed part number

3 See details page 530



Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 0-IQD5704EST-CR brass shower outer part 2-way € 330,00  
 ART. 0-IQD5703EST-CR ABS shower outer part 2-way € 288,00




## 2-way single control concealed shower mixer

- Conventional cartridge
- Automatic diverter with stop <sup>3</sup>
- Square single-function shower in brass/ABS
- Wall outlet with shower head mount
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover <sup>4</sup>
- Chrome



ART. W5701 <sup>1</sup> concealed part 2-way € 273,00



## AVAILABLE FINISHINGS

MODERN 5  
 CLASSIC 5  
 PVD 5

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 570

2 Order outer part number + concealed part number

3 See details page 536

4 See details page 530



PN See legend on page 10

ART. 0-IQD5707EST-CR brass shower outer part 2-way € 332,00  
 ART. 0-IQD5708EST-CR ABS shower outer part 2-way € 290,00




## 2-way single-control concealed shower mixer

- Conventional cartridge
- Automatic diverter with stop <sup>2</sup>
- Square brass/ABS shower 1 jet
- Wall outlet with shower holder
- PVC flexible hose 150 cm
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome



ART. W5701 <sup>1</sup> concealed part 2-way € 273,00



## AVAILABLE FINISHINGS

MODERN 5  
 CLASSIC 5  
 PVD 5

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 570

2 Order outer part number + concealed part number

3 See details page 536

4 See details page 530

PN See legend on page 10



## AVAILABLE FINISHINGS

MODERN 5  
 CLASSIC 5  
 PVD 1

21341/O-CR <sup>2</sup> 4-way TOTAL € 787,00  
 21351/O-CR <sup>2</sup> 5-way TOTAL € 820,00  
 21361/O-CR <sup>2</sup> 6-way TOTAL € 869,00

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 569

2 Order outer part number + concealed part number

3 See details page 530


Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 0-IQD5705EST-CR brass shower outer part 1-way € 305,00  
 ART. 0-IQD5706EST-CR ABS shower outer part 1-way € 263,00



1-way single-control concealed shower mixer  
 • Conventional cartridge  
 • Square brass/ABS shower 1 jet  
 • Wall outlet with shower holder  
 • PVC flexible hose 150 cm  
 • Inlets G 1/2"  
 • Concealed with protective cover<sup>3</sup>  
 • Chrome

ART. W5700<sup>1</sup> concealed part 1-way € 227,00




#### AVAILABLE FINISHINGS

MODERN 5  
 CLASSIC 5  
 PVD 5

0-IQD5705-CR<sup>2</sup> brass shower 1-way TOTAL € 532,00  
 0-IQD5706-CR<sup>2</sup> ABS shower 1-way TOTAL € 490,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 570  
 2 Order outer part number + concealed part number  
 3 See details page 530




ART. 0-IQD4703EST-CR outer part 2-way € 152,00

(PN)




2-way single-control concealed shower mixer  
 • Conventional cartridge  
 • Automatic diverter with stop<sup>2</sup>  
 • Inlets G 1/2"  
 • Chrome



ART. W4701<sup>1</sup> concealed part 2-way € 115,00

(PN)



AVAILABLE FINISHINGS  
 MODERN 13  
 CLASSIC 12  
 PVD 11

0-IQD4703-CR<sup>2</sup> 2-way TOTAL € 267,00


For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 570  
 2 Order outer part number + concealed part number  
 3 See details page 536  
 PN See legend on page 10

ART. 0-IQD4701EST-CR outer part 2-way € 115,00

(PN)




Concealed single-control shower mixer 2-way  
 • Conventional cartridge  
 • Automatic diverter with stop<sup>3</sup>  
 • Inlets G 1/2"  
 • Chrome



ART. W4701<sup>1</sup> concealed part 2-way € 115,00


(PN)



AVAILABLE FINISHINGS  
 MODERN 13  
 CLASSIC 12  
 PVD 11

0-IQD4701-CR<sup>2</sup> 2-way TOTAL € 230,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 570  
 2 Order outer part number + concealed part number  
 3 See details page 536  
 PN See legend on page 10




ART. 0-IQD4700EST-CR outer part 1-way € 91,00

(PN)



1-way single-control concealed shower mixer  
 • Conventional cartridge  
 • Inlets G 1/2"  
 • Chrome



ART. W4700<sup>1</sup> concealed part 1-way € 78,00


(PN)



AVAILABLE FINISHINGS  
 MODERN 13  
 CLASSIC 12  
 PVD 11

0-IQD4700-CR<sup>2</sup> 1-way TOTAL € 169,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See installation heights, flow rate and spare parts table page 570  
 2 Order outer part number + concealed part number  
 PN See legend on page 10




ART. 0-IQD4702EST-CR outer part 1-way € 121,00

PN



**1-way single-control concealed shower mixer**

- Conventional cartridge
- Inlets G 1/2"
- Wall-mounted remote control
- Chrome


ART. W4700<sup>1</sup> concealed part 1-way € 78,00

PN



**AVAILABLE FINISHINGS**

MODERN	13
CLASSIC	12
PVD	11

0-IQD4702-CR<sup>2</sup> 1-way TOTAL € 199,00

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 570

2 Order outer part number + concealed part number

PN See legend on page 10


# MySpring

Soft lines with a strong, modern feature:  
MySpring

**Spring, symbol of the harmony of the universe and of life reborn, inspires MySpring collection where the study of form meets the search for comfort.**

## Perfect combination

The study and enhancement of materials are the starting and finishing point of this collection where volumes become vibrant to show themselves in their integral beauty and lines become sharp and decisive in a combination of dynamism and shapes.



# MySpring



Soft but strong and modern lines. MySpring is the perfect combination of freshness, personality and harmony, designed to blend in and dialogue with every type of bathroom environment.

## WASHBASIN

**258** CONVENTIONAL CARTRIDGE

## BIDET

**260** CONVENTIONAL CARTRIDGE

## ACCESSORIES

**261** POP-UP WASTE

**261** SIPHONS

**261** FILTER TAPS

## SHOWER

**265** CONCEALED - CONVENTIONAL CARTRIDGE - G 1/2"



## CONVENTIONAL CARTRIDGE

## WALL-MOUNTED WASHBASIN SPOUT AND CONTROLS

from page 258



Wall-mounted spout



1-way single-control mixer



## CONVENTIONAL CARTRIDGE

## BIDET

from page 260



Single-control mixer

## TALL WASHBASIN

from page 259



Single-control mixer



## ACCESSORIES

## POP-UP WASTE - SIPHON - FILTER TAPS

from page 261



Pop-up waste



Minimal siphon



Filter taps

## WASHBASIN

from page 259



Single-control mixer



ART. 0-SPZ2700EST-CR outer part 1-way € 53,00



PN



## Single-control mixer


## 1 outlet

- Wall-mounted remote control
- To pair with wall-mounted spout
- Conventional cartridge
- Inlets G 1/2"
- Chrome



ART. W4700 Concealed part 1-way € 78,00

PN



## AVAILABLE FINISHINGS

MODERN	13
CLASSIC	12
PVD	11

0-SPZ2700-CR<sup>1</sup> 1-way TOTAL € 131,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 Order outer part number + concealed part number  
PN See legend on page 10



ART. 0-SPZ2900-CR centre distance 161 mm € 147,00  
ART. 0-SPZ2901-CR centre distance 211 mm € 185,00

PN





## Wall-mounted washbasin/bathtub spout

- Spout centre distance 161 mm
- Inlet G 1/2"
- To pair with mixer
- Chrome



## Wall-mounted washbasin/bathtub spout XL

- Spout centre distance 211 mm
- Inlet G 1/2"
- To pair with mixer
- Chrome



## AVAILABLE FINISHINGS

MODERN	2
CLASSIC	1
PVD	4

For finishing surcharge, see table on the inside cover of the catalogue  
PN See legend on page 10



ART. 0-SPZ1701-CR complete article € 314,00

PN



## Single-control tall washbasin mixer

- Spout centre distance 200 mm
- Conventional cartridge
- Connection hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

MODERN	2
CLASSIC	1
PVD	4

For finishing surcharge, see table on the inside cover of the catalogue  
PN See legend on page 10



ART. 0-SPZ0701-CR complete article € 216,00

PN



## Single-control washbasin mixer

- Spout centre distance 122 mm
- Conventional cartridge
- Connection hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

MODERN	2
CLASSIC	1
PVD	4

For finishing surcharge, see table on the inside cover of the catalogue  
PN See legend on page 10



ART. 0-SPZ3701-CR complete article € 237,00

PN



## Bidet mixer

- Spout centre distance 124 mm
- Single-control mixer
- Connection hoses
- Without drain
- Chrome



## AVAILABLE FINISHINGS

- MODERN 2  
CLASSIC 1  
PVD 4

For finishing surcharge, see table on the inside cover of the catalogue  
PN See legend on page 10


ART. 70320-CR brass € 55,50  
ART. 70321-CR ABS € 37,00

PN



## Pop-up drain

- Pop-up waste 1" 1/4
- Brass / ABS
- 2-in-1 system for washbasin with or without overflow
- Chrome



## AVAILABLE FINISHINGS

- MODERN 12  
CLASSIC 11  
PVD 2



For finishing surcharge, see table on the inside cover of the catalogue  
PN See legend on page 10

ART. 70400-CR € 138,00



## Minimal siphon

- Siphon 1" 1/4
- Brass
- Chrome



## AVAILABLE FINISHINGS

- MODERN 11  
CLASSIC 10  
PVD 10



For finishing surcharge, see table on the inside cover of the catalogue

ART. 70600-CR € 119,00



## Filter tap pair

- 2 filter taps
- Fitting G 1/2" x G 3/8"
- Brass
- Chrome



## AVAILABLE FINISHINGS

- MODERN 6  
CLASSIC 6  
PVD 5

For finishing surcharge, see table on the inside cover of the catalogue



MySpring

SHOWER

**265**

CONCEALED - CONVENTIONAL CARTRIDGE - G 1/2"

## CONVENTIONAL CARTRIDGE

## CONCEALED INLETS G 1/2"



2-way single-control mixer



1-way single-control mixer

from page 265




ART. 0-SPZ4701EST-CR outer part 2-way € 114,00


PN

Concealed single-control shower mixer 2-way

- Conventional cartridge
- 2 outlets
- Automatic diverter with stop <sup>3</sup>
- Inlets G 1/2"
- Chrome

ART. W4701 <sup>1</sup> Concealed part 2-way € 115,00

PN



## AVAILABLE FINISHINGS

MODERN	13
CLASSIC	12
PVD	11

For finishing surcharge, see table on the inside cover of the catalogue

<sup>1</sup> See heights, installation, tables page 570<sup>2</sup> Order outer part number + concealed part number<sup>3</sup> See details page 536

PN See legend on page 10


ART. 0-SPZ2700EST-CR outer part 1-way € 53,00

PN



Concealed single-control shower mixer 1-way

- Conventional cartridge
- 1 outlet
- Inlets G 1/2"
- Chrome



ART. W4700 Concealed part 1-way € 78,00

PN




## AVAILABLE FINISHINGS

MODERN	13
CLASSIC	12
PVD	11

For finishing surcharge, see table on the inside cover of the catalogue

<sup>1</sup> Order outer part number + concealed part

PN See legend on page 10



# Colonial

An emotion, which like art, becomes tangible.  
Sensations, reflections and lines, this is how Colonial was born.

**Tradition coexists with modernity  
without sacrificing its most iconic essence.**



Wall-mounted waterfall Colonial

Vertical concealed shower mixer

Body-jet

Duplex Colonial with brass shower with white resin handle

Set shower head Colonial and arm uncino

Concealed shower mixer with simultaneous openings

Sliding rail kit Colonial with brass shower with white resin handle

## Classic contemporary

Furnishing the bathroom with a classic style does not mean looking to the past without modernizing: the Colonial line reinterprets the past with a modern eye, enhancing its most representative elements in a contemporary way.





# Colonial

The essential nature of classical shapes blends with the most modern minimalism in a perfect mix that finds its balance in the boundary between contrasts and oppositions.

With the Colonial collection, tradition coexists with modernity without sacrificing its most iconic essence.

## SHOWER

- |            |   |
|------------|---|
| <b>272</b> | CONCEALED - THERMOSTATIC CARTRIDGE - G 1/2" |
| <b>278</b> | CONCEALED - THERMOSTATIC CARTRIDGE - G 3/4" |
| <b>281</b> | CONCEALED - MECHANICAL CARTRIDGE - G 1/2"   |
| <b>283</b> | CONCEALED - CONVENTIONAL CARTRIDGE - G 1/2" |

**THERMOSTATIC CARTRIDGE****CONCEALED INLETS G 1/2"**Vertical  
2-3 wayHorizontal  
2-3 wayHorizontal  
4-5-6 way

from page 272

**MECHANICAL CARTRIDGE****CONCEALED INLETS G 1/2"**Vertical  
2-3 wayVertical  
4-5-6 way

from page 281

Single-control handles  
2-3 waySingle-control handles  
4-5-6 wayHorizontal  
2-3 wayHorizontal  
4-5-6 way

from page 283

**CONVENTIONAL CARTRIDGE****CONCEALED INLETS G 1/2"**

2-way single-control mixer    1-way single-control mixer

**CONCEALED INLETS G 3/4"**

from page 278

High flow rate  
2-way


4-way                        5-way                        6-way

ART. 21225EST-CR outer part 2-way € 301,00  
 ART. 21235EST-CR outer part 3-way € 301,00




## Concealed vertical shower mixer

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome




ART. W21221CR <sup>1</sup> concealed part 2-way € 373,00  
 ART. W21231CR <sup>1</sup> concealed part 3-way € 409,00

PN



## AVAILABLE FINISHINGS

MODERN	5
CLASSIC	5
PVD	1



21225-CR <sup>2</sup> 2-way TOTAL € 674,00  
 21235-CR <sup>2</sup> 3-way TOTAL € 710,00

For finishing surcharge, see table on the inside cover of the catalogue


1 See installation heights, flow rate and spare parts table page 566

2 Order outer part number + concealed part number

3 See details page 530

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering



PN See legend on page 10



ART. 21225EST/O-CR outer part 2-way € 301,00  
 ART. 21235EST/O-CR outer part 3-way € 301,00


## Concealed horizontal shower mixer

- Thermostatic cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome



ART. W21221CR <sup>1</sup> concealed part 2-way € 373,00  
 ART. W21231CR <sup>1</sup> concealed part 3-way € 409,00

PN



## AVAILABLE FINISHINGS

MODERN	5
CLASSIC	5
PVD	1

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 566

2 Order outer part number + concealed part number

3 See details page 530



Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

PN See legend on page 10


ART. 21245EST-CR outer part 4-way € 421,00  
 ART. 21255EST-CR outer part 5-way € 421,00  
 ART. 21265EST-CR outer part 6-way € 421,00

## Concealed vertical shower mixer

- Thermostatic cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome



ART. W21241CR <sup>1</sup> concealed part 4-way € 544,00  
 ART. W21251CR <sup>1</sup> concealed part 5-way € 582,00  
 ART. W21261CR <sup>1</sup> concealed part 6-way € 614,00



## AVAILABLE FINISHINGS

MODERN	5
CLASSIC	5
PVD	1

21245-CR <sup>2</sup> 4-way TOTAL € 965,00  
 21255-CR <sup>2</sup> 5-way TOTAL € 1.003,00  
 21265-CR <sup>2</sup> 6-way TOTAL € 1.035,00

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 566

2 Order outer part number + concealed part number

3 See details page 530



Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

272


ART. 21245EST/O-CR outer part 4-way € 421,00  
 ART. 21255EST/O-CR outer part 5-way € 421,00  
 ART. 21265EST/O-CR outer part 6-way € 421,00

## Concealed horizontal shower mixer

- Thermostatic cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome



ART. W21241CR <sup>1</sup> concealed part 4-way € 544,00  
 ART. W21251CR <sup>1</sup> concealed part 5-way € 582,00  
 ART. W21261CR <sup>1</sup> concealed part 6-way € 614,00



## AVAILABLE FINISHINGS

MODERN	5
CLASSIC	5
PVD	1

21245-CR <sup>2</sup> 4-way TOTAL € 965,00  
 21255-CR <sup>2</sup> 5-way TOTAL € 1.003,00  
 21265-CR <sup>2</sup> 6-way TOTAL € 1.035,00

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 566

2 Order outer part number + concealed part number

3 See details page 530


Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

273


ART. 21804EST-CR parte esterna € 143,00



- Concealed shower mixer only thermostatic**
- Thermostatic cartridge
  - Inlets G 1/2"
  - No diverter tap with closure to be ordered separately
  - Up to a maximum of 3 diverter taps can be connected with 2 or 3 outlet closure, for a maximum of 9 ways<sup>2</sup>
  - Chrome



ART. W21800CR concealed part € 273,00





**AVAILABLE FINISHINGS**  
**MODERN** 13  
**CLASSIC** 12  
**PVD** 11

For finishing surcharge, see table on the inside cover of the catalogue  
 1 Order outer part number + concealed part number and match 1, 2 or 3 diverter taps with 2 or 3 outlet closure depending on the utilities to be connected.  
 2 See details page 537

21804-CR<sup>1</sup>      TOTAL € 416,00ART. 21025EST-CR<sup>1</sup> outer part 2-way € 401,00

- Concealed shower mixer with simultaneous openings**
- Thermostatic cartridge
  - 2 outlets G 1/2", ceramic headworks 90°
  - Inlets G 1/2"
  - Concealed with protective cover<sup>4</sup>
  - Chrome



ART. W21028<sup>2</sup> concealed part 2-way € 437,00

**AVAILABLE FINISHINGS**  
**MODERN** 5  
**CLASSIC** 5  
**PVD** 1

For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21025EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 567  
 3 Order outer part number + concealed part number  
 4 See details page 530  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21805EST-CR outer part 2-way € 137,00  
ART. 21806EST-CR outer part 3-way € 137,00

- Diverter tap with stop**
- Rotating diverter with 2 or 3 outlet closure
  - Inlets G 1/2"
  - No thermostatic mixer to be ordered separately<sup>2</sup>
  - Chrome



ART. W21801CR concealed part 2-way € 147,00  
ART. W21802CR concealed part 3-way € 186,00

**AVAILABLE FINISHINGS**  
**MODERN** 13  
**CLASSIC** 12  
**PVD** 11

For finishing surcharge, see table on the inside cover of the catalogue  
 1 Order outer part number + concealed part number and match thermostatic mixer art. W21800  
 2 See details page 537  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

21805-CR<sup>1</sup> 2-way      TOTAL € 284,00  
21806-CR<sup>1</sup> 3-way      TOTAL € 323,00ART. 21035EST-CR<sup>1</sup> outer part 3-way € 525,00

- Concealed shower mixer with simultaneous openings**
- Thermostatic cartridge
  - 3 outlets G 1/2", ceramic headworks 90°
  - Inlets G 1/2"
  - Concealed with protective cover<sup>4</sup>
  - Chrome



ART. W21038<sup>2</sup> concealed part 3-way € 534,00

**AVAILABLE FINISHINGS**  
**MODERN** 5  
**CLASSIC** 5  
**PVD** 1


For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21035EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 567  
 3 Order outer part number + concealed part number  
 4 See details page 530  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21045EST-CR<sup>1</sup> outer part 4-way € 642,00

- Concealed shower mixer simultaneous openings**
- Thermostatic cartridge
  - 4 outlets G 1/2", ceramic headworks 90°
  - Inlets G 1/2"
  - Concealed with protective cover <sup>4</sup>
  - Chrome

ART. W21048<sup>2</sup> concealed part 4-way € 629,00


**AVAILABLE FINISHINGS**  
 MODERN 5  
 CLASSIC 5  
 PVD 1

21045-CR<sup>3</sup> 4-way TOTAL € 1.271,00


- For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21045EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 567  
 3 Order outer part number + concealed part number  
 4 See details page 530  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21055EST-CR<sup>1</sup> outer part 5-way € 758,00

- Concealed shower mixer simultaneous openings**
- Thermostatic cartridge
  - 5 outlets G 1/2", ceramic headworks 90°
  - Inlets G 1/2"
  - Concealed with protective cover <sup>4</sup>
  - Chrome

ART. W21058<sup>2</sup> concealed part 5-way € 715,00



**AVAILABLE FINISHINGS**  
 MODERN 5  
 CLASSIC 5  
 PVD 1

21055-CR<sup>3</sup> 5-way TOTAL € 1.473,00


- For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21055EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 567  
 3 Order outer part number + concealed part number  
 4 See details page 530  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21065EST-CR<sup>1</sup> outer part 6-way € 873,00

- Concealed shower mixer simultaneous openings**
- Thermostatic cartridge
  - 6 outlets G 1/2", ceramic headworks 90°
  - Inlets G 1/2"
  - Concealed with protective cover <sup>4</sup>
  - Chrome

ART. W21068<sup>2</sup> concealed part 6-way € 808,00

**AVAILABLE FINISHINGS**  
 MODERN 5  
 CLASSIC 5  
 PVD 1




21065-CR<sup>3</sup> 6-way TOTAL € 1.681,00

- For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21065EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 567  
 3 Order outer part number + concealed part number  
 4 See details page 530  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21024EST-CR<sup>1</sup> outer part 2-way € 384,00

## Concealed high flow rate shower mixer

- Thermostatic cartridge
- 2 outlets G 1/2", ceramic headworks 90°
- Inlets G 3/4"
- Optional mounting kit, recommended<sup>4</sup>
- Chrome

ART. KIT00020  
€ 134,00ART. W21029CR<sup>2</sup> concealed part 2-way € 690,00

## AVAILABLE FINISHINGS

- MODERN 5  
CLASSIC 5  
PVD 1




21024-CR<sup>3</sup> 2-way TOTAL € 1.074,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21024EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568  
 3 Order outer part number + concealed part number  
 4 See details page 531  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21034EST-CR<sup>1</sup> outer part 3-way € 490,00

## Concealed high flow rate shower mixer

- Thermostatic cartridge
- 3 outlets G 1/2", ceramic headworks 90°
- Inlets G 3/4"
- Optional mounting kit, recommended<sup>4</sup>
- Chrome

ART. KIT00030  
€ 153,00ART. W21039CR<sup>2</sup> concealed part 3-way € 845,00

## AVAILABLE FINISHINGS

- MODERN 5  
CLASSIC 5  
PVD 1



21034-CR<sup>3</sup> 3-way TOTAL € 1.335,00

For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21034EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568  
 3 Order outer part number + concealed part number  
 4 See details page 531  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 21044EST-CR<sup>1</sup> outer part 4-way € 584,00

## Concealed high flow rate shower mixer

- Thermostatic cartridge
- 4 outlets G 1/2", ceramic headworks 90°
- Inlets G 3/4"
- Optional mounting kit, recommended<sup>4</sup>
- Chrome


ART. W21049CR<sup>2</sup> concealed part 4-way € 998,0021044-CR<sup>3</sup> 4-way TOTAL € 1.582,00

## AVAILABLE FINISHINGS

- MODERN 5  
CLASSIC 5  
PVD 1




For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21044EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568

3 Order outer part number + concealed part number  
 4 See details page 531  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. KIT00040  
€ 171,00ART. 21054EST-CR<sup>1</sup> outer part 5-way € 656,00

## Concealed high flow rate shower mixer

- Thermostatic cartridge
- 5 outlets G 1/2", ceramic headworks 90°
- Inlets G 3/4"
- Optional mounting kit, recommended<sup>4</sup>
- Chrome


ART. W21059CR<sup>2</sup> concealed part 5-way € 1.152,0021054-CR<sup>3</sup> 5-way TOTAL € 1.808,00

## AVAILABLE FINISHINGS

- MODERN 5  
CLASSIC 5  
PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
 1 For horizontal installation order 21054EST/O-CR  
 2 See installation heights, flow rate and spare parts table page 568



3 Order outer part number + concealed part number  
 4 See details page 531  
 Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. KIT00050  
€ 193,00

ART. 21064EST-CR<sup>1</sup> outer part 6-way € 752,00

## Concealed high flow rate shower mixer

- Thermostatic cartridge
- 6 outlets G 1/2", ceramic headworks 90°
- Inlets G 3/4"
- Optional mounting kit, recommended<sup>4</sup>
- Chrome

ART. W21069CR<sup>2</sup> concealed part 6-way € 1.312,00

## AVAILABLE FINISHINGS

MODERN 5

CLASSIC 5


PVD 1

For finishing surcharge,  
see table on the inside cover of the catalogue  
1 For horizontal installation order 21064EST/O-CR  
2 See installation heights, flow rate and spare parts table  
page 569  
3 Order outer part number + concealed part number  
4 See details page 531

Neutral standard jet serigraph. For additional serigraph with icons,  
specify jet outlets (see page 573) and connection sequence when ordering

21064-CR<sup>3</sup> 6-way

TOTAL € 2.064,00


ART. KIT00060  
€ 227,00

ART. 21425EST-CR outer part 2-way € 307,00


ART. 21435EST-CR outer part 3-way € 307,00

## Concealed vertical shower mixer

- Mechanical cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome

ART. W21421CR<sup>1</sup> concealed part 2-way € 330,00ART. W21431CR<sup>1</sup> concealed part 3-way € 359,00

PN



## AVAILABLE FINISHINGS

MODERN 5

CLASSIC 5

PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
1 See installation heights, flow rate and spare parts table page 569  
2 Order outer part number + concealed part number

3 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons,  
specify jet outlets (see page 573) and connection sequence when ordering  
PN See legend on page 10

21425-CR<sup>2</sup> 2-way TOTAL € 637,0021435-CR<sup>2</sup> 3-way TOTAL € 666,00



ART. 21345EST-CR outer part 4-way € 429,00

ART. 21355EST-CR outer part 5-way € 429,00

ART. 21365EST-CR outer part 6-way € 429,00

## Concealed vertical shower mixer

- Mechanical cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Inlets G 1/2"
- Concealed with protective cover<sup>3</sup>
- Chrome

ART. W21341CR<sup>1</sup> concealed part 4-way € 491,00ART. W21351CR<sup>1</sup> concealed part 5-way € 524,00ART. W21361CR<sup>1</sup> concealed part 6-way € 573,00

## AVAILABLE FINISHINGS

MODERN 5


CLASSIC 5

PVD 1

21345-CR<sup>2</sup> 4-way TOTAL € 920,0021355-CR<sup>2</sup> 5-way TOTAL € 953,0021365-CR<sup>2</sup> 6-way TOTAL € 1.002,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 See installation heights, flow rate and spare parts table page 569  
2 Order outer part number + concealed part number

3 See details page 530  
Neutral standard jet serigraph. For additional serigraph with icons,  
specify jet outlets (see page 573) and connection sequence when ordering



ART. 21425EST/O-CR outer part 2-way € 307,00  
ART. 21435EST/O-CR outer part 3-way € 307,00




**Concealed horizontal shower mixer**

- Mechanical cartridge
- Rotating diverter with 2 or 3 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome

ART. W21421CR <sup>1</sup> concealed part 2-way € 330,00  
ART. W21431CR <sup>1</sup> concealed part 3-way € 359,00

(PN)



#### AVAILABLE FINISHINGS

MODERN 5  
CLASSIC 5  
PVD 1

21425/O-CR <sup>2</sup> 2-way TOTAL € 637,00  
21435/O-CR <sup>2</sup> 3-way TOTAL € 666,00

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 569

2 Order outer part number + concealed part number

3 See details page 530

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering


ART. 21345EST/O-CR outer part 4-way € 429,00  
ART. 21355EST/O-CR outer part 5-way € 429,00  
ART. 21365EST/O-CR outer part 6-way € 429,00



**Concealed horizontal shower mixer**

- Mechanical cartridge
- Rotating diverter with 4, 5 or 6 outlet closure
- Inlets G 1/2"
- Concealed with protective cover <sup>3</sup>
- Chrome

ART. W21341CR <sup>1</sup> concealed part 4-way € 491,00  
ART. W21351CR <sup>1</sup> concealed part 5-way € 524,00  
ART. W21361CR <sup>1</sup> concealed part 6-way € 573,00



**AVAILABLE FINISHINGS**

MODERN 5  
CLASSIC 5  
PVD 1

21345/O-CR <sup>2</sup> 4-way TOTAL € 920,00  
21355/O-CR <sup>2</sup> 5-way TOTAL € 953,00  
21365/O-CR <sup>2</sup> 6-way TOTAL € 1.002,00

For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 569

2 Order outer part number + concealed part number

3 See details page 530



Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 573) and connection sequence when ordering

ART. 0-CLN4701EST-CR <sup>1</sup> outer part 2-way € 131,00




**Concealed single-control shower mixer 2-way**

- Conventional cartridge
- Automatic diverter with stop <sup>3</sup>
- Inlets G 1/2"
- Chrome



ART. W4701 <sup>1</sup> concealed part 2-way € 115,00

(PN)



**AVAILABLE FINISHINGS**



MODERN 13  
CLASSIC 12  
PVD 11

0-CLN4701-CR <sup>2</sup> 2-way TOTAL € 246,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 See installation heights, flow rate and spare parts table page 570  
2 Order outer part number + concealed part number  
3 See details page 536  
PN See legend on page 10





ART. 0-CLN4700EST-CR outer part 1-way € 103,00



**Concealed single-control shower mixer 1-way**

- Conventional cartridge
- Inlets G 1/2"
- Chrome



ART. W4700 <sup>1</sup> concealed part 1-way € 78,00

(PN)



**AVAILABLE FINISHINGS**

MODERN 13  
CLASSIC 12  
PVD 11

0-CLN4700-CR <sup>2</sup> 1-way TOTAL € 181,00

For finishing surcharge, see table on the inside cover of the catalogue  
1 See installation heights, flow rate and spare parts table page 570  
2 Order outer part number + concealed part number

# Miscellaneous Items



**286**

SHUT-OFF

**291**

EXTERNAL MIXERS

**292**

WASHBASIN/BATHTUB SPOUTS

## SHUT-OFFS

ART. 19151/C-100-CR complete item € 205,00



### Timed Mini

- Exposed temporized tap<sup>1</sup>
- Single tap
- Brass push lever shower
- Interchangeable filter
- Integrated drip-less system
- PVC flexible hose 100 cm
- Chrome

#### AVAILABLE FINISHINGS

MODERN 6


CLASSIC 6

PVD 5

For finishing surcharge, see table on the inside cover of the catalogue

<sup>1</sup> See details page 538

## Single tap set



ART. 19166/C-100-CR complete item € 169,00




### Timed Light

- Exposed temporized tap<sup>1</sup>
- Single tap
- ABS push lever shower
- PVC flexible hose 100 cm
- Chrome

#### AVAILABLE FINISHINGS

-

<sup>1</sup> See details page 538



ART. 19100/C-100-CR complete item € 161,00

PN



### Mini with safety stop system

- Exposed tap with safety stop system<sup>1</sup>
- Single tap
- Brass push lever shower
- Interchangeable filter
- Integrated drip-less system
- PVC flexible hose 100 cm
- Chrome

#### AVAILABLE FINISHINGS

MODERN 6


CLASSIC 6

PVD 5

For finishing surcharge, see table on the inside cover of the catalogue

<sup>1</sup> See details page 538

PN See legend on page 10



ART. 19125/C-100-CR complete item € 126,00

PN



### Light with safety stop system


- External tap with safety stop system<sup>1</sup>
- Single tap
- ABS shower button
- PVC flexible hose 100 cm
- Chrome

#### AVAILABLE FINISHINGS

-

<sup>1</sup> See details page 538

PN See legend on page 10



## SHUT-OFFS



ART. 0-ITD8700-CR complete item € 270,00

PN



### II Tondo Single-control mixer Easy

- Concealed single-control mixer with shower holder and safety stop system<sup>1</sup>
- Wall outlet
- Brass push lever shower
- Interchangeable filter
- Integrated drip-less system
- PVC flexible hose 100 cm
- Chrome



#### AVAILABLE FINISHINGS

MODERN 2

CLASSIC 7

PVD 4

For finishing surcharge, see table on the inside cover of the catalogue  
<sup>1</sup> See details page 538  
 PN See legend on page 10

ART. 19619/C-100-CR holder with wall outlet and shower lever € 192,00



ART. W4700 concealed part 1-way € 78,00 + ART. 0-ITD4704EST-CR outer part 1-way € 75,00



### II Tondo Single-control mixer SET

Set consisting of:

- Single-control concealed 1-way mixer
- Wall outlet with support and safety stop system<sup>1</sup>
- Brass push lever shower
- Interchangeable filter
- Integrated drip-less system
- PVC flexible hose 100 cm
- Chrome





#### AVAILABLE FINISHINGS

MODERN 13

CLASSIC 12

PVD 11



For finishing surcharge, see table on the inside cover of the catalogue  
<sup>1</sup> See details page 538

7700CR complete set

TOTALE € 345,00

## Mixed tap set

## SHUT-OFFS


ART. 19610/C-100-CR holder with wall outlet and shower lever € 192,00  
ART. W4700 concealed part 1-way € 78,00 + ART. 0-IQD4702EST-CR outer part 1-way € 121,00



### IIQuadro Single-control mixer SET

Set consisting of:

- Single-control concealed 1-way mixer
- Wall outlet with holder and safety stop system<sup>1</sup>
- Brass push lever shower
- Interchangeable filter
- Integrated drip-less system
- PVC flexible hose 100 cm
- Chrome



### AVAILABLE FINISHINGS

MODERN 13  
CLASSIC 12  
PVD 11

For finishing surcharge, see table on the inside cover of the catalogue  
1 See details page 538

6700CR complete set

TOTALE € 391,00

## Mixed tap set




## SHUT-OFFS

ART. 19110/C-100-CR complete item € 461,00



### IIQuadro Single-control mixer

- Single-control concealed 1-way mixer with holder and safety stop system<sup>1</sup>
- Brass push lever shower
- Interchangeable filter
- Integrated drip-less system
- PVC flexible hose 100 cm
- Chrome



### AVAILABLE FINISHINGS

MODERN 2  
CLASSIC 7  
PVD 4




For finishing surcharge, see table on the inside cover of the catalogue  
Note: finished component in concealed part  
1 See details page 538

ART. 19119/C-100-CR complete item € 455,00



### IIQuadro Single-control mixer

- Single-control concealed 1-way mixer with holder and safety stop system<sup>1</sup>
- Brass push lever shower
- Interchangeable filter
- Integrated drip-less system
- PVC flexible hose 100 cm
- Chrome



### AVAILABLE FINISHINGS

MODERN 2  
CLASSIC 7  
PVD 4

For finishing surcharge, see table on the inside cover of the catalogue  
Note: finished component in concealed part  
1 See details page 538

Others



288

## Mixed tap set




## SHUT-OFFS

ART. 19819/C-100-CR complete item € 883,00



### IIQuadro Thermostatic

- Thermostatic concealed 1-way mixer with holder and safety stop system<sup>1</sup>
- Brass push lever shower
- Interchangeable filter
- Integrated drip-less system
- PVC flexible hose 100 cm
- Chrome



### AVAILABLE FINISHINGS

MODERN 2  
CLASSIC 7  
PVD 4

For finishing surcharge, see table on the inside cover of the catalogue  
1 See details page 538

Others



289


## SHUT-OFFS

ART. 19810/C-100-CR complete item € 921,00



### IIQuadro Thermostatic

- Thermostatic concealed 1-way mixer with holder and safety stop system<sup>1</sup>
- Brass push lever shower
- Interchangeable filter
- Integrated drip-less system
- PVC flexible hose 100 cm
- Chrome



### AVAILABLE FINISHINGS

- MODERN 2  
CLASSIC 7  
PVD 4

For finishing surcharge, see table on the inside cover of the catalogue  
1 See details page 538



## Mixed tap set

## EXTERNAL MIXERS

ART. 21505-CR Thermostatic brass handles € 260,00


ART. 21500-CR Thermostatic ABS handles € 200,00

ART. 21515-CR Mechanical brass handles € 264,00

ART. 21510-CR Mechanical ABS handles € 212,00

### RIGOLETTO

- Exposed tap
- Thermostatic or mechanical cartridge<sup>1</sup>
- Brass or ABS handles
- 1 outlet
- Chrome




### AVAILABLE FINISHINGS

-

### EXTREME

- Exposed tap
- Thermostatic or mechanical cartridge<sup>1</sup>
- 1 outlet
- Chrome



### AVAILABLE FINISHINGS

-

ART. 21550-CR Thermostatic € 644,00

ART. 21560-CR Mechanical € 668,00


ART. 21522-CR Thermostatic € 312,00

ART. 21532-CR Mechanical € 326,00



### RIGOLETTO COLONIAL

- Exposed tap
- Thermostatic or mechanical cartridge<sup>1</sup>
- 1 outlet
- Chrome



### AVAILABLE FINISHINGS

-

1 Note: the external mixer can be changed from thermostatic to mechanical and vice versa by simply changing the cartridge. See details page 539


## WALL-MOUNTED SPOUTS

ART. 0-ITD2900-CR center distance 133 mm € 76,00  
ART. 0-ITD2901-CR center distance 233 mm € 122,00




Wall-mounted washbasin/  
bathtub spout

- Spout center distance 133 mm
- Inlet G 1/2"
- To pair with mixer
- Chrome



Wall-mounted washbasin/  
bathtub spout XL


- Spout center distance 233 mm
- Inlet G 1/2"
- To pair with mixer
- Chrome



AVAILABLE FINISHINGS  
MODERN 13  
CLASSIC 12  
PVD 11



For finishing surcharge, see table on the inside cover of the catalogue

ART. 28110-CR center distance 161 mm € 181,00  
ART. 28111-CR center distance 211 mm € 218,00




Wall-mounted washbasin/bathtub spout

- Spout center distance 161 mm
- Inlet G 1/2"
- To pair with mixer
- Chrome



Wall-mounted washbasin/bathtub  
spout XL

- Spout center distance 211 mm
- Inlet G 1/2"
- To pair with mixer
- Chrome



AVAILABLE FINISHINGS  
MODERN 2  
CLASSIC 1  
PVD 4

For finishing surcharge, see table on the inside cover of the catalogue

## WALL-MOUNTED SPOUTS


ART. 0-SPZ2900-CR center distance 161 mm € 147,00  
ART. 0-SPZ2901-CR center distance 211 mm € 185,00

PN




Wall-mounted washbasin/bathtub spout

- Spout center distance 161 mm
- Inlet G 1/2"
- To pair with mixer
- Chrome



Wall-mounted washbasin/  
bathtub spout XL

- Spout center distance 211 mm
- Inlet G 1/2"
- To pair with mixer
- Chrome



AVAILABLE FINISHINGS  
MODERN 2  
CLASSIC 1  
PVD 4

For finishing surcharge, see table on the inside cover of the catalogue  
PN See legend on page 10



## Shower Heads

### CONCEALED

---




**NEW**  
**MYDREAM**  
P. 304



**MYDREAM**  
**QUADRO**  
P. 308



**MYDREAM**  
**TONDO**  
P. 320



**MYDREAM**  
**COLONIAL**  
P. 324

### WALL- AND CEILING-MOUNTED

---



**TONDO**  
P. 340



**QUADRO**  
P. 351



**COLONIAL**  
P. 360



## Concealed Shower Heads



### MYDREAM

MyDream shower head, in the IIQuadro, IIondo and Colonial collections, is Carimali's product par excellence: an element that embodies its values and represents its way of conceiving the shower space.

With MyDream shower heads, the

bathroom becomes a place of pleasure and relaxation, a place where you can nourish your psychophysical well-being and rediscover your intimacy. The range proposes different styles to satisfy every need and complete every type of environment.

## Concealed Shower Heads

Concealed Shower Heads



### NEW MYDREAM

**304** MULTIFUNCTION

### MYDREAM QUADRO

**308** MULTIFUNCTION

**317** SINGLE-FUNCTION

### MYDREAM TONDO

**320** MULTIFUNCTION

**322** SINGLE-FUNCTION

### MYDREAM COLONIAL

**324** MULTIFUNCTION

**329** SINGLE-FUNCTION

### CEILING-MOUNTED SHOWER HEADS WITH KIT

**355** MYSLIM QUADRO

**344** MYSLIM TONDO

**358** OTTOMILLIMETRI QUADRO

**347** OTTOMILLIMETRI TONDO

**NEW MYDREAM****MULTIFUNCTION**

700 x 500    550 x 500



600 x 300



450 x 300

from page 304

**MYDREAM QUADRO****MULTIFUNCTION**

700 x 500    550 x 500



600 x 300




450 x 300

from page 308



500 x 300



610 x 610



490 x 490



340 x 340

**SINGLE-FUNCTION**

from page 317



690 x 280



500 x 300



455 x 455



410 x 410



320 x 320    240 x 240

from page 320

**MYDREAM TONDO****MULTIFUNCTION**

Ø 500    Ø 340

from page 322

**SINGLE-FUNCTION**

Ø 560    Ø 340    Ø 300

from page 324

**MYDREAM COLONIAL****MULTIFUNCTION**

700 x 500    550 x 500    700 x 400    500 x 400    400 x 300

from page 329

**SINGLE-FUNCTION**

550x550    410 x 410



## MYSLIM QUADRO

## SINGLE-FUNCTION




## MYSLIM TONDO

## SINGLE-FUNCTION




## OTTOMILLIMETRI QUADRO

## SINGLE-FUNCTION



## OTTOMILLIMETRI TONDO

## SINGLE-FUNCTION




from page 355

**FALSE CEILING SHOWER HEAD INSTALLATION KIT**


EASY  
INSTALLATION

Concealed Shower Heads

Use of inspectable and serviceable shower heads is recommended



Patented




from page 358

**A**  
Arrange a ceiling connection with G 1/2" M outlet in the proximity of the location of the shower head to be installed and a false ceiling at a distance from the G 1/2" M outlet between 135 mm and 160 mm.

**B**  
Prepare a hole of approximately Ø 150 mm in the false ceiling near the plumbing connection, screw hermetically the threaded fitting using a 24 mm wrench with hemp or similar materials.

**C**  
Apply the provided felt pads and the protective gasket on the top surface of the shower head.  
Then screw the adjustment kit on the shower head by using a wrench of 24mm and 22mm.





from page 347



**D**  
Insert the shower head with adjustment kit into the hole near the threaded fitting.

**E**  
Tighten the shower head by hand as shown in the figure.

**F**  
When installation is complete, ensure that the shower head is perfectly stick to the false ceiling.




Anti-liming



Chromotherapy



Rain



Atomizers



Blade-jet waterfall



Tropical waterfall

## 700 x 500

- Inspectable and serviceable
- 4 replaceable cartridges <sup>1</sup>
- Minimum flow rate standard version 20 l/min
- Pressure limiter at 1 bar <sup>2</sup>
- Version with ECO rain jet available <sup>3</sup>
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit <sup>4</sup>
- Chrome

## Features:

- Rain with 484 nozzles
- 1 or 2 blade-jet waterfall
- 1 or 2 tropical waterfall
- Misting, 2 jets
- Chromotherapy, 2 RGB LED spotlights

## AVAILABLE FINISHINGS

MODERN 1  
CLASSIC 1  
PVD 1

Warning! Finishes CRNE, VR, OROS not feasible

ART	CHROMOTHERAPY	ATOMIZERS	BLADE-JET	TROPICAL	No. WAYS	€
23091X-CRX			● 2		3	2.118,00
23091X/S-CRX*	● 2		● 2		3	2.709,00
23091XN-CRX		● 2	● 2		4	2.222,00
23091XN/S-CRX*	● 2	● 2	● 2		4	2.813,00
23091XT-CRX				● 2	3	2.173,00
23091XT/S-CRX*	● 2			● 2	3	2.764,00
23091XNT-CRX		● 2		● 2	4	2.277,00
23091XNT/S-CRX*	● 2	● 2		● 2	4	2.868,00
23091XCT-CRX			● 1	● 1	3	2.146,00
23091XCT/S-CRX*	● 2		● 1	● 1	3	2.737,00
23091XNCT-CRX		● 2	● 1	● 1	4	2.250,00
23091XNCT/S-CRX*	● 2	● 2	● 1	● 1	4	2.841,00




\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23091XN/W/S-CRX.  
White light surcharge: for 2 spotlights add € 113,00 to the price.

For finishing surcharge, see table on the inside cover of the catalogue.  
See installation heights page 556

- 1 See details page 540  
2 See details page 542  
3 See details page 541  
4 See details page 542



Anti-liming



Chromotherapy



Rain



Atomizers



Blade-jet waterfall



Tropical waterfall

## 550 x 500

- Inspectable and serviceable
- 2 replaceable cartridges <sup>1</sup>
- Minimum flow rate standard version 20 l/min
- Pressure limiter at 1 bar <sup>2</sup>
- Version with ECO rain jet available <sup>3</sup>
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit <sup>4</sup>
- Chrome

## Features:

- Rain with 242 nozzles
- 1 or 2 blade-jet waterfall
- 1 or 2 tropical waterfall
- Misting, 1 jet
- Chromotherapy, 2 RGB LED spotlights

## AVAILABLE FINISHINGS

MODERN 1  
CLASSIC 1  
PVD 1

Warning! Finishes CRNE, VR, OROS not feasible

ART	CHROMOTHERAPY	ATOMIZERS	BLADE-JET	TROPICAL	No. WAYS	€
23092X-CRX			● 2		3	1.797,00
23092X/S-CRX*	● 2		● 2		3	2.388,00
23092XN-CRX		● 1	● 2		4	1.841,00
23092XN/S-CRX*	● 2	● 1	● 2		4	2.432,00
23092XT-CRX					● 2	1.852,00
23092XT/S-CRX*	● 2				● 2	2.443,00
23092XNT-CRX		● 1		● 2	4	1.896,00
23092XNT/S-CRX*	● 2	● 1		● 2	4	2.487,00
23092XCT-CRX			● 1	● 1	3	1.825,00
23092XCT/S-CRX*	● 2		● 1	● 1	3	2.416,00
23092XNCT-CRX		● 1	● 1	● 1	4	1.868,00
23092XNCT/S-CRX*	● 2	● 1	● 1	● 1	4	2.459,00

\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23092XN/W/S-CRX.  
White light surcharge: for 2 spotlights add € 113,00 to the price.

For finishing surcharge, see table on the inside cover of the catalogue.  
See installation heights page 556

- 1 See details page 548  
2 See details page 542  
3 See details page 541  
4 See details page 542



600 x 300

- Inspectable and serviceable
- 2 replaceable cartridges <sup>1</sup>
- Minimum flow rate standard version 10 l/min
- Pressure limiter at 1 bar <sup>2</sup>
- Version with ECO rain jet available <sup>3</sup>
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit <sup>4</sup>
- Chrome

**Features:**


- Rain with 242 nozzles
- Blade-jet waterfall
- Tropical waterfall
- Misting, 1 jet
- Chromotherapy, 1 RGB LED spotlight

**AVAILABLE FINISHINGS**


**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

Warning! Finishes CRNE, VR not feasible

ART	CHROMO-THERAPY	ATOMIZERS	BLADE-JET	TROPICAL	No. WAYS	€
23093X-CRX			● 1		2	1.268,00
23093X/S-CRX*	● 1		● 1		2	1.749,00
23093XN-CRX		● 1	● 1		3	1.311,00
23093XN/S-CRX*	● 1	● 1	● 1		3	1.793,00
23093XT-CRX				● 1	2	1.295,00
23093XT/S-CRX*	● 1			● 1	2	1.776,00
23093XNT-CRX		● 1		● 1	3	1.339,00
23093XNT/S-CRX*	● 1	● 1		● 1	3	1.820,00



Anti-liming



Chromotherapy



Rain



Atomizers



Blade-jet waterfall



Tropical waterfall

\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights  
and white light by adding W to article code.

EX: 23093XN/W/S-CRX.  
White light surcharge: for 1 spotlight add € 88,00 to the price.

For finishing surcharge, see table on the inside cover of the catalogue.

See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 541

4 See details page 542



450 x 300


- Inspectable and serviceable
- 1 replaceable cartridge <sup>1</sup>
- Minimum flow rate standard version 10 l/min
- Pressure limiter at 1 bar <sup>2</sup>
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit <sup>4</sup>
- Chrome

**Features:**

- Rain with 121 nozzles
- Blade-jet waterfall
- Tropical waterfall
- Misting, 1 jet
- Chromotherapy, 1 RGB LED spotlight

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1



ART	CHROMO-THERAPY	ATOMIZERS	BLADE-JET	TROPICAL	No. WAYS	€
23094X-CRX			● 1		2	1.067,00
23094X/S-CRX*	● 1		● 1		2	1.549,00
23094XN-CRX		● 1	● 1		3	1.111,00
23094XN/S-CRX*	● 1	● 1	● 1		3	1.592,00
23094XT-CRX				● 1	2	1.095,00
23094XT/S-CRX*	● 1			● 1	2	1.576,00
23094XNT-CRX		● 1		● 1	3	1.139,00
23094XNT/S-CRX*	● 1	● 1		● 1	3	1.620,00

\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights  
and white light by adding W to article code.

EX: 23094XN/W/S-CRX.  
White light surcharge: for 1 spotlight add € 88,00 to the price.



Anti-liming




Chromotherapy



Rain



Atomizers



Blade-jet waterfall



Tropical waterfall

For finishing surcharge, see table on the inside cover of the catalogue.

See installation heights page 556

1 See details page 540

2 See details page 542


3 See details page 541

4 See details page 542



700 x 500

- Inspectable and serviceable
- 4 replaceable cartridges<sup>1</sup>
- Minimum flow rate standard version 20 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Version with ECO rain jet<sup>3</sup> available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>4</sup>
- Chrome



**Features:**

- Rain with 484 nozzles
- 2 inspectable and serviceable waterfalls with adjustable jet<sup>5</sup>
- Misting, 2 jets
- Chromotherapy, 2 RGB LED spotlights

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

Warning! Finishes CRNE, VR, OROS not feasible



\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights  
and white light by adding W to article code.

EX: 23070X/W/S-CRX.

White light surcharge: 2 spotlights add € 113.00 to list price.



Anti-liming



Chromotherapy



Rain



Atomizers



Single waterfall

For finishing surcharge, see table on the inside cover of the catalogue

See installation heights page 556



1 See details page 540

2 See details page 542

3 See details page 541

4 See details page 542

5 See details page 546



550 x 500

- Inspectable and serviceable
- 2 replaceable cartridges<sup>1</sup>
- Minimum flow rate standard version 20 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Version with ECO rain jet<sup>3</sup> available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>4</sup>
- Chrome



**Features:**

- Rain with 242 nozzles
- 2 inspectable and serviceable waterfalls with adjustable jet<sup>5</sup>
- Misting, 1 jet
- Chromotherapy, 2 RGB LED spotlights

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

Warning! Finishes CRNE, VR, OROS not feasible



ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23075X-CRX			● 2	3	2.221,00
23075X/S-CRX*	● 2		● 2	3	2.920,00
23075XN-CRX		● 2	● 2	4	2.397,00
23075XN/S-CRX*	● 2	● 2	● 2	4	3.113,00

\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights  
and white light by adding W to article code.

EX: 23075X/W/S-CRX.

White light surcharge: 2 spotlights add € 113.00 to list price.



Anti-liming



Chromotherapy



Rain



Atomizers



Single waterfall

For finishing surcharge, see table on the inside cover of the catalogue

See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 541

4 See details page 542

5 See details page 546





600 x 300

- Inspectable and serviceable
- 2 replaceable cartridges<sup>1</sup>
- Minimum flow rate standard version 10 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Version with ECO rain jet<sup>3</sup> available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>4</sup>
- Chrome

**Features:**

- Rain with 242 nozzles
- Inspectable and serviceable waterfall with adjustable jet<sup>5</sup>
- Misting, 1 jet
- Chromotherapy, 1 RGB LED spotlight

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

Warning! Finishes CRNE, VR not feasible



450 x 300

- Inspectable and serviceable
- 1 replaceable cartridge<sup>1</sup>
- Minimum flow rate standard version 10 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>3</sup>
- Chrome

**Features:**


- Rain with 121 nozzles
- Inspectable and serviceable waterfall with adjustable jet<sup>4</sup>
- Misting, 1 jet
- Chromotherapy, 1 RGB LED spotlight

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1



ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23073X-CRX			● 1	2	1.334,00
23073X/S-CRX*	● 1		● 1	2	1.893,00
23073XN-CRX		● 1	● 1	3	1.411,00
23073XN/S-CRX*	● 1	● 1	● 1	3	1.975,00



\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23073XN/W/S-CRX.  
White light surcharge: 1 spotlight add € 88.00 to list price.



Anti-liming



Chromotherapy



Rain



Atomizers



Single waterfall

For finishing surcharge, see table on the inside cover of the catalogue

See installation heights page 556


1 See details page 540

2 See details page 542

3 See details page 541

4 See details page 542

5 See details page 546



ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23079X-CRX			● 1	2	1.163,00
23079X/S-CRX*	● 1		● 1	2	1.716,00
23079XN-CRX		● 1	● 1	3	1.241,00
23079XN/S-CRX*	● 1	● 1	● 1	3	1.793,00

\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23079XN/W/S-CRX.  
White light surcharge: 1 spotlight add € 88.00 to list price.



Anti-liming



Chromotherapy



Rain



Atomizers



Single waterfall

For finishing surcharge, see table on the inside cover of the catalogue

See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 541

4 See details page 542

5 See details page 546



560 x 280

- Inspectable and serviceable
- 2 replaceable cartridges<sup>1</sup>
- Minimum flow rate standard version 8 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Version with ECO rain jet<sup>3</sup> available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>4</sup>
- Chrome

**Features:**

- Rain with 242 nozzles
- Central Kneipp, 1 jet
- Misting, 2 jets
- Chromotherapy, 2 RGB LED spotlights

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

Warning! Finishes CRNE, VR not feasible



500 x 300

- Inspectable and serviceable
- 2 replaceable cartridges<sup>1</sup>
- Minimum flow rate standard version 8 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Version with ECO rain jet<sup>3</sup> available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>4</sup>
- Chrome


**Features:**

- Rain with 242 nozzles
- Misting, 1 or 2 jets
- Chromotherapy, 1 or 2 RGB LED spotlights

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

Warning! Finishes CRNE not feasible



ART	CHROMOTHERAPY	ATOMIZERS	KNEIPP	No. WAYS	€
23090XKN-CRX		● 2	● 1	3	1.158,00
23090XKN/S-CRX	● 2	● 2	● 1	3	1.778,00

\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights  
and white light by adding W to article code.

EX: 23090XKN/W/S-CRX  
White light surcharge: 2 spotlights add € 113,00 to list price.



Anti-liming



Chromotherapy



Rain



Atomizers



Kneipp

For finishing surcharge, see table on the inside cover of the catalogue


See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 541

4 See details page 542



ART	CHROMOTHERAPY	ATOMIZERS	No. WAYS	€
23080X/S-CRX*	● 2		1	1.558,00
23080XN-CRX		● 2	2	1.043,00
23080XN/S-CRX*	● 1	● 1	2	1.509,00

\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights  
and white light by adding W to article code.

EX: 23080XN/W/S-CRX  
White light surcharge: 1 spotlight add € 88,00 to list price;  
2 spotlights add € 113,00 to list price.



Anti-liming



Chromotherapy



Rain



Atomizers

For finishing surcharge, see table on the inside cover of the catalogue


See installation heights page 556

1 See details page 540

2 See details page 542


3 See details page 541

4 See details page 542



610 x 610



- Inspectable and serviceable
- 5 replaceable cartridges<sup>1</sup>
- Minimum flow rate standard version 20 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Version with ECO rain jet<sup>3</sup> available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>4</sup>
- Chrome

**Features:**

- Central rain + perimeter rain with 605 nozzles
- Misting, 4 jets
- Chromotherapy, 4 RGB LED spotlights

**AVAILABLE FINISHINGS****MODERN** 1**CLASSIC** 1**PVD** 1

Warning! Finishes CRNE, VR, OROS not feasible



490 x 490


- Inspectable and serviceable
- 4 replaceable cartridges<sup>1</sup>
- Minimum flow rate standard version 16 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Version with ECO rain jet<sup>3</sup> available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>4</sup>
- Chrome

**Features:**

- Rain with 484 nozzles
- Misting, 2 jets
- Chromotherapy, 1 RGB LED spotlight

**AVAILABLE FINISHINGS****MODERN** 1**CLASSIC** 1**PVD** 1

Warning! Finishes CRNE, OROS not feasible



\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights  
and white light by adding W to article code.

EX: 23052XN/W/S-CRX  
White light surcharge: 4 spotlights add € 193,00 to the price



Anti-liming



Chromotherapy



Perimeter rain



Central rain



Atomizers

For finishing surcharge, see table on the inside cover of the catalogue


See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 541

4 See details page 542



Anti-liming



Chromotherapy



Rain



Atomizers

For finishing surcharge, see table on the inside cover of the catalogue

See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 541


4 See details page 542





340 x 340


- Inspectable and serviceable
- 1 replaceable cartridge<sup>1</sup>
- Minimum flow rate 5 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>3</sup>
- Chrome

**Features:**

- Rain with 121 nozzles
- Misting, 1 or 2 jets
- Chromotherapy, 1 or 2 RGB LED spotlights

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1



15

ART	CHROMOTHERAPY	ATOMIZERS	No. WAYS	€
23064X/S-CRX*	● 2		1	1.167,00
23064XN-CRX		● 2	2	651,00
23064XN/S-CRX*	● 1	● 1	2	1.122,00

\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights  
and white light by adding W to article code.

EX: 23064XN/W/S-CRX.  
White light surcharge: 1 spotlight add € 88.00 to list price;  
2 spotlights add € 113.00 to list price.



Anti-liming



Chromotherapy




Rain



Atomizers

For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page 556

- 1 See details page 540  
2 See details page 542  
3 See details page 541



690 x 280

- Inspectable and serviceable
- 3 replaceable cartridges<sup>1</sup>
- Minimum flow rate standard version 12 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Version with ECO rain jet<sup>3</sup> available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>4</sup>
- Chrome

**Features:**

- Rain with 363 nozzles

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

Warning! Finishes CRNE, VR, OROS not feasible

ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23003X-CRX				1	889,00

For finishing surcharge, see table on the inside cover of the catalogue


See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 541

4 See details page 542



500 x 300

- Inspectable and serviceable
- 2 replaceable cartridges<sup>1</sup>
- Minimum flow rate standard version 8 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Version with ECO rain jet<sup>3</sup> available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>4</sup>
- Chrome

**Features:**

- Rain with 242 nozzles

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

Warning! Finishes CRNE not feasible

ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23080X-CRX				1	857,00

For finishing surcharge, see table on the inside cover of the catalogue


See installation heights page 556

1 See details page 540


2 See details page 542

3 See details page 541


4 See details page 542



Anti-liming



Rain

**455 x 455**

- Inspectable and serviceable
- 4 replaceable cartridges<sup>1</sup>
- Minimum flow rate 16 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Version with ECO rain jet<sup>3</sup> available
- Easy-clean system, anti-liming silicone nozzles
- Installation with frame
- Recommended optional safety kit<sup>4</sup>
- Brass
- Chrome

**Features:**

- Rain with 484 nozzles

**AVAILABLE FINISHINGS**


**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

Warning! Finishes CRNE, OROS not feasible

ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23002-CR				1	1.121,00

For finishing surcharge, see table on the inside cover of the catalogue  
 See installation heights page 556

- 1 See details page 540  
 2 See details page 542  
 3 See details page 541  
 4 See details page 542

**320 x 320**

- Inspectable and serviceable
- 1 replaceable cartridge<sup>1</sup>
- Minimum flow rate 5 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>3</sup>
- Chrome

**Features:**

- Rain with 121 nozzles


**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23004X-CRX				1	340,00

For finishing surcharge, see table on the inside cover of the catalogue  
 See installation heights page 556

- 1 See details page 540  
 2 See details page 542  
 3 See details page 541

**410 x 410**

- Inspectable and serviceable
- 4 replaceable cartridges<sup>1</sup>
- Minimum flow rate 16 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Version with ECO rain jet<sup>3</sup> available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>4</sup>
- Chrome

**Features:**

- Rain with 484 nozzles


**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23008X-CRX				1	822,00

For finishing surcharge, see table on the inside cover of the catalogue

- See installation heights page 556  
 1 See details page 540  
 2 See details page 542  
 3 See details page 541  
 4 See details page 542

**240 x 240**

- Inspectable and serviceable
- 1 replaceable cartridge<sup>1</sup>
- Minimum flow rate 5 l/min
- Pressure limiter<sup>2</sup>
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>3</sup>
- Chrome

**Funzioni:**

- Rain with 121 nozzles

ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS
23009X-CRX				1

For finishing surcharge, see table on the inside cover of the catalogue  
 See installation heights page 556

- 1 See details page 540  
 2 See details page 542  
 3 See details page 541





Ø 500

- Inspectable and serviceable
- Minimum flow rate 10 l/min
- Flow limiter at 22/23 l
- Easy-clean system, anti-liming silicone nozzles
- Chrome

**Features:**

- Rain with 198 nozzles
- Misting, 2 jets
- Chromotherapy, 2 RGB LED spotlights

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

Warning! Finishes CRNE, OROS not feasible



Ø 340


- Inspectable and serviceable
- 1 replaceable cartridge<sup>1</sup>
- Minimum flow rate 5 l/min
- Flow limiter at 1 bar<sup>2</sup>
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>3</sup>
- Chrome

**Features:**

- Rain with 198 nozzles
- Misting, 1 or 2 jets
- Chromotherapy, 1 or 2 RGB LED spotlights

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1



ART	CHROMOTHERAPY	ATOMIZERS	No. WAYS	€
23066X/S-CRX*	● 2		1	1.678,00
23066XN-CRX		● 2	2	1.158,00
23066XN/S-CRX*	● 2	● 2	2	1.844,00

\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights  
and white light by adding W to article code.

EX: 23066XN/W/S-CRX  
White light surcharge: 2 spotlights add € 113,00 to list price.



Anti-liming



Chromotherapy




Rain



Atomizers

For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page 556



15

ART	CHROMOTHERAPY	ATOMIZERS	No. WAYS	€
23068X/S-CRX*	● 2		1	1.149,00
23068XN-CRX		● 2	2	619,00
23068XN/S-CRX*	● 1	● 1	2	1.099,00

\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights  
and white light by adding W to article code.

EX: 23068XN/W/S-CRX  
White light surcharge: 1 spotlight add € 88,00 to list price;  
2 spotlights add € 113,00 to list price.



Anti-liming



Chromotherapy



Rain




Atomizers

For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page 556

- 1 See details page 540  
2 See details page 542  
3 See details page 542

**Ø 560**

- Inspectable and serviceable
- 4 replaceable cartridges <sup>1</sup>
- Minimum flow rate 20 l/min
- Pressure limiter at 1 bar <sup>2</sup>
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit <sup>3</sup>
- Chrome

**Features:**

- Rain with 484 nozzles

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

Warning! Finishes CRNE, VR, OROS not feasible

ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23082X-CRX				1	1.028,00




Anti-liming



Rain

**Ø 300**

- Inspectable and serviceable
- 1 replaceable cartridge <sup>1</sup>
- Minimum flow rate 5 l/min
- Pressure limiter at 1 bar <sup>2</sup>
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit <sup>3</sup>
- Chrome

**Features:**

- Rain with 121 nozzles

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23081X-CRX				1	362,00




Anti-liming



Rain

**Ø 340**

- Inspectable and serviceable
- 1 replaceable cartridge <sup>1</sup>
- Minimum flow rate 5 l/min
- Pressure limiter at 1 bar <sup>2</sup>
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit <sup>3</sup>
- Chrome

**Features:**

- Rain with 121 nozzles

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23068X-CRX				1	428,00



Anti-liming



Rain



700 x 500

- Inspectable and serviceable
- 4 replaceable cartridges<sup>1</sup>
- Minimum flow rate standard version 20 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Version with ECO rain jet<sup>3</sup> available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>4</sup>
- Chrome


**Features:**

- Rain with 484 nozzles
- 2 inspectable and serviceable waterfalls with adjustable jet<sup>5</sup>
- Misting, 2 jets
- Chromotherapy, 2 RGB LED spotlights

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

Warning! Finishes CRNE, VR, OROS not feasible





550 x 500


- Inspectable and serviceable
- 2 replaceable cartridges<sup>1</sup>
- Minimum flow rate standard version 20 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Version with ECO rain jet<sup>3</sup> available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>4</sup>
- Chrome

**Features:**

- Rain with 242 nozzles
- 2 inspectable and serviceable waterfalls with adjustable jet<sup>5</sup>
- Misting, 1 jet
- Chromotherapy, 2 RGB LED spotlights



ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23071X-CRX			● 2	3	2.389,00
23071X/S-CRX*	● 2		● 2	3	3.134,00
23071XN-CRX		● 2	● 2	4	2.577,00
23071XN/S-CRX*	● 2	● 2	● 2	4	3.296,00



\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23071XN/W/S-CRX.  
White light surcharge: 2 spotlights add € 113,00 to list price.



Anti-liming



Chromotherapy



Rain



Atomizers



Single waterfall

For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page 556



1 See details page 540

2 See details page 542

3 See details page 541

4 See details page 542

5 See details page 546



Anti-liming



Chromotherapy



Rain



Atomizers



Single waterfall

ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23076X-CRX			● 2	3	2.087,00
23076X/S-CRX*	● 2		● 2	3	2.877,00
23076XN-CRX		● 1	● 2	4	2.205,00
23076XN/S-CRX*	● 2	● 1	● 2	4	2.942,00

\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights and white light by adding W to article code.

EX: 23076XN/W/S-CRX.  
White light surcharge: 2 spotlights add € 113,00 to list price.

For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 541

4 See details page 542

5 See details page 546





700 x 400

- Inspectable and serviceable
- 2 replaceable cartridges<sup>1</sup>
- Minimum flow rate standard version 10 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Version with ECO rain jet<sup>3</sup> available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>4</sup>
- Chrome


**Features:**

- Rain with 242 nozzles
- 1 inspectable and serviceable waterfall with adjustable jet<sup>5</sup>
- Misting, 1 jet
- Chromotherapy, 1 RGB LED spotlight

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

Warning! Finishes CRNE, VR, OROS not feasible



ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23072X-CRX			● 1	2	1.528,00
23072X/S-CRX*	● 1		● 1	2	2.128,00
23072XN-CRX		● 1	● 1	3	1.613,00
23072XN/S-CRX*	● 1	● 1	● 1	3	2.192,00

\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights  
and white light by adding W to article code.

EX: 23072XN/W/S-CRX.  
White light surcharge: 1 spotlight add € 88,00 to list price.



Anti-liming



Chromotherapy



Rain



Atomizers



Single waterfall

For finishing surcharge, see table on the inside cover of the catalogue

See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 541


4 See details page 542

5 See details page 546



500 x 400

- Inspectable and serviceable
- 1 replaceable cartridge<sup>1</sup>
- Minimum flow rate 10 l/min
- Pressure limiter at 1 bar<sup>2</sup>
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit<sup>3</sup>
- Chrome


**Features:**

- Rain with 121 nozzles
- Inspectable and serviceable waterfall with adjustable jet<sup>4</sup>
- Misting, 1 jet
- Chromotherapy, 1 RGB LED spotlight

**AVAILABLE FINISHINGS**

**MODERN** 1  
**CLASSIC** 1  
**PVD** 1

Warning! Finish CRNE not feasible



ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23078X-CRX			● 1	2	1.313,00
23078X/S-CRX*	● 1		● 1	2	1.912,00
23078XN-CRX		● 1	● 1	3	1.398,00
23078XN/S-CRX*	● 1	● 1	● 1	3	1.996,00

\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights  
and white light by adding W to article code.

EX: 23079XN/W/S-CRX.  
White light surcharge: 1 spotlight add € 88,00 to list price.



Anti-liming



Chromotherapy



Rain



Atomizers



Single waterfall

For finishing surcharge, see table on the inside cover of the catalogue


See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 541

4 See details page 542



400 x 300

- Inspectable and serviceable
- 1 replaceable cartridge <sup>1</sup>
- Minimum flow rate 5 l/min
- Pressure limiter at 1 bar <sup>2</sup>
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit <sup>3</sup>
- Chrome

**Features:**

- Rain with 121 nozzles
- Misting, 1 or 2 jets
- Chromotherapy, 1 or 2 RGB LED spotlights

**AVAILABLE FINISHINGS**

MODERN	1
CLASSIC	1
PVD	1

**ART**

ART	CHROMOTHERAPY	ATOMIZERS	No. WAYS	€
23077X/S-CRX*	● 2		1	1.225,00
23077XN-CRX		● 2	2	709,00
23077XN/S-CRX*	● 1	● 1	2	1.174,00

\*Components not included for chromotherapy:  
Switch control or remote control. See page 386

N.B. Also available with RGBW, chromotherapy spotlights  
and white light by adding W to article code.

EX: 23077XN/S-CRX.  
White light surcharge: 2 spotlights add € 113,00 to list price.



Anti-liming




Chromotherapy



Rain



Atomizers



Anti-liming



Rain

550 x 550

- Inspectable and serviceable
- 4 replaceable cartridges <sup>1</sup>
- Minimum flow rate 16 l/min
- Pressure limiter at 1 bar <sup>2</sup>
- Version with ECO rain jet <sup>3</sup> available
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit <sup>4</sup>
- Chrome

**Features:**

- Rain with 484 nozzles

ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23074X-CRX				1	1.219,00

**AVAILABLE FINISHINGS**

MODERN	1
CLASSIC	1
PVD	1

Warning! Finishes CRNE, VR, OROS not feasible

For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 541

4 See details page 542



For finishing surcharge, see table on the inside cover of the catalogue

See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 542



400 x 300

- Inspectable and serviceable
- 1 replaceable cartridge <sup>1</sup>
- Minimum flow rate 5 l/min
- Pressure limiter at 1 bar <sup>2</sup>
- Easy-clean system, anti-liming silicone nozzles
- Recommended optional safety kit <sup>3</sup>
- Chrome

**Features:**

- Rain with 121 nozzles

ART	CHROMOTHERAPY	ATOMIZERS	WATERFALLS	No. WAYS	€
23077X-CRX				1	507,00

**AVAILABLE FINISHINGS**

MODERN	1
CLASSIC	1
PVD	1

For finishing surcharge, see table on the inside cover of the catalogue

See installation heights page 556

1 See details page 540

2 See details page 542

3 See details page 542





Anti-liming



Rain

# Wall-mounted and Ceiling-mounted Shower Heads



## Wall-mounted and Ceiling-mounted Shower Heads



Wall- and Ceiling-mounted Shower Heads

### TONDO / WALL-MOUNTED

- 338** SCULL  
**338** WILL  
**339** ILTONDO

### TONDO / CEILING-MOUNTED

- 339** ILTONDO

### TONDO / WALL- AND CEILING-MOUNTED ARM

- 344** MYSLIM collection  
**346** DUEMILLIMETRI collection  
**347** OTTOMILLIMETRI collection  
**348** MINIMAL collection  
**350** STILL-OH collection

### QUADRO / WALL-MOUNTED

- 351** YES  
**351** EL'IT  
**352** EKKO  
**352** EKKO 2.0

### QUADRO / WALL- AND CEILING-MOUNTED ARM

- 355** MYSLIM collection  
**357** DUEMILLIMETRI collection  
**358** OTTOMILLIMETRI collection  
**359** MINIMAL collection

### COLONIAL / WALL- AND CEILING-MOUNTED ARM

- 360** COLONIAL

### Shower Arms

**WALL-MOUNTED SHOWER HEADS****WALL-MOUNTED SHOWER HEADS**

Scull



Will



IlTondo

from page 338

**WALL- AND CEILING-MOUNTED SHOWER HEADS**

IlTondo 10



IlTondo 15



IlTondo 20

from page 339

from page 344

**SHOWER HEADS WITH SHOWER ARM****SHOWER HEADS MySlim**

Ø 500



Ø 400



Ø 300



Ø 240



Ø 220

from page 344

**SHOWER HEADS DueMillimetri**

Ø 300



Ø 250



Ø 200

from page 346

**SHOWER HEADS WITH SHOWER ARM****ROUND SHOWER ARMS**

Tondo



Spigolo with holder



Tondo with holder



Lusso tondo



Spigolo

from page 341

**SHOWER HEADS OttoMillimetri**

Ø 300



Ø 250

from page 347

**SHOWER HEADS Minimal**

Stick Ø 300



Stick Ø 250



Stick Ø 200

from page 348

**SHOWER HEADS Still-Oh**

Ø 300



Ø 250



Ø 200

from page 350

**WALL-MOUNTED SHOWER HEADS****WALL-MOUNTED SHOWER HEADS**

from page 351



YES

EL'IT

EKKO

EKKO 2.0

**SHOWER HEADS WITH SHOWER ARM****SQUARED SHOWER ARMS**

from page 353



Quadro

Tondo B

Vehla

Extreme

Lusso rettangolare



Spigolo Square

**SHOWER HEADS MySlim**

from page 355



500x350

400x300


400x400

300x300

240x240

**SHOWER HEADS DueMillimetri**

from page 357



300x300

250x250

200x200

**SHOWER HEADS OttoMillimetri**

from page 358

**SHOWER HEADS Minimal**

from page 359



300x300

250x250

Square 200x200

**SHOWER HEADS WITH SHOWER ARM****SHOWER HEADS COLONIAL**

from page 360



Tondo Colonial

Uncino


Tondo XL Colonial

Tondo S Colonial

45° Colonial

**SHOWER HEADS Colonial**

from page 362



Ø 310

Ø 270

Ø 220

Ø 150

Ø 125


Ø 100

Colonial 5

ART. 26859-CR € 666,00

**SCULL Shower Head**

- Inspectable and serviceable
- Minimum flow rate 14 l/min
- Wall-mounted installation G 1/2" fitting
- Easy-clean system, anti-liming silicone nozzles
- Brass
- Chrome

**Features:**

- Rain with 151 nozzles

**AVAILABLE FINISHINGS**

MODERN	2
CLASSIC	1
PVD	9


For finishing surcharge, see table on the inside cover of the catalogue



ART. 26856-CRX € 786,00

**WILL**

- Inspectable and serviceable<sup>1</sup>
- Ultra-flat 3mm thickness
- Minimum flow rate 5 l/min
- Wall-mounted installation G 1/2" fitting
- Easy-clean system, anti-liming silicone nozzles
- Stainless Steel
- Chrome

**Features:**

- Rain with 131 nozzles

**AVAILABLE FINISHINGS**

MODERN	2
CLASSIC	2

Warning! Finish CRNE not feasible

For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page 560


1 See details page 544



ART. 26883X complete article € 385,00

**ILTONGO****WALL-MOUNTED SHOWER HEAD**

- Inspectable and serviceable
- Flow limiter 6 l/min at 3 bar
- Wall-mounted installation inlets G 1/2"
- Anti-liming rain aerator, inspectable and removable
- Stainless steel

**AVAILABLE FINISHINGS**

BRD / PTQ / PBL / VBL	€ 559,00
NEOP / BIOP	€ 539,00
SPZ	€ 481,00

See installation heights page. 558




## SHOWER HEADS CEILING-MOUNTED

ART. 26880X complete article € 361,00

**ILTONGO 10****CEILING-MOUNTED SHOWER HEAD**

- Inspectable and serviceable
- Flow limiter 6 l/min at 3 bar
- H 100 mm Ø50
- Ceiling installation inlets G 1/2"
- Anti-liming rain aerator, inspectable and removable
- Stainless steel

**AVAILABLE FINISHINGS**

BRD / PTO / PBL / VBL	€ 524,00
NEOP / BIOP	€ 506,00
SPZ	€ 452,00

See installation heights page. 558-559




## SHOWER HEADS CEILING-MOUNTED

ART. 26881X complete article € 366,00



### ILTONGO 15 CEILING-MOUNTED SHOWER HEAD

- Inspectable and serviceable
- Flow limiter 6 l/min at 3 bar
- H 150 mm ø50
- Ceiling installation inlets G 1/2"
- Anti-liming rain aerator, inspectable and removable
- Stainless steel



AVAILABLE FINISHINGS  
BRD / PTQ / PBL / VBL € 531,00  
NEOP / BIOP € 513,00  
SPZ € 458,00

See installation heights page. 558-559




ART. 26882X complete article € 371,00



### ILTONGO 20 CEILING-MOUNTED SHOWER HEAD

- Inspectable and serviceable
- Flow limiter 6 l/min at 3 bar
- H 200 ø mm 50
- Ceiling installation inlets G 1/2"
- Anti-liming rain aerator, inspectable and removable
- Stainless steel



AVAILABLE FINISHINGS  
BRD / PTQ / PBL / VBL € 538,00  
NEOP / BIOP € 520,00  
SPZ € 464,00

See installation heights page. 558-559



## Tondo

## SHOWER ARMS WALL- AND CEILING-MOUNTED

ART. 20126C15-CR center distance 15 cm € 41,50


ART. 20126C30-CR center distance 30 cm € 54,00

ART. 20126C60-CR center distance 60 cm € 81,00



### Tondo

- Brass
- Ø 26
- Fitting G 1/2"
- Chrome



### AVAILABLE FINISHINGS

MODERN 2  
CLASSIC 2  
PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
To match shower head, see page 344  
See installation heights page. 561


ART. 20040C35-SUP-CR center distance 40 cm € 184,50

ART. 20040C40-SUP-CR center distance 45 cm € 194,50



### Spigolo with holder

- Brass
- Ø 20
- Fitting G 1/2"
- Ideal for heavy shower heads<sup>1</sup>
- Chrome



### AVAILABLE FINISHINGS

MODERN 2  
CLASSIC 2  
PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
To match shower head, see page 344  
See installation heights page 560  
<sup>1</sup> See details page 545

ART. 20020C30-SUP-CR center distance 35 cm € 168,00


ART. 20020C35-SUP-CR center distance 40 cm € 170,00

ART. 20020C40-SUP-CR center distance 45 cm € 179,00



### Tondo with holder

- Brass
- Ø 20
- Fitting G 1/2" M
- Ideal for heavy shower heads<sup>1</sup>
- Chrome



### AVAILABLE FINISHINGS

MODERN 2  
CLASSIC 2  
PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
To match shower head, see page 344  
See installation heights page 560  
<sup>1</sup> See details page 545


## SHOWER ARMS WALL- AND CEILING-MOUNTED

ART. 20070C35-CRX center distance 35 cm € 213,00



### Lusso

- Stainless Steel
- Fitting G 1/2"
- Ideal for large shower heads
- Chrome



### AVAILABLE FINISHINGS

MODERN	2
CLASSIC	2
PVD	1

To match shower head, see page 344  
See installation heights page 560

ART. 20040C35-CR (0001) center distance 35 cm € 66,00


ART. 20040C40-CR (0001) center distance 40 cm € 71,00

PN



### Spigolo

- Brass
- Ø 20
- Fitting G 1/2"
- Chrome



### AVAILABLE FINISHINGS

MODERN	2
CLASSIC	2
PVD	1

For finishing surcharge, see table on the inside cover of the catalogue  
To match shower head, see page 344  
See installation heights page 560  
PN See legend on page 10

ART. 20020C30-CR center distance 30 cm € 46,50

ART. 20020C35-CR center distance 35 cm € 50,00


ART. 20020C40-CR center distance 40 cm € 58,00

PN



### Tondo S

- Brass
- Ø 20
- Fitting G 1/2"
- Chrome



### AVAILABLE FINISHINGS

MODERN	2
CLASSIC	2
PVD	1

For finishing surcharge, see table on the inside cover of the catalogue  
To match shower head, see page 344  
See installation heights page 560  
PN See legend on page 10

## Tondo

## SHOWER ARMS WALL- AND CEILING-MOUNTED

ART. 20026C30-CR center distance 30 cm € 60,00


ART. 20026C35-CR center distance 35 cm € 64,50

ART. 20026C40-CR center distance 40 cm € 75,00



### Tondo XL

- Brass
- Ø 26
- Fitting G 1/2"
- Chrome



### AVAILABLE FINISHINGS

MODERN	2
CLASSIC	2
PVD	1

For finishing surcharge, see table on the inside cover of the catalogue  
To match shower head, see page 344  
See installation heights page 560

ART. 20600C20-CR center distance 20 cm € 12,00


ART. 20600C25-CR center distance 25 cm € 12,50

ART. 20600C30-CR center distance 30 cm € 13,00



### ECO

- Brass
- Ø 18
- Fitting G 1/2"
- Chrome



### AVAILABLE FINISHINGS

MODERN	2
CLASSIC	2
PVD	1

For finishing surcharge, see table on the inside cover of the catalogue  
To match shower head, see page 344  
See installation heights page 560


ART. 20090C15-CR center distance 15 cm € 32,50

ART. 20090C20-CR center distance 20 cm € 33,50



### 45°

- Brass
- Ø 20
- Fitting G 1/2"
- Chrome



### AVAILABLE FINISHINGS

MODERN	2
CLASSIC	2
PVD	1

For finishing surcharge, see table on the inside cover of the catalogue  
To match shower head, see page 344  
See installation heights page 560

## Tondo

ART. SLM0010CRX inspectable and serviceable in CR stainless steel € 976,00



ART €

KIT00006 65,50



ART. SLM0004CRX inspectable and serviceable in CR stainless steel € 613,00



ART €

KIT00006 65,50



ART. SLM0003CRX inspectable and serviceable in CR stainless steel € 370,00  
ART. SLM0003/NI non-inspectable and non-serviceable in stainless steel € 248,00



ART €

KIT00006 65,50



### MySlim Ø 500



- Inspectable and serviceable<sup>1</sup>
- Ultra-flat 3mm thickness
- Minimum flow rate 9 l/min
- Flow limiter 15 l/min at 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Can be installed flush with false ceiling using KIT00006<sup>2</sup>
- Chrome

#### Features:

- Rain with 252 nozzles

#### AVAILABLE FINISHINGS

MODERN 2  
CLASSIC 2



Warning! Finish CRNE not feasible

For finishing surcharge, see table on the inside cover of the catalogue

1 See details page 544

2 See details page 543

### MySlim Ø 400



- Inspectable and serviceable<sup>1</sup>
- Ultra-flat 3mm thickness
- Minimum flow rate 8 l/min
- Flow limiter 15 l/min at 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Can be installed flush with false ceiling using KIT00006<sup>2</sup>
- Chrome

#### Features:

- Rain with 156 nozzles

#### AVAILABLE FINISHINGS

MODERN 2  
CLASSIC 2



For finishing surcharge, see table on the inside cover of the catalogue  
1 See details page 544  
2 See details page 543

### MySlim Ø 300



- Inspectable and serviceable<sup>1</sup>/ Non-Inspectable and serviceable
- Ultra-flat 3mm thickness
- Minimum flow rate 7 l/min
- Flow limiter 12 l/min at 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Can be installed flush with false ceiling using KIT00006<sup>2</sup>
- Polished Chrome/Stainless<sup>3</sup>

#### Features:

- Rain with 124 anti-limescale silicone nozzles

#### AVAILABLE FINISHINGS

MODERN 2  
CLASSIC 2



For finishing surcharge, see table on the inside cover of the catalogue  
FOR NON-INSPECTABLE AND NON-SERVICEABLE SHOWER HEAD ONLY AVAILABLE WITH SPZ FINISH cat. 14 (RECOMMENDED WITH STN FINISHING SHOWER ARM)  
1 See details page 544  
2 See details page 543  
3 INSPECTABLE AND SERVICEABLE version (CRX): chrome plated.  
NON-SERVICEABLE version (NI): polished stainless steel  
PN See legend on page 10

ART. SLM0002CRX inspectable and serviceable in CR stainless steel € 270,00  
ART. SLM0002/NI non-inspectable and non-serviceable in stainless steel € 177,00





### MySlim Ø 240

- Inspectable and serviceable<sup>1</sup>/ Non-inspectable and non-serviceable
- Ultra-flat 3mm/2.5mm thickness
- Minimum flow rate 6 l/min
- Flow limiter 11 l/min at 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Can be installed flush with false ceiling using KIT00006<sup>2</sup>
- Polished Chrome/Stainless<sup>3</sup>

#### Features:

- Rain with 92 anti-liming silicone nozzles



#### AVAILABLE FINISHINGS

MODERN 2  
CLASSIC 2

For finishing surcharge, see table on the inside cover of the catalogue  
FOR NON-INSPECTABLE AND NON-SERVICEABLE SHOWER HEAD ONLY AVAILABLE WITH SPZ FINISH cat. 14 (RECOMMENDED WITH STN FINISHING SHOWER ARM)

1 See details page 544



2 See details page 543

3 INSPECTABLE AND SERVICEABLE version (CRX): chrome plated.  
NON-SERVICEABLE version (NI): polished stainless steel

PN See legend on page 10

### MySlim Ø 220

- Non-Inspectable and serviceable
- Ultra-flat 2.5mm thickness
- Minimum flow rate 5 l/min
- Flow limiter 10 l/min at 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Polished stainless steel



#### Features:

- Rain with 76 anti-liming silicone nozzles

#### AVAILABLE FINISHINGS

-

PN See legend on page 10


ART. 2MM0003 non-inspectable and non-serviceable in stainless steel € 150,00

PN



## DueMillimetri Ø300


- Non-inspectable and non-serviceable
- Ultra-flat 2,5mm thickness
- Minimum flow rate 6 l/min
- Flow limiter 15 l/min
- Anti-liming silicone nozzles, easy-clean system
- Stainless steel

AVAILABLE FINISHINGS  
NEOP / BIOP € 289,00

PN See legend on page 10


ART. 2MM0002 non-inspectable and non-serviceable in stainless steel € 133,00

PN



## DueMillimetri Ø250

- Non-inspectable and non-serviceable
- Ultra-flat 2,5mm thickness
- Minimum flow rate 6 l/min
- Flow limiter 7 l/min
- Anti-liming silicone nozzles, easy-clean system
- Stainless steel

AVAILABLE FINISHINGS  
NEOP / BIOP € 245,00

PN See legend on page 10


ART. 2MM0001 non-inspectable and non-serviceable in stainless steel € 99,00

PN



## DueMillimetri Ø200

- Non-inspectable and non-serviceable
- Ultra-flat 2,5mm thickness
- Minimum flow rate 6 l/min
- Flow limiter
- Anti-liming silicone nozzles, easy-clean system
- Stainless steel

AVAILABLE FINISHINGS  
NEOP / BIOP € 207,00

PN See legend on page 10




ART. 8MM0003CRX inspectable and serviceable in CR stainless steel € 320,00

PN



## OttoMillimetri Ø 300

- Inspectable and serviceable<sup>1</sup>
- Head thickness 7.5 mm
- Minimum flow rate 7 l/min
- Flow limiter 12 l/min 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Can be installed flush with false ceiling using KIT00006<sup>2</sup>
- Chrome



## Features:

- Rain with 124 nozzles

## AVAILABLE FINISHINGS

MODERN 2  
CLASSIC 2  
PVD 1For finishing surcharge, see table on the inside cover of the catalogue  
<sup>1</sup> See details page 544  
<sup>2</sup> See details page 543  
PN See legend on page 10ART. €  
KIT00006 65,50


ART. 8MM0002CRX inspectable and serviceable in CR stainless steel € 250,00

PN



## OttoMillimetri Ø 250

- Inspectable and serviceable<sup>1</sup>
- Head thickness 7.5 mm
- Minimum flow rate 6 l/min
- Flow limiter 11 l/min 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Can be installed flush with false ceiling using KIT00006<sup>2</sup>
- Chrome



## Features:

- Rain with 92 nozzles

## AVAILABLE FINISHINGS

MODERN 2  
CLASSIC 2  
PVD 1For finishing surcharge, see table on the inside cover of the catalogue  
<sup>1</sup> See details page 544  
<sup>2</sup> See details page 543  
PN See legend on page 10ART. €  
KIT00006 65,50

## SHOWER HEADS WALL- AND CEILING-MOUNTED

ART. 23630X-CRX inspectable and serviceable in CR stainless steel € 264,00

PN



**Stick Ø 300**

- Inspectable and serviceable
- Minimum flow rate 7.5 l/min
- Easy-clean system, anti-liming silicone nozzles
- Chrome

**Features:**



- Rain with 198 nozzles

### AVAILABLE FINISHINGS

MODERN 2

CLASSIC 2

## Minimal



## SHOWER HEADS WALL- AND CEILING-MOUNTED



ART. 23621X-CRX inspectable and serviceable in CR stainless steel € 105,00

PN



**Stick Ø 200**

- Inspectable and serviceable/ Non-inspectable and non-serviceable
- Minimum flow rate 4.5 l/min
- Easy-clean system, anti-liming silicone nozzles
- Chrome



**Features:**

- Rain with gasket 130 nozzles

### AVAILABLE FINISHINGS

MODERN 2

CLASSIC 2

For finishing surcharge, see table on the inside cover of the catalogue  
PN See legend on page 10





ART. 23623X-CRX inspectable and serviceable in CR stainless steel € 146,00  
ART. 23628-CR non-inspectable and serviceable in CR ABS € 77,00

PN



**Stick Ø 250**

- Inspectable and serviceable/ Non-inspectable and non-serviceable
- Minimum flow rate 5 l/min
- Flow limiter 15 l/min 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Chrome



**Features:**

- Rain with gasket 174 nozzles

### AVAILABLE FINISHINGS

MODERN 2

CLASSIC 2

For finishing surcharge, see table on the inside cover of the catalogue  
FINISHINGS ONLY AVAILABLE FOR INSPECTABLE AND SERVICEABLE VERSIONS  
PN See legend on page 10




## Minimal

ART. 23230-CR € 391,00



## Still-Oh Ø 300

- Inspectable and serviceable
- Flow limiter 5 l/min
- 198 anti-liming silicone nozzles, easy-clean system
- Chrome



## AVAILABLE FINISHINGS

MODERN 3

CLASSIC 3

PVD 2


For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page. 561

ART. 23220-CR € 238,00



## Still-Oh Ø 200

- Inspectable and serviceable
- Flow limiter 5 l/min
- 126 anti-liming silicone nozzles, easy-clean system
- Chrome



## AVAILABLE FINISHINGS

MODERN 3

CLASSIC 3

PVD 2


For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page. 561

ART. 23215-CR € 156,00



## Still-Oh Ø 150

- Inspectable and serviceable
- Flow limiter 4,5 l/min
- 78 anti-liming silicone nozzles, easy-clean system
- Chrome



## AVAILABLE FINISHINGS

MODERN 3

CLASSIC 3

PVD 2

For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page. 561


ART. 26870EST/S-CR with chromotherapy<sup>1</sup> € 2.397,00

ART. 26872EST-CR without chromotherapy € 1.823,00



## YES

- Inspectable and serviceable
- Minimum flow rate 10 l/min
- Concealed wall-mounted installation<sup>2</sup>
- Easy-clean system, anti-liming silicone nozzles
- Stainless steel and brass
- Chrome



ART. W0046 included in the price -  
it can be ordered separately € 000,00

**26870/S-CR** TOTALE € 2.397,00  
**26872-CR** TOTALE € 1.823,00



## AVAILABLE FINISHINGS

MODERN 2

CLASSIC 1

PVD 1

Attention! Finition CRNE non feasible

For finishing surcharge, see table on the inside cover of the catalogue

See installation heights page 560

1 Components not included for chromotherapy:

Switch control or remote control. See page 386

2 Prepare concealed housing, see instructions


3 See details page 546

ART. 26855-CRX € 786,00



## EL'IT

- Inspectable and serviceable<sup>1</sup>
- Ultra-flat 3mm thickness
- Minimum flow rate 5 l/min
- Wall-mounted installation G1/2" fitting
- Easy-clean system, anti-liming silicone nozzles
- Stainless Steel
- Chrome



## Features:

- Rain with 135 nozzles

## AVAILABLE FINISHINGS

MODERN 2

CLASSIC 2

Warning! Finish CRNE not feasible

For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page 560

1 See details page 544



ART. 26857X € 366,00

PN

**EKKO**

- Non-inspectable and non-serviceable
- Ultra-flat 2 mm thickness
- Minimum flow rate 5 l/min
- Flow limiter 12 l/min
- Safety valve
- 500x220
- Wall-mounted installation inlets G 1/2"
- Anti-liming silicone nozzles, easy-clean system
- Stainless steel


**Features:**

- Rain with 90 nozzles

**AVAILABLE FINISHINGS**  
NEOP / BIOP € 681,00  
SPZ € 500,00

See installation heights page 560

1 The shower heads are equipped with a safety valve that opens when the anti-liming nozzles are obstructed. By cleaning the product and reinserting the valve, the product returns to its initial condition  
PN See legend on page 10



ART. 20150C15-CR center distance 15 cm

€ 75,50

ART. 20150C30-CR center distance 30 cm


€ 94,00

ART. 20150C60-CR center distance 60 cm

€ 121,50

**Square**

- Brass
- 18 x18
- Fitting G 1/2"
- Chrome

**AVAILABLE FINISHINGS**

MODERN 2

CLASSIC 2

PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
To match shower head, see page 355  
See installation heights page. 561


ART. 20126C15/B-CR center distance 15 cm € 41,50

ART. 20126C30/B-CR center distance 30 cm € 54,00

ART. 20126C60/B-CR center distance 60 cm € 81,00

**Tondo B**

- Brass
- Ø 26
- Fitting G 1/2"
- Chrome



ART. 26858X € 536,00

PN

**EKKO 2.0**

- Non-inspectable and non-serviceable
- Ultra-flat 2 mm thickness
- Minimum flow rate 10 l/min
- Flow limiter 12 l/min
- Safety valve
- 500x220
- Wall-mounted installation inlets G 1/2"
- Anti-liming silicone nozzles, easy-clean system
- Stainless steel


**Features:**

- Rain with 90 nozzles
- Waterfall jet

**AVAILABLE FINISHINGS**  
NEOP / BIOP € 970,00  
SPZ € 698,00

See installation heights page 560


1 The shower heads are equipped with a safety valve that opens when the anti-liming nozzles are obstructed. By cleaning the product and reinserting the valve, the product returns to its initial condition  
PN See legend on page 10



ART. 20950C40-CR center distance 40 cm € 435,00

**Vehla**

- Brass
- 60 x 20 □
- Fitting G 1/2"
- Ideal for shower large shower heads
- Chrome

**AVAILABLE FINISHINGS**

MODERN 2

CLASSIC 2

PVD 1

For finishing surcharge, see table on the inside cover of the catalogue  
To match shower head, see page 355  
See installation heights page 560

ECO


ECO

ART. 20051C35-CR center distance 35 cm € 107,50  
 ART. 20051C40-CR center distance 40 cm € 110,00

PN

**Extreme**

- Brass
- 18 x18 □
- Fitting G 1/2"
- Chrome

**AVAILABLE FINISHINGS**


- MODERN** 2  
**CLASSIC** 2  
**PVD** 1

For finishing surcharge, see table on the inside cover of the catalogue  
 To match shower head, see page 355  
 See installation heights page 560  
 PN See legend on page 10

ART. 20060C35-CRX center distance 35 cm € 213,00

**Lusso Rectangular**

- Stainless Steel
- Fitting G 1/2"
- Ideal for large shower heads
- Chrome

**AVAILABLE FINISHINGS**

- MODERN** 2  
**CLASSIC** 2  
**PVD** 1


For finishing surcharge, see table on the inside cover of the catalogue  
 To match shower head, see page 355  
 See installation heights page 560

ART. 20040C35-CR center distance 35 cm € 66,00  
 ART. 20040C40-CR center distance 40 cm € 71,00

PN

**Spigolo Square**

- Brass
- Ø 20
- Fitting G 1/2"
- Chrome

**AVAILABLE FINISHINGS**


- MODERN** 2  
**CLASSIC** 2  
**PVD** 1

For finishing surcharge, see table on the inside cover of the catalogue  
 To match shower head, see page 355  
 See installation heights page 560  
 PN See legend on page 10

ART. SLM0009CRX inspectable and serviceable in CR stainless steel € 789,00

**MySlim 500 x 350**

- Inspectable and serviceable<sup>1</sup>
- Ultra-flat 3mm thickness
- Minimum flow rate 8 l/min
- Flow limiter 15 l/min at 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Can be installed flush with false ceiling using KIT00006<sup>2</sup>
- Chrome

**Features:**

- Rain with 182 anti-liming silicone nozzles


**ART** €  
**KIT00006** 65,50



ART. SLM0008CRX inspectable and serviceable in CR stainless steel € 588,00


**MySlim 400 x 300**

- Inspectable and serviceable<sup>1</sup>
- Ultra-flat 3mm thickness
- Minimum flow rate 8 l/min
- Flow limiter 15 l/min at 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Can be installed flush with false ceiling using KIT00006<sup>2</sup>
- Chrome

**Features:**

- Rain with 156 anti-liming silicone nozzles


**ART** €  
**KIT00006** 65,50



ART. SLM0007CRX inspectable and serviceable in CR stainless steel € 633,00


**MySlim 400 X 400**

- Inspectable and serviceable<sup>1</sup>
- Ultra-flat 3mm thickness
- Minimum flow rate 8 l/min
- Flow limiter 15 l/min at 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Can be installed flush with false ceiling using KIT00006<sup>2</sup>
- Chrome

**Features:**

- Rain with 144 anti-liming silicone nozzles

**ART** €  
**KIT00006** 65,50

**AVAILABLE FINISHINGS**


- MODERN** 2  
**CLASSIC** 2

For finishing surcharge, see table on the inside cover of the catalogue  
 1 See details page 544  
 2 See details page 543

## SHOWER HEADS WALL- AND CEILING-MOUNTED

ART. SLM0006CRX inspectable and serviceable in CR stainless steel € 407,00  
 ART. SLM0006/NI non-inspectable and non-serviceable in stainless steel € 256,00

PN




### MySlim 300 x 300

- Inspectable and serviceable<sup>1</sup>
- Non-inspectable and non-serviceable
- Ultra-flat 3mm/2.5mm thickness
- Minimum flow rate 7 l/min
- Flow limiter 12 l/min at 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Can be installed flush with false ceiling using KIT00006<sup>2</sup>
- Polished Chrome/Stainless<sup>3</sup>

#### Features:

- Rain with 120 anti-liming silicone nozzles

## MySlim



ART €  
 KIT00006 65,50




#### AVAILABLE FINISHINGS SOLO PER VERSIONI ISPEZIONABILI

MODERN 2  
 CLASSIC 2

For finishing surcharge, see table on the inside cover of the catalogue  
 FOR NON-INSPECTABLE AND NON-SERVICEABLE SHOWER HEAD ONLY AVAILABLE FINISHING SPZ cat.14  
 (RECOMMENDED WITH STN FINISHING SHOWER ARM)  
 1 See details page 544  
 2 See details page 543  
 3 INSPECTABLE AND SERVICEABLE version (CRX): chrome plated.  
 NON-SERVICEABLE version (NI): polished stainless steel  
 PN See legend on page 10

ART. SLM0005CRX inspectable and serviceable in CR stainless steel € 286,00  
 ART. SLM0005/NI non-inspectable and non-serviceable in stainless steel € 187,00

PN




### MySlim 240 x 240

- Inspectable and serviceable<sup>1</sup>
- Non-inspectable and non-serviceable
- Ultra-flat 3mm/2.5mm thickness
- Minimum flow rate 6 l/min
- Flow limiter 11 l/min at 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Can be installed flush with false ceiling using KIT00006<sup>2</sup>
- Polished Chrome/Stainless<sup>3</sup>

#### Features:

- Rain with 100 anti-liming silicone nozzles



ART €  
 KIT00006 65,50



#### AVAILABLE FINISHINGS

MODERN 2


CLASSIC 2

For finishing surcharge, see table on the inside cover of the catalogue  
 FOR NON-INSPECTABLE AND NON-SERVICEABLE SHOWER HEAD ONLY AVAILABLE FINISHING SPZ cat.14  
 (RECOMMENDED WITH STN FINISHING SHOWER ARM)  
 1 See details page 544  
 2 See details page 543  
 3 INSPECTABLE AND SERVICEABLE version (CRX): chrome plated.  
 NON-SERVICEABLE version (NI): polished stainless steel  
 PN See legend on page 10

## SHOWER HEADS WALL- AND CEILING-MOUNTED

ART. 2MM0013 non-inspectable and non-serviceable in stainless steel € 150,00



PN



### DueMillimetri 300 x 300

- Non-inspectable and non-serviceable
- Ultra-flat 2,5 mm thickness
- Minimum flow rate 6 l/min
- Flow limiter 12 l/min
- Anti-liming silicone nozzles, easy-clean system
- Stainless

AVAILABLE FINISHINGS  
 NEOP / BIOP € 301,00



PN See legend on page 10


ART. 2MM0012 non-inspectable and non-serviceable in stainless steel € 133,00

PN



### DueMillimetri 250 x 250

- Non-inspectable and non-serviceable
- Ultra-flat 2,5 mm thickness
- Minimum flow rate 6 l/min
- Flow limiter 7 l/min
- Anti-liming silicone nozzles, easy-clean system
- Stainless steel



AVAILABLE FINISHINGS  
 NEOP / BIOP € 251,00

PN See legend on page 10


ART. 2MM0011 non-inspectable and non-serviceable in stainless steel € 99,00

PN



### DueMillimetri 200 x 200

- Non-inspectable and non-serviceable
- Ultra-flat 2,5 mm thickness
- Minimum flow rate 6 l/min
- Flow limiter 7 l/min
- Anti-liming silicone nozzles, easy-clean system
- Stainless steel



AVAILABLE FINISHINGS  
 NEOP / BIOP € 213,00

PN See legend on page 10

ART. 8MM0006CRX inspectable and serviceable in CR stainless steel € 394,00

PN




## OttoMillimetri 300x300

- Inspectable and serviceable<sup>1</sup>
- Head thickness 7.5 mm
- Minimum flow rate 7 l/min
- Flow limiter 12 l/min 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Can be installed flush with false ceiling using KIT00006<sup>2</sup>
- Chrome

## Features:

- Rain with 120 nozzles



ART      €  
KIT0006    65,50

AVAILABLE FINISHINGS  
MODERN 2  
CLASSIC 2  
PVD 1

For finishing surcharge, see table on the inside cover of the catalogue

1 See details page 544

2 See details page 543

PN See legend on page 10



ART. 8MM0005CRX inspectable and serviceable in CR stainless steel € 295,00

PN




## OttoMillimetri 250x250

- Inspectable and serviceable<sup>1</sup>
- Head thickness 8 mm
- Minimum flow rate 6 l/min
- Flow limiter 11 l/min 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Can be installed flush with false ceiling using KIT00006<sup>2</sup>
- Chrome

## Features:

- Rain with 100 nozzles



ART      €  
KIT0006    65,50

AVAILABLE FINISHINGS  
MODERN 2  
CLASSIC 2  
PVD 1

For finishing surcharge, see table on the inside cover of the catalogue

1 See details page 544

2 See details page 543

PN See legend on page 10


ART. 23421-CR inspectable and serviceable in BRASS CR € 166,00  
ART. 23425-CR non-inspectable and non-serviceable in CR ABS € 65,00

PN



## Square 200x200

- Inspectable and serviceable/  
Non-inspectable and non-serviceable
- Minimum flow rate 4 l/min
- Easy-clean system,  
anti-liming silicone nozzles
- Chrome



AVAILABLE FINISHINGS  
MODERN 2  
CLASSIC 2

For finishing surcharge, see table on the inside cover of the catalogue  
FINISHINGS ONLY AVAILABLE FOR INSPECTABLE AND SERVICEABLE VERSIONS  
PN See legend on page 10




ART. 20126C15/A-CR center distance 15 cm € 41,50  
 ART. 20126C30/A-CR center distance 30 cm € 54,00  
 ART. 20126C60/A-CR center distance 60 cm € 81,00



## Tondo Colonial

- Brass
- Ø 26
- Fitting G 1/2" M
- Chrome plated



## AVAILABLE FINISHINGS

MODERN 3  
 CLASSIC 3  
 PVD 2


For finishing surcharge, see table on the inside cover of the catalogue  
 To match shower head, see page 362  
 See installation heights page 560

ART. 20026U35-CR center distance 40 cm € 98,00



## Uncino

- Brass
- Ø 26
- Fitting G 1/2" M
- Chrome plated



## AVAILABLE FINISHINGS

MODERN 3  
 CLASSIC 3  
 PVD 2


For finishing surcharge, see table on the inside cover of the catalogue  
 To match shower head, see page 362  
 See installation heights page 560

ART. 20026C30/A-CR center distance 30 cm € 60,00  
 ART. 20026C35/A-CR center distance 35 cm € 64,50  
 ART. 20026C40/A-CR center distance 40 cm € 75,00



## Tondo XL Colonial

- Brass
- Ø 26
- Fitting G 1/2" M
- Chrome plated



## AVAILABLE FINISHINGS

MODERN 3  
 CLASSIC 3  
 PVD 2


For finishing surcharge, see table on the inside cover of the catalogue  
 To match shower head, see page 362  
 See installation heights page 560

ART. 20020C30/A-CR center distance 30 cm € 46,50  
 ART. 20020C35/A-CR center distance 35 cm € 50,00  
 ART. 20020C40/A-CR center distance 40 cm € 58,00



## Tondo S Colonial

- Brass
- Ø 20
- Fitting G 1/2" M
- Chrome plated



## AVAILABLE FINISHINGS

MODERN 3  
 CLASSIC 3  
 PVD 2


For finishing surcharge, see table on the inside cover of the catalogue  
 To match shower head, see page 362  
 See installation heights page 560

ART. 20090C15/A-CR center distance 15 cm € 32,50  
 ART. 20090C20/A-CR center distance 20 cm € 33,50



## 45° Colonial

- Brass
- Ø 20
- Fitting G 1/2" M
- Chrome plated



## AVAILABLE FINISHINGS

MODERN 3  
 CLASSIC 3  
 PVD 2



For finishing surcharge, see table on the inside cover of the catalogue  
 To match shower head, see page 362  
 See installation heights page 560

ART. 23030-CR inspectable and serviceable in BRASS CR € 353,00



## Colonial Ø 310

- Inspectable and serviceable
- Minimum flow rate 9 l/min
- Easy-clean system
- anti-liming silicone nozzles
- Chrome



## Features:

- Rain with 198 nozzles

## AVAILABLE FINISHINGS

- MODERN 3  
CLASSIC 3  
PVD 2

For finishing surcharge, see table on the inside cover of the catalogue





ART. 23025-CR inspectable and serviceable in BRASS CR € 279,00



## Colonial Ø 270

- Inspectable and serviceable
- Minimum flow rate 5 l/min
- Flow limiter 15 l/min at 3 bar
- Easy-clean system, anti-liming silicone nozzles
- Chrome



## Features:

- Rain with gasket 174 nozzles

## AVAILABLE FINISHINGS

- MODERN 3  
CLASSIC 3  
PVD 2

For finishing surcharge, see table on the inside cover of the catalogue





ART. 23021-CR inspectable and serviceable in BRASS CR € 185,00



## Colonial Ø 220

- Inspectable and serviceable
- Minimum flow rate 4.5 l/min
- Easy-clean system, anti-liming silicone nozzles
- Chrome



## Features:

- Rain with gasket 126 nozzles

## AVAILABLE FINISHINGS

- MODERN 3  
CLASSIC 3  
PVD 2

For finishing surcharge, see table on the inside cover of the catalogue





ART. 23015-CR inspectable and serviceable in BRASS CR € 149,00



## Colonial Ø 150

- Inspectable and serviceable
- Minimum flow rate 5 l/min
- Easy-clean system, anti-liming silicone nozzles
- Chrome



## Features:

- Rain with 78 nozzles

## AVAILABLE FINISHINGS

- MODERN 3  
CLASSIC 3  
PVD 2



For finishing surcharge, see table on the inside cover of the catalogue

ART. 23012-CR inspectable and serviceable in BRASS CR € 120,00



## Colonial Ø 125

- Inspectable and serviceable
- Minimum flow rate 2.5 l/min
- Easy-clean system, anti-liming silicone nozzles
- Chrome



## Features:

- Rain with gasket 54 nozzles

## AVAILABLE FINISHINGS

- MODERN 3  
CLASSIC 3  
PVD 2



For finishing surcharge, see table on the inside cover of the catalogue

ART. 23010-CR inspectable and serviceable in BRASS CR € 87,00



## Colonial Ø 100

- Inspectable and serviceable
- Minimum flow rate 2 l/min
- Easy-clean system, anti-liming silicone nozzles
- Chrome



## Features:

- Rain with gasket 30 nozzles

## AVAILABLE FINISHINGS

- MODERN 3  
CLASSIC 3  
PVD 2

For finishing surcharge, see table on the inside cover of the catalogue


ART. 24910-CR inspectable and serviceable in BRASS CR € 82,00

**Colonial 5**

- Inspectable and serviceable
- Minimum flow rate 9 l/min
- Easy-clean system, anti-liming silicone nozzles
- Chrome

**Features:**

- Central rain
- Rain
- Central
- Rain + Soft
- Soft

**AVAILABLE FINISHINGS**

**MODERN** 3  
**CLASSIC** 3




For finishing surcharge, see table on the inside cover of the catalogue



## Optional & Wellness

### OPTIONAL

---



DUPLEX  
P. 370

### WELLNESS


---



WATERFALLS  
P. 378



BODY-JET  
P. 380



ATOMIZERS  
P. 382




AROMATHERAPY  
P. 383



MUSIC THERAPY  
P. 384



CHROMOTHERAPY  
P. 385



CONTROLS  
P. 386

**OPTIONAL****DUPLEX**

Select



Square



Square Contract



Still-Oh

from page 370



Stilo 4 Black



Stilo



Stilo Black



Stick 4



Stick 4 Black



Stick



Stick Black



Nova



Nova 3



Colonial



Still Colonial



Colonial 2.0




Quadro



Tondo



Colonial



Cilindrico



Sferico

from page 380

**ATOMIZERS**

Quadro



Tondo



Colonial

from page 382

Duplex

**AROMATHERAPY - MUSIC THERAPY - CHROMOTHERAPY**

Scented water



Audio system



Chromotherapy

from page 383

**WELLNESS****WATERFALLS**

Oh! New



Oh! Minimal



Oh! Colonial



Minimal Quadra



Minimal Tonda

from page 378



Wall-mounted tub spout



Deck-mounted tub spout

**CONTROLS**Switch control  
1 buttonSwitch control  
2 buttonsSwitch control  
3 buttons

Remote control


from page 386

Wellness

ART. 66710-CR shower brass € 238,00


**Select**

- 1 jet shower, anti-liming, inspectable and serviceable, brass
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN 8  
CLASSIC 8  
PVD 6




For finishing surcharge, see table on the inside cover of the catalogue

ART. 66545-CR shower brass € 168,00  
ART. 65545-CR shower ABS € 130,00

PN

**Square**

- Single-function, anti-liming, inspectable and serviceable brass or ABS
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN 8  
CLASSIC 8  
PVD 6


For finishing surcharge, see table on the inside cover of the catalogue  
Finishings only available for brass version  
PN See legend on page 10

ART. 65645E-CR shower ABS € 86,00

PN

**Square Contract**

- 1 jet, anti-liming, inspectable and serviceable, ABS
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm ECO
- Chrome



## AVAILABLE FINISHINGS

-




PN See legend on page 10

ART. 65290-CR shower brass € 117,00

**Still-Oh**

- 1 jet, anti-liming, inspectable and serviceable, brass
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN 8  
CLASSIC 8  
PVD 6




For finishing surcharge, see table on the inside cover of the catalogue

ART. 65272-CR shower brass € 237,00

**Stilo 4**

- 1 jet shower, anti-liming, inspectable and serviceable, brass
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN 8  
CLASSIC 8  
PVD 6




For finishing surcharge, see table on the inside cover of the catalogue

ART. 66272-CR/NE shower brass € 231,00

**Stilo 4 Black**

- 1 jet shower, anti-liming, inspectable and serviceable, brass
- Handle in matt black abs
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN 8  
CLASSIC 8  
PVD 6




For finishing surcharge, see table on the inside cover of the catalogue

ART. 65283-CR shower brass € 184,00

**Stilo**

- 1 jet shower, anti-liming, inspectable and serviceable, brass
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN 8

CLASSIC 8

PVD 6

For finishing surcharge, see table on the inside cover of the catalogue


**ECO**

ART. 66172-CR/NE shower brass € 141,00

ART. 65172-CR/NE shower ABS € 135,00

**Stick 4 Black**

- Single-function, anti-liming, inspectable and serviceable brass or ABS
- Handle matt black abs
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN 8

CLASSIC 8


PVD 6

For finishing surcharge, see table on the inside cover of the catalogue  
Finishings only available for brass version

ART. 66283-CR/NE shower brass € 177,00

**Stilo Black**

- 1 jet shower, anti-liming, inspectable and serviceable, brass
- Handle matt black abs
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN 8

CLASSIC 8

PVD 6

For finishing surcharge, see table on the inside cover of the catalogue

**ECO**ART. 66181-CR shower and rosette in brass<sup>1</sup> € 85,00


ART. 66183-CR shower brass € 85,00

ART. 65183-CR shower ABS € 75,00

PN

**Stick**

- 1 jet shower abs, anti-liming, inspectable and serviceable
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN 8

CLASSIC 8

PVD 6

For finishing surcharge, see table on the inside cover of the catalogue  
Finishings only available for brass version  
<sup>1</sup> Recommended for classic finishes  
PN See legend on page 10


ART. 66171-CR shower brass € 140,00

ART. 65171-CR shower ABS € 130,00

PN

**Stick 4**

- Single-function, anti-liming, inspectable and serviceable brass or ABS
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN 8

CLASSIC 8

PVD 6


For finishing surcharge, see table on the inside cover of the catalogue  
Finishings only available for brass version  
PN See legend on page 10

ART. 66183-CR/NE shower brass € 80,00

ART. 65183-CR/NE shower ABS € 73,00

**Stick Black**

- Single-function, anti-liming, inspectable and serviceable brass or ABS
- Handle matt black abs
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN 8

CLASSIC 8

PVD 6

For finishing surcharge, see table on the inside cover of the catalogue  
Finishings only available for brass version

ART. 65460-CR shower ABS € 143,00


PN

**Nova**

- Shower abs 3 jets, Anti-liming, ABS
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome

## AVAILABLE FINISHINGS

-



PN See legend on page 10

ART. 65291-CR shower brass € 141,00

**Still Colonial**


- 1 jet, anti-liming, inspectable and serviceable, brass
- Brass handle
- Wall outlet with holder
- Fitting G 1/2"
- Brass flexible hose with double interlock 150 cm hexagonal/conical
- Chrome



## AVAILABLE FINISHINGS

- MODERN** 8  
**CLASSIC** 8  
**PVD** 6

For finishing surcharge, see table on the inside cover of the catalogue



ART. 65561-CR shower ABS € 81,00


PN

**Nova 3**

- Shower abs 3 jets, Anti-liming, ABS
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome

## AVAILABLE FINISHINGS

-



PN See legend on page 10

ART. 65292-CR shower brass € 149,00


**Colonial 2.0**

- 1 jet, anti-liming, inspectable and serviceable, brass
- Brass handle
- Wall outlet with holder
- Fitting G 1/2"
- Brass flexible hose with double interlock 150 cm hexagonal/conical
- Chrome



## AVAILABLE FINISHINGS

- MODERN** 8  
**CLASSIC** 8  
**PVD** 6





ART. 64511RES-CR shower brass € 131,00

**Colonial**

- 1 jet shower, anti-liming, inspectable and serviceable, brass
- Handle white resin
- Wall outlet with holder
- Fitting G 1/2"
- PVC flexible hose 150 cm double anti-torsion
- Chrome

## AVAILABLE FINISHINGS

- MODERN** 8  
**CLASSIC** 8  
**PVD** 6



For finishing surcharge, see table on the inside cover of the catalogue

## WELLNESS

- |            |               |
|------------|---------------|
| <b>378</b> | WATERFALLS    |
| <b>380</b> | BODY-JET      |
| <b>382</b> | ATOMIZERS     |
| <b>383</b> | AROMATHERAPY  |
| <b>384</b> | MUSIC THERAPY |
| <b>385</b> | CHROMOTHERAPY |
| <b>386</b> | CONTROLS      |



ART. 26110-CR € 426,00

PN

**Oh! New**

- Wall-mounted waterfall
- Inspectable and serviceable cartridge<sup>1</sup>
- Jet adjustable to the operating pressure<sup>1</sup>
- Minimum flow rate 12 l/m
- Chrome


The waterfall can be installed without plate.

ART. 26114-CR € 387,00

PN

**Minimal Quadra**

- Concealed waterfall flush with wall<sup>1</sup>
- Minimum flow rate 10 l/m
- Chrome

**AVAILABLE FINISHINGS**

**MODERN** 7  
**CLASSIC** 7  
**PVD** 7



For finishing surcharge, see table on the inside cover of the catalogue  
 See installation heights page 563  
<sup>1</sup> See details page 546  
 PN See legend on page 10

ART. 26190-CR € 426,00

PN

**Oh! Minimal**

- Wall-mounted waterfall
- Inspectable and serviceable cartridge<sup>1</sup>
- Jet adjustable to the operating pressure<sup>2</sup>
- Minimum flow rate 12 l/m
- Chrome




The waterfall can be installed without plate.

ART. 26194-CR € 387,00

PN

**Minimal Tonda**

- Concealed waterfall flush with wall<sup>1</sup>
- Minimum flow rate 10 l/m
- Chrome

**AVAILABLE FINISHINGS**

**MODERN** 7  
**CLASSIC** 7  
**PVD** 7



For finishing surcharge, see table on the inside cover of the catalogue  
 See installation heights page 562  
<sup>1</sup> Prepare concealed housing  
 PN See legend on page 10

ART. 26410-CR € 428,00

PN

**Oh! Colonial**

- Wall-mounted waterfall
- Inspectable and serviceable cartridge<sup>1</sup>
- Jet adjustable to the operating pressure<sup>2</sup>
- Minimum flow rate 12 l/m
- Chrome




The waterfall can be installed without plate.


ART. 26115X € 707,00

**Wall-mounted tub spout**

- Waterfall flow spout
- Spout center distance 137 mm
- Inlets G 1/2"
- Flow limiter 15 l/min
- Polished stainless steel

**AVAILABLE FINISHINGS**

**NEOP/BIOP** € 954,00  
**SPZ** € 831,00

**AVAILABLE FINISHINGS**

**MODERN** 7  
**CLASSIC** 7  
**PVD** 7


For finishing surcharge, see table on the inside cover of the catalogue  
 See installation heights page 563  
<sup>1</sup> See details page 546  
 PN See legend on page 10

ART. 26116X € 640,00

**Deck-mounted tub spout**

- Waterfall flow spout
- Spout center distance 111 mm
- Inlets G 1/2"
- Flow limiter 15 l/min
- Polished stainless steel

**AVAILABLE FINISHINGS**  
**NEOP/BIOP** € 1.038,00  
**SPZ** € 752,00





ART. 24960-CR € 140,00

**Body-jet Quadro**

- Concealed <sup>1</sup>
- Orientable
- Anti-liming
- Inspectable and serviceable
- Hydromassage jet
- Minimum flow rate 4 l/m
- Chrome

**AVAILABLE FINISHINGS**  
**MODERN** 9  
**CLASSIC** 9  
**PVD** 9





For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page 564  
1 Prepare concealed housing

ART. 24980-CR € 112,00

**Body-jet Colonial**

- Concealed <sup>1</sup>
- Orientable
- Anti-liming
- Inspectable and serviceable
- Hydromassage jet
- Minimum flow rate 4 l/m
- Chrome

**AVAILABLE FINISHINGS**  
**MODERN** 9  
**CLASSIC** 9  
**PVD** 9





For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page 564  
1 Prepare concealed housing

ART. 24970-CR € 96,00

**Body-jet Tondo**

- Concealed <sup>1</sup>
- Orientable
- Anti-liming
- Inspectable and serviceable
- Hydromassage jet
- Minimum flow rate 4 l/mn
- Chrome

**AVAILABLE FINISHINGS**  
**MODERN** 9  
**CLASSIC** 9  
**PVD** 9



For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page 564  
1 Prepare concealed housing




ART. 24950-CR € 101,00

**Body-jet Sferico**

- External
- Orientable
- Hydromassage jet
- Minimum flow rate 4,5 l/m
- Chrome

**AVAILABLE FINISHINGS**  
**MODERN** 9  
**CLASSIC** 9




For finishing surcharge, see table on the inside cover of the catalogue



ART. 24931-CR € 157,00

**Atomizer Quadro**


- Concealed <sup>1</sup>
- Inspectable and serviceable
- Misting jet
- Minimum flow rate 1 l/m
- Chrome

**AVAILABLE FINISHINGS**

MODERN 9

CLASSIC 9

PVD 9




For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page 565  
1 Prepare concealed housing



ART. 24938-CR € 123,00

**Atomizer Tondo**


- Concealed <sup>1</sup>
- Inspectable and serviceable
- Misting jet
- Minimum flow rate 1 l/m
- Chrome

**AVAILABLE FINISHINGS**

MODERN 9

CLASSIC 9

PVD 9




For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page 565  
1 Prepare concealed housing



ART. 24934-CR € 98,00

**Atomizer Colonial**


- Concealed <sup>1</sup>
- Inspectable and serviceable
- Misting jet
- Minimum flow rate 1 l/m
- Chrome

**AVAILABLE FINISHINGS**

MODERN 9

CLASSIC 9

PVD 9



For finishing surcharge, see table on the inside cover of the catalogue  
See installation heights page 565  
1 Prepare concealed housing




ART. 0A110

€ 750,00



**Scented Water System**

- Dosing pump including injector, tube kit and wall-mounting plate
- Control unit <sup>1</sup>
- Empty 2l tank

1 Articles not included:  
Switch control see page 386  
See details page 547

**Essences tank 5 l**


- Eucalyptus
- Maracuja
- Orange
- Cold Mint



ART. 0A003-CR € 787,00

**Audio System**

- Bluetooth receiver for playing music files from an external source (not included)
- Control unit <sup>1</sup>
- 2 high-performance stereo speakers 2 watts each
- 2 cosmetic brass plates

**AVAILABLE FINISHINGS**

<b>MODERN</b>	10
<b>CLASSIC</b>	9
<b>PVD</b>	9

1 Articles not included:  
Switch control or remote control. See page 386  
See details page 549

ART. ART. OC002-CR	2 LEDs	€ 633,00
ART. ART. OC004-CR	4 LEDs	€ 998,00
ART. ART. OC006-CR	6 LEDs	€ 1.300,00
ART. ART. OC008-CR	8 LEDs	€ 1.602,00

**Chromotherapy / White light**

- LEDs with chromotherapy function and built-in 110 lm white light
- Control unit <sup>1</sup>
- Connection cables
- Ideal for false ceilings or plasterboard islands

1 Articles not included:  
Switch control or remote control. See page 386

**SPARE PARTS****Spare parts and individual articles available on request**

- LEDs
- Connection cables
- Control units

CARIMALI offers a chromotherapy system able to recreate a real beam of light that shrouds the entire body and illuminates the surrounding walls, by giving a sensation of real psychophysical wellness.

The chromotherapy kit is suitable for both false ceilings and plasterboard islands.

The LEDs are equipped with various features: chromotherapy and white light for illumination (110 lm included) that could be turned on by switch control or remote control. The kit could also be directly connected to any standard light switch or home automation systems.

**BENEFITS**

1. The LEDs in the kit include a number of features: the same LED provides both a cycle of chromotherapy colours and white light for illumination. This makes it possible to replace the entire bathroom lighting and extend the colour therapy to the whole area.
2. The LEDs' Lumen/Watt ratio (brightness) is among the highest present on the market – for the same power consumption, CARIMALI design shower\_space LEDs have a superior brightness.
3. The LED light source is manufactured in South Korea, which guarantees the best technology currently available on the market.
4. LED life of up to 60.000 hours is guaranteed. The optimisation of the heat-loss system avoids any overheating and therefore ensures a highest useful life.
5. The coupling between the primary and secondary LED lens is optimised to favour the maximum lumen output towards the area of use.
6. Waterproof system: perfect waterproof and steam resistance.
7. Kit supplied pre-wired and ready for installation. The connection cables in the kit are supplied with connectors and pre-wiring. To install, simply connect the components according to the instructions provided with no further connections or modifications being required by the installer.

**TECHNICAL SPECIFICATIONS**

Chrome-plated brass spotlights.  
Spotlight with cable L=30cm and 5-way M8 female connector  
O-ring gaskets on both front and bottom  
4W RGBW light source

Light beam width: 30°  
Edison Opto LED, KATHOD optic  
85-264 V 47 Hz electrical connection  
Recommended 1 LED per square metre

ART. OP001-CR € 179,00


**Switch control**

- Concealed 503E power & switching box for 3 modules
- Power & switching holder 3-position
- 1 button with 3 m connection cable
- 1 cosmetic brass plate

**AVAILABLE FINISHINGS**

**MODERN** 10  
**CLASSIC** 9  
**PVD** 9

For finishing surcharge, see table on the inside cover of the catalogue



ART. OP002-CR € 268,00

ART. OP004-CR chromotherapy/white light € 268,00


**Switch control**

- Concealed 503E power & switching box for 3 modules
- Power & switching holder 3-position
- 2 buttons with 3 m connection cable
- 1 cosmetic brass plate

**AVAILABLE FINISHINGS**

**MODERN** 10  
**CLASSIC** 9  
**PVD** 9

For finishing surcharge, see table on the inside cover of the catalogue



ART. OP003-CR € 335,00


**Switch control**

- Concealed 503E power & switching box for 3 modules
- Power & switching holder 3-position
- 3 buttons with 3 m connection cable
- 1 cosmetic brass plate

**AVAILABLE FINISHINGS**

**MODERN** 10  
**CLASSIC** 9  
**PVD** 9


For finishing surcharge, see table on the inside cover of the catalogue




ART. OTLC003 € 251,00 \*

**Remote control**

- Multifunction remote control with chromotherapy and white light control, audio device on/off and aromatherapy
- Bluetooth system
- Receiver included
- Waterproof IP65<sup>1</sup>
- Compatible with shower heads and wellness systems paired with switch control
- Wall holder included



<sup>1</sup> Resistant to water splashes but not complete immersion



**The evolution of the bathroom as an intimate place in which to express one's interiority and creativity.**

We offer complete and customisable wellness solutions for any environment, whether domestic to transform the bathroom into a refuge of well-being and relaxation, or professional to enrich the proposal of wellness centres and accommodation facilities, offering a complete multi-sensory experience in a perfect combination between of functionality and emotion.

We conceive, design and realise tailor-made projects that respond to any specific need and desire of our customers, designing together the best solution.



### MYDREAM / CONCEALED MULTIFUNCTIONAL SHOWER HEAD Relaxation, magic and amazement all in one solution

With our multifunctional shower heads, the bathroom becomes a place of pleasure and relaxation, a place where you can nourish your psychophysical well-being and rediscover your intimacy.

The collection propose different styles to satisfy every need and complete all types of environment.

Among its functions, it is possible to select the water effect between rain, single waterfall, double waterfall, mist, tropical waterfall and Kneipp for a feeling of complete relaxation.

Equipped with LED spotlights for chromotherapy, you can choose the colour gradation of the spotlight or let yourself be enveloped by the coloured path for a true immersion in physical and mental well-being.

A rainbow of exciting colours and water in its various forms combine their benefits to create a pleasant multi-sensory experience.

Colours, water and lights can be selected manually during the shower, or set for an automatic cycle.

### MYDREAM / CONCEALED MULTIFUNCTIONAL SHOWER HEADS IN SERIES Evocative emotional settings in sequence



Several showerheads in series (single- and/or multi-jet) controlled by a start button or with touch control and electronic faucet.

Sensorial showers are an indispensable addition to the wellness area and home spa today. Wellness pathways create magical settings by combining light effects, water effects and fragrances. The most sophisticated technologies converge in the shower paths for a unique and unforgettable wellness experience. Depending on the level of interaction accorded to the user, there are two levels of design of the wellness path.

Level 1: Wellness path that consists of starting the path through an on/off push-button panel and the use of an electronic control unit that automatises the activation in sequence of the different water jets with preset temperature, duration, chromotherapy and aromatherapy.

Level 2: Wellness path using a touch control with an electronic faucet, offering maximum interaction to the user who can independently manage water jets, temperature, duration, up to the setting of chromotherapy and aromatherapy.

## Shower heads New MyDream


### Shower heads New MyDream

ref. 23091XNCT/S-CRX  
dim. 700x500



### Shower heads New MyDream

ref. 23093XN/S-CRX  
dim. 600x300



### Shower heads New MyDream

ref. 23092XNCT/S-CRX  
dim. 550x500

### Shower heads New MyDream

ref. 23094XNT/S-CRX  
dim. 450x300



### Switch control

ref. OP001-CR



### Wall-mounted cascade

ref. 26110-CR



### Audio system

Body, mind and soul cuddled and surrounded by water and gentle musical notes thanks to music playback via Bluetooth with two high-performance stereo speakers of 2 watts each.



### Aromatherapy

To fully experience the pleasure of being enveloped by the scents diffused by the aromatised water that evoke memories and awaken the senses, giving a sensation of total relaxation.



### Body-jet

ref. 24960-CR



### Body-jet

Body-jets (available in square, round and colonial versions), small shower jets to be installed on the front or side walls of the shower enclosure, are able to massage the body gently with lateral jets of water and provide a unique sensation of well-being.



## Columns / Sliding Rail Kit

### COLUMNS WITH MIXER



RIGOLETTO  
COLLECTION  
P. 402



DESIGN  
COLLECTION  
P. 414



CLASSIC  
COLLECTION  
P. 417



RIGOLETTO  
NUDE  
P. 421

### SINGLE COLUMNS



LOW WALL  
OUTLET  
P. 430




UPPER WALL  
OUTLET  
P. 433

### SLIDING RAIL KIT



SLIDING  
RAIL KIT  
P. 440



KALAMITA  
SLIDING  
RAIL KIT  
P. 448

Columns/Sliding Rail Kit

## Columns / Sliding Rail Kit



Columns / Sliding Rail Kit



## Columns with Mixer

Columns with Mixer



### RIGOLETTO COLLECTION / RIGOLETTO

- |            |              |
|------------|--------------|
| <b>402</b> | THERMOSTATIC |
| <b>402</b> | MECHANICAL   |

### RIGOLETTO COLLECTION / RIGOLETTO SQUARE

- |            |              |
|------------|--------------|
| <b>408</b> | THERMOSTATIC |
| <b>408</b> | MECHANICAL   |

### DESIGN COLLECTION

- |            |              |
|------------|--------------|
| <b>414</b> | THERMOSTATIC |
| <b>414</b> | MECHANICAL   |
| <b>415</b> | PROGRESSIVE  |
| <b>416</b> | MIXING       |

### CLASSIC COLLECTION

- |            |                    |
|------------|--------------------|
| <b>417</b> | THERMOSTATIC       |
| <b>419</b> | MECHANICAL         |
| <b>420</b> | CERAMIC CARTRIDGES |

### RIGOLETTO WITHOUT SHOWER HEAD

- |            |              |
|------------|--------------|
| <b>421</b> | THERMOSTATIC |
| <b>421</b> | MECHANICAL   |

Columns with Mixer

## THERMOSTATIC OR MECHANICAL CARTRIDGE

## FIXED



Rigoletto MySlim



Rigoletto OttoMillimetri



Rigoletto Stick

from page 402

## THERMOSTATIC OR MECHANICAL CARTRIDGE

## FIXED



Rigoletto Square MySlim



Rigoletto Square OttoMillimetri



Rigoletto Square

from page 408

Rigoletto MySlim

Rigoletto OttoMillimetri

Rigoletto Stick

from page 403

## TELESCOPIC



Rigoletto MySlim

Rigoletto OttoMillimetri

Rigoletto Stick

Rigoletto Square MySlim

Rigoletto Square OttoMillimetri

Rigoletto Square

from page 409

Columns with Mixer

## THERMOSTATIC OR MECHANICAL CARTRIDGE

FIXED



Extreme MySlim

from page 414

## THERMOSTATIC CARTRIDGE

FIXED



Colonial

Colonial Orientabile

from page 417

## PROGRESSIVE CARTRIDGE

FIXED

from page 415



Vehla

## MIXING CARTRIDGE

FIXED

from page 416



Vertical Column

## THERMOSTATIC OR MECHANICAL CARTRIDGE

FIXED

from page 419



Colonial Rigoletto

## CERAMIC CARTRIDGES

FIXED


from page 420



Otello


**FIXED RIGOLETTO W/ ROUND  
MYSIM**


- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Fixed column with orientable shower arm
- Angled upper bridge
- Adjustable upper holder
- ABS anti-liming shower 3 jets
- MYSIM round anti-liming shower head, Ø 220 or Ø 240
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome



PN See legend page 10


**TELESCOPIC RIGOLETTO W/  
ROUND MYSIM**

- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Telescopic column with orientable shower arm
- Angled upper bridge
- Adjustable upper holder
- ABS anti-liming shower 3 jets
- MYSIM round anti-liming shower head, Ø 220 or Ø 240
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome


**AVAILABLE FINISHINGS**

MODERN	4
CLASSIC	6
PVD	3

For finishing surcharge, see table on the inside cover of the catalogue  
 Caution! Finishings available for versions with brass handles and inspectable shower head only  
 AVAILABLE KIT00017 = 50 CM EXTENSION FOR TELESCOPIC COLUMNS € 138,50  
 PN See legend page 10

PN


SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	HANDLES	€
00-1810-04-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 220	NOVA ABS	IN ABS	575,00
00-1910-N-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 220	NOVA ABS	IN BRASS	626,00
00-1811-N-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 240	NOVA ABS	IN ABS	601,00
00-1911-N-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 240	NOVA ABS	IN BRASS	665,00
00-1805-N-CR	THERMOSTATIC	INSPECTABLE STAINLESS STEEL MYSIM	Ø 240	NOVA ABS	IN ABS	673,00
00-1905-N-CR	THERMOSTATIC	INSPECTABLE STAINLESS STEEL MYSIM	Ø 240	NOVA ABS	IN BRASS	737,00
01-1810-04-CR	MECHANICAL	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 220	NOVA ABS	IN ABS	590,00
01-1910-N-CR	MECHANICAL	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 220	NOVA ABS	IN BRASS	632,00
01-1811-N-CR	MECHANICAL	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 240	NOVA ABS	IN ABS	616,00
01-1911-N-CR	MECHANICAL	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 240	NOVA ABS	IN BRASS	671,00
01-1805-N-CR	MECHANICAL	INSPECTABLE STAINLESS STEEL MYSIM	Ø 240	NOVA ABS	IN ABS	688,00
01-1905-N-CR	MECHANICAL	INSPECTABLE STAINLESS STEEL MYSIM	Ø 240	NOVA ABS	IN BRASS	743,00

PN

SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	HANDLES	€
00-1853-N-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 220	NOVA ABS	IN ABS	637,00
00-1953-N-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 220	NOVA ABS	IN BRASS	701,00
00-1854-N-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 240	NOVA ABS	IN ABS	681,00
00-1954-N-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 240	NOVA ABS	IN BRASS	741,00
00-1845-N-CR	THERMOSTATIC	INSPECTABLE STAINLESS STEEL MYSIM	Ø 240	NOVA ABS	IN ABS	749,00
00-1945-N-CR	THERMOSTATIC	INSPECTABLE STAINLESS STEEL MYSIM	Ø 240	NOVA ABS	IN BRASS	813,00
01-1853-N-CR	MECHANICAL	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 220	NOVA ABS	IN ABS	652,00
01-1953-N-CR	MECHANICAL	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 220	NOVA ABS	IN BRASS	707,00
01-1854-N-CR	MECHANICAL	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 240	NOVA ABS	IN ABS	696,00
01-1954-N-CR	MECHANICAL	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	Ø 240	NOVA ABS	IN BRASS	747,00
01-1845-N-CR	MECHANICAL	INSPECTABLE STAINLESS STEEL MYSIM	Ø 240	NOVA ABS	IN ABS	764,00
01-1945-N-CR	MECHANICAL	INSPECTABLE STAINLESS STEEL MYSIM	Ø 240	NOVA ABS	IN BRASS	819,00


**FIXED RIGOLETTO W/ ROUND OTTOMILLIMETRI**


- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Fixed column with orientable shower arm
- Angled upper bridge
- Adjustable upper holder
- ABS anti-liming shower 3 jets
- OttoMillimetri chromed stainless steel round anti-liming shower head, Ø 250
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome



PN See legend page 10


**TELESCOPIC RIGOLETTO W/ ROUND OTTOMILLIMETRI**

- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Telescopic column with orientable shower arm
- Angled upper bridge
- Adjustable upper holder
- ABS anti-liming shower 3 jets
- OttoMillimetri chromed stainless steel round anti-liming shower head, Ø 250
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome


**AVAILABLE FINISHINGS**

MODERN	4
CLASSIC	6
PVD	3

For finishing surcharge, see table on the inside cover of the catalogue  
Caution! Finishings available for versions with brass handles and inspectable shower head only  
AVAILABLE KIT00017 = 50 CM EXTENSION FOR TELESCOPIC COLUMNS € 138,50  
PN See legend page 10

PN

SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	HANDLES	€
00-18000-N-CR	THERMOSTATIC	OTTOMILLIMETRI CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN ABS	668,00
00-19000-N-CR	THERMOSTATIC	OTTOMILLIMETRI CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN BRASS	732,00
01-18000-N-CR	MECHANICAL	OTTOMILLIMETRI CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN ABS	683,00
01-19000-N-CR	MECHANICAL	OTTOMILLIMETRI CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN BRASS	738,00


PN

SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	HANDLES	€
00-18400-N-CR	THERMOSTATIC	OTTOMILLIMETRI CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN ABS	744,00
00-19400-N-CR	THERMOSTATIC	OTTOMILLIMETRI CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN BRASS	808,00
01-18400-N-CR	MECHANICAL	OTTOMILLIMETRI CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN ABS	759,00
01-19400-N-CR	MECHANICAL	OTTOMILLIMETRI CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN BRASS	814,00



**FIXED RIGOLETTO W/ STICK**

- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Telescopic column with orientable shower arm
- Angled upper bridge
- Adjustable upper holder
- ABS anti-liming shower 3 jets
- Stick ABS/chromed stainless-steel round anti-liming shower head, Ø 200 or Ø 250
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome




PN See legend page 10



**TELESCOPIC RIGOLETTO W/ STICK**

- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Telescopic column with orientable shower arm
- Angled upper bridge
- Adjustable upper holder
- ABS anti-liming shower 3 jets
- Stick ABS/chromed stainless-steel round anti-liming shower head, Ø 200 or Ø 250
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome



#### AVAILABLE FINISHINGS

MODERN	4
CLASSIC	6
PVD	3

For finishing surcharge, see table on the inside cover of the catalogue  
Caution! Finishings available for versions with brass handles and inspectable shower head only  
AVAILABLE KIT00017 = 50 CM EXTENSION FOR TELESCOPIC COLUMNS € 138,50  
PN See legend page 10

PN

SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	HANDLES	€
00-1804-04-CR	THERMOSTATIC	STICK ABS	Ø 200	NOVA ABS	IN ABS	494,00
00-1904-N-CR	THERMOSTATIC	STICK ABS	Ø 200	NOVA ABS	IN BRASS	552,00
00-1803X-04-CRX	THERMOSTATIC	STICK CHROMED STAINLESS STEEL	Ø 200	NOVA ABS	IN ABS	533,00
00-1903X-N-CRX	THERMOSTATIC	STICK CHROMED STAINLESS STEEL	Ø 200	NOVA ABS	IN BRASS	591,00
00-1809-N-CR	THERMOSTATIC	STICK ABS	Ø 250	NOVA ABS	IN ABS	522,00
00-1909-N-CR	THERMOSTATIC	STICK ABS	Ø 250	NOVA ABS	IN BRASS	587,00
00-1808X-N-CRX	THERMOSTATIC	STICK CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN ABS	586,00
00-1908X-N-CRX	THERMOSTATIC	STICK CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN BRASS	651,00
01-1804-04-CR	MECHANICAL	STICK ABS	Ø 200	NOVA ABS	IN ABS	509,00
01-1904-N-CR	MECHANICAL	STICK ABS	Ø 200	NOVA ABS	IN BRASS	558,00
01-1803X-04-CRX	MECHANICAL	STICK CHROMED STAINLESS STEEL	Ø 200	NOVA ABS	IN ABS	548,00
01-1903X-N-CRX	MECHANICAL	STICK CHROMED STAINLESS STEEL	Ø 200	NOVA ABS	IN BRASS	597,00
01-1809-N-CR	MECHANICAL	STICK ABS	Ø 250	NOVA ABS	IN ABS	537,00
01-1909-N-CR	MECHANICAL	STICK ABS	Ø 250	NOVA ABS	IN BRASS	593,00
01-1808X-N-CRX	MECHANICAL	STICK CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN ABS	601,00
01-1908X-N-CRX	MECHANICAL	STICK CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN BRASS	657,00


PN

SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	HANDLES	€
00-1844-N-CR	THERMOSTATIC	STICK ABS	Ø 200	NOVA ABS	IN ABS	564,00
00-1944-N-CR	THERMOSTATIC	STICK ABS	Ø 200	NOVA ABS	IN BRASS	625,00
00-1843X-N-CRX	THERMOSTATIC	STICK CHROMED STAINLESS STEEL	Ø 200	NOVA ABS	IN ABS	603,00
00-1943X-N-CRX	THERMOSTATIC	STICK CHROMED STAINLESS STEEL	Ø 200	NOVA ABS	IN BRASS	667,00
00-1849-N-CR	THERMOSTATIC	STICK ABS	Ø 250	NOVA ABS	IN ABS	598,00
00-1949-N-CR	THERMOSTATIC	STICK ABS	Ø 250	NOVA ABS	IN BRASS	663,00
00-1848X-N-CRX	THERMOSTATIC	STICK CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN ABS	663,00
00-1948X-N-CRX	THERMOSTATIC	STICK CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN BRASS	727,00
01-1844-N-CR	MECHANICAL	STICK ABS	Ø 200	NOVA ABS	IN ABS	579,00
01-1944-N-CR	MECHANICAL	STICK ABS	Ø 200	NOVA ABS	IN BRASS	631,00
01-1843X-N-CRX	MECHANICAL	STICK CHROMED STAINLESS STEEL	Ø 200	NOVA ABS	IN ABS	618,00
01-1943X-N-CRX	MECHANICAL	STICK CHROMED STAINLESS STEEL	Ø 200	NOVA ABS	IN BRASS	673,00
01-1849-N-CR	MECHANICAL	STICK ABS	Ø 250	NOVA ABS	IN ABS	613,00
01-1949-N-CR	MECHANICAL	STICK ABS	Ø 250	NOVA ABS	IN BRASS	669,00
01-1848X-N-CRX	MECHANICAL	STICK CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN ABS	678,00
01-1948X-N-CRX	MECHANICAL	STICK CHROMED STAINLESS STEEL	Ø 250	NOVA ABS	IN BRASS	733,00



**FIXED RIGOLETTO SQUARE W/  
SQUARE MYSLIM**

- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Fixed column with orientable shower arm
- Upper bridge with sharp bend
- Adjustable upper holder
- ABS anti-liming shower
- MYSLIM square anti-liming shower head, 240x240
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome




PN See legend page 10



**TELESCOPIC RIGOLETTO SQUARE  
W/ SQUARE MYSLIM**

- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Telescopic column with orientable shower arm
- Upper bridge with sharp bend
- Adjustable upper holder
- ABS anti-liming shower
- MYSLIM square anti-liming shower head, 240x240
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome



#### AVAILABLE FINISHINGS

MODERN	4
CLASSIC	6
PVD	3

For finishing surcharge, see table on the inside cover of the catalogue  
Caution! Finishings available for versions with brass handles and inspectable shower head only  
AVAILABLE KIT00017 = 50 CM EXTENSION FOR TELESCOPIC COLUMNS € 138,50  
PN See legend page 10

PN


SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	HANDLES	€
00-1810Q-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	240X240	SQUARE ABS	IN ABS	623,00
00-1910Q-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	240X240	SQUARE ABS	IN BRASS	688,00
00-1803Q-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	240X240	SQUARE ABS	IN ABS	695,00
00-1903Q-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	240X240	SQUARE ABS	IN BRASS	760,00
01-1810Q-CR	MECHANICAL	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	240X240	SQUARE ABS	IN ABS	639,00
01-1910Q-CR	MECHANICAL	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	240X240	SQUARE ABS	IN BRASS	693,00
01-1803Q-CR	MECHANICAL	INSPECTABLE STAINLESS STEEL MYSLIM	240X240	SQUARE ABS	IN ABS	711,00
01-1903Q-CR	MECHANICAL	INSPECTABLE STAINLESS STEEL MYSLIM	240X240	SQUARE ABS	IN BRASS	765,00

PN

SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	HANDLES	€
00-1853Q-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	240X240	SQUARE ABS	IN ABS	707,00
00-1953Q-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	240X240	SQUARE ABS	IN BRASS	771,00
00-1843Q-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	240X240	SQUARE ABS	IN ABS	779,00
00-1943Q-CR	THERMOSTATIC	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	240X240	SQUARE ABS	IN BRASS	843,00
01-1853Q-CR	MECHANICAL	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	240X240	SQUARE ABS	IN ABS	722,00
01-1953Q-CR	MECHANICAL	MYSLIM STAINLESS STEEL NON-IN-SPECTABLE	240X240	SQUARE ABS	IN BRASS	777,00
01-1843Q-CR	MECHANICAL	INSPECTABLE STAINLESS STEEL MYSLIM	240X240	SQUARE ABS	IN ABS	794,00
01-1943Q-CR	MECHANICAL	INSPECTABLE STAINLESS STEEL MYSLIM	240X240	SQUARE ABS	IN BRASS	849,00


**FIXED RIGOLETTO SQUARE W/  
SQUARE OTTOMILLIMETRI**


- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Fixed column with orientable shower arm
- Upper bridge with sharp bend
- Adjustable upper holder
- ABS anti-liming shower
- OttoMillimetri chromed stainless steel square anti-liming shower head, 250x250
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome



PN See legend page 10


**TELESCOPIC RIGOLETTO SQUARE  
W/ SQUARE OTTOMILLIMETRI**

- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Telescopic column with orientable shower arm
- Upper bridge with sharp bend
- Adjustable upper holder
- ABS anti-liming shower
- OttoMillimetri chromed stainless steel square anti-liming shower head, 250x250
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN	4
CLASSIC	6
PVD	3

For finishing surcharge, see table on the inside cover of the catalogue  
 Caution! Finishings available for versions with brass handles and inspectable shower head only  
 AVAILABLE KIT00017 = 50 CM EXTENSION FOR TELESCOPIC COLUMNS € 138,50  
 PN See legend page 10

PN


SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	HANDLES	€
00-18000Q-CR	THERMOSTATIC	OTTO MILLIMETRI IN CHROMED STAINLESS STEEL	250X250	SQUARE ABS	IN ABS	721,00
00-19000Q-CR	THERMOSTATIC	OTTO MILLIMETRI IN CHROMED STAINLESS STEEL	250X250	SQUARE ABS	IN BRASS	785,00
01-18000Q-CR	MECHANICAL	OTTO MILLIMETRI IN CHROMED STAINLESS STEEL	250X250	SQUARE ABS	IN ABS	736,00
01-19000Q-CR	MECHANICAL	OTTO MILLIMETRI IN CHROMED STAINLESS STEEL	250X250	SQUARE ABS	IN BRASS	791,00

PN

SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	HANDLES	€
00-18400Q-CR	THERMOSTATIC	OTTO MILLIMETRI IN CHROMED STAINLESS STEEL	250X250	SQUARE ABS	IN ABS	801,00
00-19400Q-CR	THERMOSTATIC	OTTO MILLIMETRI IN CHROMED STAINLESS STEEL	250X250	SQUARE ABS	IN BRASS	865,00
01-18400Q-CR	MECHANICAL	OTTO MILLIMETRI IN CHROMED STAINLESS STEEL	250X250	SQUARE ABS	IN ABS	816,00
01-19400Q-CR	MECHANICAL	OTTO MILLIMETRI IN CHROMED STAINLESS STEEL	250X250	SQUARE ABS	IN BRASS	871,00


**FIXED RIGOLETTO SQUARE W/  
SQUARE**


- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Fixed column with orientable shower arm
- Upper bridge with sharp bend
- Adjustable upper holder
- ABS anti-liming shower
- SQUARE ABS/chromed stainless steel Square anti-liming shower head, 200X200
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome



PN See legend page 10


**TELESCOPIC RIGOLETTO SQUARE  
W/ SQUARE**

- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Telescopic column with orientable shower arm
- Upper bridge with sharp bend
- Adjustable upper holder
- ABS anti-liming shower
- SQUARE ABS/chromed stainless steel Square anti-liming shower head, 200X200
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN	4
CLASSIC	6
PVD	3

For finishing surcharge, see table on the inside cover of the catalogue  
 Caution! Finishings available for versions with brass handles and inspectable shower head only  
 AVAILABLE KIT00017 = 50 CM EXTENSION FOR TELESCOPIC COLUMNS € 138,50  
 PN See legend page 10

PN

SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	HANDLES	€
00-1802Q-CR	THERMOSTATIC	SQUARE ABS	200X200	SQUARE ABS	IN ABS	497,00
00-1902Q-CR	THERMOSTATIC	SQUARE ABS	200X200	SQUARE ABS	IN BRASS	562,00
00-1801Q-CR	THERMOSTATIC	SQUARE CHROMED STAINLESS STEEL	200X200	SQUARE ABS	IN ABS	594,00
00-1901Q-CR	THERMOSTATIC	SQUARE CHROMED STAINLESS STEEL	200X200	SQUARE ABS	IN BRASS	659,00
01-1802Q-CR	MECHANICAL	SQUARE ABS	200X200	SQUARE ABS	IN ABS	513,00
01-1902Q-CR	MECHANICAL	SQUARE ABS	200X200	SQUARE ABS	IN BRASS	567,00
01-1801Q-CR	MECHANICAL	SQUARE CHROMED STAINLESS STEEL	200X200	SQUARE ABS	IN ABS	610,00
01-1901Q-CR	MECHANICAL	SQUARE CHROMED STAINLESS STEEL	200X200	SQUARE ABS	IN BRASS	664,00

PN

SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	HANDLES	€
00-1842Q-CR	THERMOSTATIC	SQUARE ABS	200X200	SQUARE ABS	IN ABS	581,00
00-1942Q-CR	THERMOSTATIC	SQUARE ABS	200X200	SQUARE ABS	IN BRASS	645,00
00-1841Q-CR	THERMOSTATIC	SQUARE CHROMED STAINLESS STEEL	200X200	SQUARE ABS	IN ABS	678,00
00-1941Q-CR	THERMOSTATIC	SQUARE CHROMED STAINLESS STEEL	200X200	SQUARE ABS	IN BRASS	742,00
01-1842Q-CR	MECHANICAL	SQUARE ABS	200X200	SQUARE ABS	IN ABS	596,00
01-1942Q-CR	MECHANICAL	SQUARE ABS	200X200	SQUARE ABS	IN BRASS	651,00
01-1841Q-CR	MECHANICAL	SQUARE CHROMED STAINLESS STEEL	200X200	SQUARE ABS	IN ABS	693,00
01-1941Q-CR	MECHANICAL	SQUARE CHROMED STAINLESS STEEL	200X200	SQUARE ABS	IN BRASS	748,00


**EXTREME**

- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Fixed column with orientable shower arm
- Adjustable upper holder
- Anti-liming brass shower
- MYSLIM Square anti-liming shower head, 240x240 or 300x300
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome


## AVAILABLE FINISHINGS

MODERN 4  
CLASSIC 6  
PVD 3

For finishing surcharge, see table on the inside cover of the catalogue  
AVAILABLE KIT00014 = EXTENSION 16 CM € 49,00

**VEHLA**

- Outer mixer, progressive cartridge
- Inlets G 1/2"
- Pulling diverter
- Fixed column
- Adjustable upper holder
- Vehla brass shower 1 jet
- MYSLIM INSPECTABLE AND SERVICEABLE shower head, 400x300 or 500x350
- Fixed brass shower holder
- PVC flexible hose 150 cm with double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN 4  
CLASSIC 6  
PVD 3


For finishing surcharge, see table on the inside cover of the catalogue

SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	€
00-1202E-CR	THERMOSTATIC	INSPECTABLE STAINLESS STEEL MYSLIM	240X240	SQUARE BRASS	1.576,00
00-1203E-CR	THERMOSTATIC	INSPECTABLE STAINLESS STEEL MYSLIM	300X300	SQUARE BRASS	1.697,00
01-1202E-CR	MECHANICAL	INSPECTABLE STAINLESS STEEL MYSLIM	240X240	SQUARE BRASS	1.598,00
01-1203E-CR	MECHANICAL	INSPECTABLE STAINLESS STEEL MYSLIM	300X300	SQUARE BRASS	1.719,00

SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	€
00-1102-CR	PROGRESSIVE	INSPECTABLE STAINLESS STEEL MYSLIM	400X300	VEHLA BRASS	2.501,00
00-1103-CR	PROGRESSIVE	INSPECTABLE STAINLESS STEEL MYSLIM	500X350	VEHLA BRASS	2.681,00

**VERTICAL COLUMN**


- 3-way single-control external column
- Rain jet with 99 anti-liming silicon nozzles, easy-clean system
- 2 bodyjets with 16x2 anti-liming silicon nozzles, easy-clean system
- ABS water outlet and Stick shower
- PVC flexible hose 150 cm with double anti-torsion
- Stainless steel



**AVAILABLE FINISHINGS**  
NEOP/BIOP € 2.783,00  
SPZ € 2.311,00

**COLONIAL**

- Outer mixer, thermostatic cartridge
- Inlets G 1/2"
- Pulling diverter
- Fixed column
- Colonial shower 1 jet, resin handle
- Colonial shower head, Ø 220 or Ø 270 or Ø 310
- Slider in brass
- Brass flexible hose 150 cm with twin spiral
- Chrome



**AVAILABLE FINISHINGS**  
MODERN 4  
CLASSIC 6  
PVD 3


For finishing surcharge, see table on the inside cover of the catalogue

SET ART	CARTRIDGE	SHOWER	€
00-0005X	MIXING	STICK ABS	1.908,00

SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	€
00-2000-CR	THERMOSTATIC	COLONIAL	Ø 220	COLONIAL	1.176,00
00-2005-CR	THERMOSTATIC	COLONIAL	Ø 270	COLONIAL	1.313,00
00-2002-CR	THERMOSTATIC	COLONIAL	Ø 310	COLONIAL	1.387,00

**COLONIAL ORIENTABLE**

- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Pulling diverter
- Fixed column with orientable shower arm
- Colonial shower 1 jet, resin handle
- Colonial shower head, Ø 220 or Ø 270 or Ø 310
- Slider in brass
- Brass flexible hose 150 cm with twin spiral
- Chrome


**AVAILABLE FINISHINGS**

- |         |   |
|---------|---|
| MODERN  | 4 |
| CLASSIC | 6 |
| PVD     | 3 |

For finishing surcharge, see table on the inside cover of the catalogue

**COLONIAL RIGOLETTO**

- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Fixed column with orientable shower arm
- Adjustable upper holder
- Colonial shower 1 jet, resin handle
- Colonial shower head, Ø 220 or Ø 270 or Ø 310
- Slider in brass
- Brass hose 150 cm with twin spiral
- Chrome

**AVAILABLE FINISHINGS**

- |         |   |
|---------|---|
| MODERN  | 4 |
| CLASSIC | 6 |
| PVD     | 3 |


For finishing surcharge, see table on the inside cover of the catalogue

SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	€
00-2020-CR	THERMOSTATIC	COLONIAL	Ø 220	COLONIAL	1.238,00
00-2025-CR	THERMOSTATIC	COLONIAL	Ø 270	COLONIAL	1.332,00
00-2022-CR	THERMOSTATIC	COLONIAL	Ø 310	COLONIAL	1.406,00

SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	€
00-1826-CR	THERMOSTATIC	COLONIAL	Ø 220	COLONIAL	939,00
00-1824-CR	THERMOSTATIC	COLONIAL	Ø 270	COLONIAL	1.033,00
00-1827-CR	THERMOSTATIC	COLONIAL	Ø 310	COLONIAL	1.107,00
01-1826-CR	MECHANICAL	COLONIAL	Ø 220	COLONIAL	962,00
01-1824-CR	MECHANICAL	COLONIAL	Ø 270	COLONIAL	1.056,00
01-1827-CR	MECHANICAL	COLONIAL	Ø 310	COLONIAL	1.130,00

**OTELLO**

- Outer mixer, ceramic headwork 90°
- Inlets G 1/2"
- Pulling diverter
- Fixed column with orientable shower arm
- Colonial shower 1 jet, resin handle
- Colonial shower head, ø 220 or ø 270 or ø 310
- Slider in brass
- Brass flexible hose 150 cm with twin spiral
- Chrome



## AVAILABLE FINISHINGS


MODERN	4
CLASSIC	6
PVD	3

For finishing surcharge, see table on the inside cover of the catalogue

SET ART	CARTRIDGE	SHOWER HEAD	DIMENSIONS	SHOWER	€
00-3000-CR	CERAMIC CARTRIDGE	COLONIAL	Ø 220	COLONIAL	926,00
00-3005-CR	CERAMIC CARTRIDGE	COLONIAL	Ø 270	COLONIAL	1.031,00
00-3002-CR	CERAMIC CARTRIDGE	COLONIAL	Ø 310	COLONIAL	1.096,00

**FIXED RIGOLETTO**

- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Fixed column with orientable shower arm
- Angled upper bridge, ideal for pairing with round shower heads
- Adjustable upper holder
- With NOVA ABS shower
- No shower head<sup>1</sup>
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome




<sup>1</sup> Available for purchase only in combination with the shower head, see from page 344  
PN See legend page 10

PN	SET ART	CARTRIDGE	SHOWER	HANDLES	€
	00-0800-CR	THERMOSTATIC	NOVA ABS	IN ABS	463,00
	00-0900-CR	THERMOSTATIC	NOVA ABS	IN BRASS	532,00
	01-0800-CR	MECHANICAL	NOVA ABS	IN ABS	479,00
	01-0900-CR	MECHANICAL	NOVA ABS	IN BRASS	538,00



## TELESCOPIC RIGOLETTO

- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Telescopic column with orientable shower arm
- Angled upper bridge
- Adjustable upper holder
- With NOVA ABS shower
- No shower head<sup>1</sup>
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN	4
CLASSIC	6
PVD	3

For finishing surcharge, see table on the inside cover of the catalogue  
Caution! Finishings available for versions with brass handle

1 Available for purchase only in combination with the shower head, see from page 344  
AVAILABLE KIT00017 = 50 CM EXTENSION FOR TELESCOPIC COLUMNS € 138,50  
PN See legend page 10


PN

SET ART	CARTRIDGE	SHOWER	HANDLES	€
00-0840-CR	THERMOSTATIC	NOVA ABS	IN ABS	544,00
00-0940-CR	THERMOSTATIC	NOVA ABS	IN BRASS	613,00
01-0840-CR	MECHANICAL	NOVA ABS	IN ABS	560,00
01-0940-CR	MECHANICAL	NOVA ABS	IN BRASS	619,00



## FIXED RIGOLETTO SQUARE

- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Fixed column with orientable shower arm
- Upper bridge with sharp bend
- Adjustable upper holder
- With SQUARE ABS shower
- No shower head<sup>1</sup>
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome



1 Available for purchase only in combination with the shower head, see from page 344  
PN See legend page 10


PN

SET ART	CARTRIDGE	SHOWER	HANDLES	€
00-0800Q-CR	THERMOSTATIC	SQUARE ABS	IN ABS	476,00
00-0900Q-CR	THERMOSTATIC	SQUARE ABS	IN BRASS	545,00
01-0800Q-CR	MECHANICAL	SQUARE ABS	IN ABS	492,00
01-0900Q-CR	MECHANICAL	SQUARE ABS	IN BRASS	551,00



## TELESCOPIC RIGOLETTO SQUARE

- Outer mixer, thermostatic or mechanical cartridge
- Inlets G 1/2"
- Rotating diverter with 2 outlet closure
- Telescopic column with orientable shower arm
- Angled upper bridge with sharp bend
- Adjustable upper holder
- With SQUARE ABS shower
- No shower head<sup>1</sup>
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome



## AVAILABLE FINISHINGS

MODERN	4
CLASSIC	6
PVD	3

For finishing surcharge, see table on the inside cover of the catalogue  
 Caution! Finishings available for versions with brass handles and inspectable shower head only  
 1 Available for purchase only in combination with the shower head, see from page 344  
 AVAILABLE KIT00017 = 50 CM EXTENSION FOR TELESCOPIC COLUMNS € 138,50  
 PN See legend page 10

PN

SET ART	CARTRIDGE	SHOWER	HANDLES	€
00-0840Q-CR	THERMOSTATIC	SQUARE ABS	IN ABS	561,00
00-0940Q-CR	THERMOSTATIC	SQUARE ABS	IN BRASS	630,00
01-0840Q-CR	MECHANICAL	SQUARE ABS	IN ABS	577,00
01-0940Q-CR	MECHANICAL	SQUARE ABS	IN BRASS	636,00

## Single Columns



TELESCOPIC PONTE  
**430** CONCEALED  
**430** EXPOSED

TELESCOPIC SPIGOLO  
**431** CONCEALED  
**431** EXPOSED

TELESCOPIC COLONIAL  
**432** CONCEALED  
**432** EXPOSED

UPPER WALL OUTLET  
**433** STICK  
**433** SQUARE  
**434** COLONIAL

Columns/Sliding Rail Kit

**LOW WALL OUTLET****CONCEALED OR EXPOSED**

from page 430

Telescopic  
Concealed PonteTelescopic  
Exposed PonteTelescopic  
Concealed SpigoloTelescopic  
Spigolo Exposed**UPPER WALL OUTLET****CONCEALED**

from page 433



Stick



Square



Colonial


Telescopic  
Colonial ConcealedTelescopic  
Colonial Exposed

ART. 00670/ID-CR € 353,00

PN

**Telescopic Ponte Concealed**

- Lower holder with concealed connection
- Adjustable upper holder
- Diverter
- Telescopic column with orientable shower arm
- Angled upper bridge, ideal for pairing with round shower heads
- With Stick ABS shower
- No shower head<sup>1</sup>
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome

**AVAILABLE FINISHINGS**

- MODERN** 4  
**CLASSIC** 6  
**PVD** 3


For finishing surcharge, see table on the inside cover of the catalogue  
1 Can only be purchased in combination with shower head, see from page 344  
PN See legend page 10

ART. 00670/ED-CR € 373,00

PN

**Telescopic Ponte Exposed**

- Lower holder with exposed, PVC flexible hose 60 cm
- Adjustable upper holder
- Diverter
- Telescopic column with orientable shower arm
- Angled upper bridge, ideal for pairing with round shower heads
- With Stick ABS shower
- No shower head<sup>1</sup>
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome

**AVAILABLE FINISHINGS**

- MODERN** 4  
**CLASSIC** 6  
**PVD** 3


For finishing surcharge, see table on the inside cover of the catalogue  
1 Can only be purchased in combination with shower head, see from page 344  
PN See legend page 10

ART. 00470/ID-CR € 390,00

PN

**Telescopic Spigolo Concealed**

- Lower holder with concealed connection
- Adjustable upper holder
- Diverter
- Telescopic column with orientable shower arm
- Upper bridge with sharp bend, ideal for pairing with square shower heads
- With Square ABS shower
- No shower head<sup>1</sup>
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome

**AVAILABLE FINISHINGS**

- MODERN** 4  
**CLASSIC** 6  
**PVD** 3


For finishing surcharge, see table on the inside cover of the catalogue  
1 Can only be purchased in combination with shower head, see from page 355  
PN See legend page 10

ART. 00470/ED-CR € 416,00

PN

**Telescopic Spigolo Exposed**

- Lower holder with exposed connection and PVC flexible hose 60 cm
- Adjustable upper holder
- Diverter
- Telescopic column with orientable shower arm
- Upper bridge with sharp bend, ideal for pairing with square shower heads
- With Square ABS shower
- No shower head<sup>1</sup>
- Slider in brass
- PVC flexible hose 150 cm with double anti-torsion
- Chrome

**AVAILABLE FINISHINGS**

- MODERN** 4  
**CLASSIC** 6  
**PVD** 3

For finishing surcharge, see table on the inside cover of the catalogue  
1 Can only be purchased in combination with shower head, see from page 355  
PN See legend page 10

## SINGLE COLUMNS

ART. 00020/ID-CR € 510,00



### Telescopic Colonial Concealed

- Lower holder with concealed connection
- Adjustable upper holder
- Diverter
- Telescopic column with orientable shower arm
- With Colonial shower, handle in resin
- No shower head<sup>1</sup>
- Brass slider
- Brass flexible hose 150 cm
- Chrome


#### AVAILABLE FINISHINGS

- |         |   |
|---------|---|
| MODERN  | 4 |
| CLASSIC | 6 |
| PVD     | 3 |

For finishing surcharge, see table on the inside cover of the catalogue

1 Can only be purchased in combination with shower head, see from page 362

## Telescopic Colonial




## SINGLE COLUMNS

ART. 00620/IA-A-B-C\*-CR € 597,00



### Stick Upper Wall Outlet

- Upper holder with concealed connection
- Diverter
- Fixed column with orientable shower arm
- Angled upper bridge, ideal for pairing with round shower heads
- With Stick ABS shower
- No shower head<sup>1</sup>
- Adjustable height with optional extension kit<sup>2</sup>
- Available in 3 different centre distances A-B-C
- Brass slider
- PVC flexible hose 150 cm
- Chrome



\* Available centre distances:  
A → 800 mm (31,50" inc.)  
B → 700 mm (27,56" inc.)  
C → 600 mm (23,62" inc.)

NOTE: indicate centre distance when ordering.

See details page 551

#### AVAILABLE FINISHINGS

- |         |   |
|---------|---|
| MODERN  | 4 |
| CLASSIC | 6 |
| PVD     | 3 |

For finishing surcharge, see table on the inside cover of the catalogue

1 Can only be purchased in combination with shower head, see from page 344


2 See details page 550

ART. 00020/ED-CR € 535,00



### Telescopic Colonial Exposed

- Lower holder with exposed connection and brass flexible hose 60 cm
- Adjustable upper holder
- Diverter
- Telescopic column with orientable shower arm
- With Colonial shower, resin handle
- No shower head<sup>1</sup>
- Brass slider
- Brass flexible hose 150 cm
- Chrome



#### AVAILABLE FINISHINGS

- |         |   |
|---------|---|
| MODERN  | 4 |
| CLASSIC | 6 |
| PVD     | 3 |

For finishing surcharge, see table on the inside cover of the catalogue


1 Can only be purchased in combination with shower head, see from page 362

ART. 00410/IA-A-B-C\*-CR € 609,00



### Square Upper Wall Outlet

- Upper holder with concealed connection
- Diverter
- Fixed column with orientable shower arm
- Angled upper bridge, ideal for pairing with square shower heads
- With Square ABS shower
- No shower head<sup>1</sup>
- Adjustable height with optional extension kit<sup>2</sup>
- Available in 3 different centre distances A-B-C
- Brass slider
- PVC flexible hose 150 cm
- Chrome



\* Available centre distances:  
A → 800 mm (31,50" inc.)  
B → 700 mm (27,56" inc.)  
C → 600 mm (23,62" inc.)

NOTE: indicate centre distance when ordering.

See details page 551

#### AVAILABLE FINISHINGS

- |         |   |
|---------|---|
| MODERN  | 4 |
| CLASSIC | 6 |
| PVD     | 3 |

For finishing surcharge, see table on the inside cover of the catalogue

1 Can only be purchased in combination with shower head, see from page 355

2 See details page 550


ART. 00020/IA-A-B-C\*-CR € 729,00

**Colonial Upper Wall Outlet**

- Upper holder with concealed connection
- Diverter
- Fixed column with orientable shower arm
- With Colonial shower, resin handle
- No shower head<sup>1</sup>
- Adjustable height with optional extension kit<sup>2</sup>
- Available in 3 different centre distances A-B-C
- Brass slider
- PVC flexible hose 150 cm
- Chrome

**AVAILABLE FINISHINGS**

<b>MODERN</b>	4
<b>CLASSIC</b>	6
<b>PVD</b>	3



\* Available centre distances:

- A → 800 mm (31,50" inc.)  
 B → 700 mm (27,56" inc.)  
 C → 600 mm (23,62" inc.)

NOTE: indicate centre distance when ordering.

See details page 551

For finishing surcharge, see table on the inside cover of the catalogue

1 Can only be purchased in combination with shower head, see from page 362

2 See details page 550

Sliding rail kit

Sliding Rail Kit



SLIDING RAIL KIT

**440**

SLIDING RAIL KIT KALAMITA

**448**

Rails / Sliding rail kit

**SLIDING RAIL KIT****WITHOUT WALL OUTLET**

from page 440



Stilo



Così



Stick



Relax 2.0



Relax 1.0



Stilo 1.0



Relax



Nova



Ruby 86

**SLIDING RAIL KIT****WITHOUT WALL OUTLET**

from page 447



Così low wall outlet sliding rail



Così upper wall outlet sliding rail

## Sliding Rail Kit



Flat/74



Select



Colonial H90



Colonial H60

**SLIDING RAIL KIT KALAMITA****MAGNETIC SLIDING RAIL WITH SATELLITES**

from page 448



Moon 1



Black Moon 1



Moon 2



Black Moon 2

**MAGNETIC SLIDING RAIL WITH RAMP**

from page 450



Flight 1



Black Flight 1



Flight 2



Black Flight 2

## SLIDING RAIL KIT

ART. 85816X-CR without elbow € 245,00  
ART. 85815X-CR with elbow<sup>2</sup> € 266,00




### Stilo

- Sliding rail with double adjustment on both holders<sup>1</sup>
- Ø 20 mm
- Height 90 cm
- Minimum center distance 42 cm
- Maximum center distance 79 cm
- Stilo 1 jet shower in brass, anti-liming, inspectable and serviceable, Ø 95
- PVC flexible hose 150 cm with double anti-torsion
- Matching rod and soap dish art.70200 (see page 514)
- Chrome



AVAILABLE FINISHINGS  
MODERN 3  
CLASSIC 6  
PVD 8

## Without wall outlet



2 Recommended for a better hand shower orientation

For finishing surcharge, see table on the inside cover of the catalogue  
1 See details page 552

## SLIDING RAIL KIT

ART. 85130X-CR without elbow - BRASS shower € 157,00  
ART. 85135X-CR with elbow<sup>2</sup> - BRASS shower € 178,00




### Stick

- Sliding rail with double adjustment on both holders<sup>1</sup>
- Ø 20 mm
- Height 90 cm
- Minimum center distance 42 cm
- Maximum center distance 79 cm
- Stick 1 jet shower in brass or ABS anti-liming, inspectable and serviceable
- PVC flexible hose 150 cm with double anti-torsion
- Sliding rail that can be combined with soap dish art.70200 (see page 514)
- Chrome



AVAILABLE FINISHINGS  
MODERN 3  
CLASSIC 6  
PVD 8

## Without wall outlet



For finishing surcharge, see table on the inside cover of the catalogue  
Finishings available for versions with brass showers only  
1 See details page 552

ART. 85616X-CR without elbow € 152,00  
ART. 85615X-CR with elbow<sup>2</sup> € 173,00




### Così

- Sliding rail with double adjustment on both holders<sup>1</sup>
- Ø 20 mm
- Height 90 cm
- Minimum center distance 42 cm
- Maximum center distance 79 cm
- Nova shower 3 jets in ABS anti-liming, Ø 100
- PVC flexible hose 150 cm with double anti-torsion
- Sliding rail that can be combined with soap dish art.70200 (see page 514)
- Chrome



AVAILABLE FINISHINGS  
-



1 See details page 552




2 Recommended for a better hand shower orientation

ART. 96000X-CR without elbow € 173,00  
ART. 96005X-CR with elbow<sup>2</sup> € 194,00



### Relax 2.0

- Sliding rail with double adjustment on both holders<sup>1</sup>
- Ø 20 mm
- Height 90 cm
- Minimum center distance 42 cm
- Maximum center distance 79 cm
- Relax 3 jets shower in ABS anti-liming, Ø 140
- PVC flexible hose 150 cm with double anti-torsion
- Sliding rail that can be combined with soap dish art.70200 (see page 514)
- Chrome



1 See details page 552



2 Recommended for a better hand shower orientation


## SLIDING RAIL KIT

ART. 96100-CR without elbow € 175,00  
ART. 96105-CR with elbow<sup>2</sup> € 193,00



### Relax 1.0

- Sliding rail
- Ø 18 mm
- Height 65 cm
- Center distance 62 cm
- Relax shower 3 jets in ABS anti-liming, Ø 140
- PVC flexible hose 150 cm with double anti-torsion
- Sliding rail that can be combined with soap dish art.70200 (see page 514)
- Chrome



## Without wall outlet

## SLIDING RAIL KIT


ART. 96000/86-CR without elbow € 102,00

(PN)



### Relax

- Sliding rail
- Ø 22 mm
- Height 72 cm
- Center distance 69.4 cm
- Relax shower 3 jets in ABS anti-liming, Ø 140
- Stainless steel flexible hose 150 cm with double interlock
- Sliding rail that can be combined with soap dish art.70200-AC (see page 514)
- Chrome



## Without wall outlet




<sup>2</sup> Recommended for a better hand shower orientation

ART. 85900-CR without elbow € 239,00  
ART. 85905-CR with elbow<sup>2</sup> € 259,00



### Stilo 1.0

- Sliding rail
- Ø 18 mm
- Height 65 cm
- Center distance 62 cm
- Stilo 1 jet shower in brass, anti-liming, inspectable and serviceable, Ø 95
- PVC flexible hose 150 cm with double anti-torsion
- Sliding rail that can be combined with soap dish art.70200-AC (see page 514)
- Chrome



### AVAILABLE FINISHINGS

- |         |   |
|---------|---|
| MODERN  | 3 |
| CLASSIC | 6 |
| PVD     | 8 |



<sup>2</sup> Recommended for a better hand shower orientation

For finishing surcharge, see table on the inside cover of the catalogue


ART. 95500-CR without elbow € 73,00

(PN)



### Nova

- Sliding rail
- Ø 22 mm
- Height 72 cm
- Center distance 69.4 cm
- Nova shower 3 jets in ABS anti-liming, Ø 100
- Stainless steel flexible hose 150 cm with double interlock
- Sliding rail that can be combined with soap dish art.70200 (see page 514)
- Chrome



## SLIDING RAIL KIT

ART. 88710/86-CR without elbow € 64,00

PN




Ruby 86

- Sliding rail
- Ø 22 mm
- Height 72 cm
- Center distance 69.4 cm
- Ruby 1 jet shower in ABS anti-liming, Ø 80
- Stainless steel flexible hose 150 cm with double interlock
- Sliding rail that can be combined with soap dish art.70200-AC (see page 514)
- Chrome



## Without wall outlet




## SLIDING RAIL KIT

ART. 85500-CR without wall outlet € 434,00



Select

- All brass sliding rail
- 40 x 10 mm
- Height 90 cm
- Center distance 77 cm
- Vehla 1 jet shower in anti-liming brass, inspectable and serviceable
- PVC flexible hose 150 cm with double anti-torsion
- Chrome



### AVAILABLE FINISHINGS

MODERN	3
CLASSIC	6
PVD	8


For finishing surcharge, see table on the inside cover of the catalogue

ART. 95250/74-CR without elbow - shower 1 jet € 90,00  
ART. 95200/74-CR without elbow - shower 5 jets € 101,00



Flat/74

- Sliding rail
- Ø 19 mm
- Height 76 cm
- Center distance 70 cm
- Flat shower single-function or 5 jets in ABS anti-liming, Ø 100
- Stainless steel flexible hose 150 cm with double interlock
- Sliding rail that can be combined with soap dish art.70200 (see page 514)
- Chrome




ART. 84500/71-CR Colonial 5 shower 5 jets € 285,00  
ART. 83000/71-CR Antica shower 1 jet € 211,00



Colonial H90

- Sliding rail
- Ø 18 mm
- Height 91 cm
- Center distance 84.6 cm
- Traditional brass shower
- Stainless steel flexible hose 150 cm with double interlock
- Chrome



### AVAILABLE FINISHINGS

MODERN	3
CLASSIC	6
PVD	8



For finishing surcharge, see table on the inside cover of the catalogue



Colonial 5



Colonial



Old America



Antica



## SLIDING RAIL KIT

ART. 84500/70-CR Colonial 5 shower 5 jets € 269,00  
ART. 83000/70-CR Antica shower 1 jet € 211,00



### Colonial H60

- Sliding rail
- Ø 18 mm
- Height 61 cm
- Center distance 54.6 cm
- Traditional brass shower
- Stainless steel flexible hose 150 cm with double interlock
- Chrome

### AVAILABLE FINISHINGS

MODERN 3


CLASSIC 6

PVD 8

For finishing surcharge, see table on the inside cover of the catalogue

## Without wall outlet


ART. 84220/70-CR Colonial shower 1 jet € 232,00  
ART. 84020/70-CR Old America shower 1 jet € 214,00



Colonial 5




Colonial



Old America



Antica




## SLIDING RAIL KIT

ART. 85712-CR with lower wall outlet € 304,00

### Così lower wall outlet

- Sliding rail
- Ø 20 mm
- Height 91 cm
- Center distance 89 cm
- Nova shower 3 jets in ABS anti-liming, Ø 100
- PVC flexible hose 150 cm with double anti-torsion
- With built-in wall outlet in lower holder
- Chrome



### AVAILABLE FINISHINGS


-

ART. 85762-CR with upper wall outlet € 316,00



### Così upper wall outlet

- Sliding rail
- Ø 20 mm
- Height 92 cm
- Center distance 88 cm
- Nova shower 3 jets in ABS anti-liming, Ø 100
- PVC flexible hose 150 cm with double anti-torsion
- With built-in wall outlet in upper holder
- Chrome




### AVAILABLE FINISHINGS

-

ART. 96200-CR chrome version with Stick shower in CR brass € 236,00

**Moon 1**

- Wall-mounted magnetic satellites multi-position Ø 60
- CR brass shower Stick
- CR PVC flexible hose 150 cm
- CR magnetic holder
- CR satellites<sup>1</sup>
- 33642-CR water outlet




<sup>1</sup> Other satellite finishes available on request  
See details page 553

ART. 96201-CR chrome version with Stilo shower in CR brass € 336,00

**Moon 2**

- Wall-mounted magnetic satellites multi-position Ø 60
- CR brass shower Stilo
- CR PVC flexible hose 150 cm
- CR magnetic holder
- CR satellites<sup>1</sup>
- 33642-CR water outlet




<sup>1</sup> Other satellite finishes available on request  
See details page 553

ART. 96200-CRNE black chrome version with Stick shower in CRNE brass € 377,00

**Black Moon 1**

- Wall-mounted magnetic satellites multi-position Ø 60
- CRNE brass shower Stick
- NEOP PVC flexible hose 150 cm
- CRNE magnetic holder
- CRNE satellites<sup>1</sup>
- 33642-CR water outlet




<sup>1</sup> Other satellite finishes available on request  
See details page 553

ART. 96201-CRNE black chrome version with Stilo shower in CRNE brass € 511,00

**Black Moon 2**

- Wall-mounted magnetic satellites multi-position Ø 60
- CRNE brass shower Stilo
- NEOP PVC flexible hose 150 cm
- CRNE magnetic holder
- CRNE satellites<sup>1</sup>
- 33642-CR water outlet




<sup>1</sup> Other satellite finishes available on request  
See details page 553


ART. 96250-CR/NEOP chrome version with Stick shower in CR brass € 251,00

**Flight 1**

- Wall ramp with integrated shelf
- Height 80 cm
- Shelf 23x10 cm
- CR brass shower Stick
- CR PVC flexible hose 150 cm
- CR magnetic holder
- NEOP ramp
- 33642-CR water outlet

**Flight 2**


- Wall ramp with integrated shelf
- Height 80 cm
- Shelf 23x10 cm
- CR brass shower Stilo
- CR PVC flexible hose 150 cm
- CR magnetic holder
- NEOP ramp
- 33642-CR water outlet



ART. 96250-CRNE/NEOP black chrome version with Stick shower in CRNE brass € 317,00

**Black Flight 1**


- Wall ramp with integrated shelf
- Height 80 cm
- Shelf 23x10 cm
- CRNE brass shower Stick
- NEOP PVC flexible hose 150 cm
- CRNE magnetic holder
- NEOP ramp
- 33642-CR water outlet



ART. 96251-CRNE/NEOP black chrome version with Stilo shower in CRNE brass € 438,00


**Black Flight 2**

- Wall ramp with integrated shelf
- Height 80 cm
- Shelf 23x10 cm
- CRNE brass shower Stilo
- NEOP PVC flexible hose 150 cm
- CRNE magnetic holder
- NEOP ramp
- 33642-CR water outlet





## Contract Line

- |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |
| <b>COMPLETE<br/>BATHROOM<br/>SET</b>  | <b>WASHBASIN<br/>AND BIDET<br/>SET</b>  | <b>COMPLETE<br/>SHOWER SET</b>  | <b>BASIC<br/>SHOWER SET</b>   | <b>MIXERS</b>   | <b>COLUMNS<br/>WITH MIXER</b>   | <b>SINGLE<br/>COLUMNS</b>   | <b>SLIDING<br/>RAIL KIT</b>   | <b>SHOWERS</b>  |
| P. 457  | P. 459  | P. 460  | P. 468  | P. 474  | P. 476  | P. 480  | P. 482  | P. 482  |

**CONTRACT LINE****COMPLETE BATHROOM SET**

from page 457



II Tondo



MySpring



II Quadro

**CONTRACT LINE****BASIC SHOWER SET**

from page 468



II Tondo Duemillimetri



II Tondo Stick



II Quadro MySlim



II Quadro Square

**WASHBASIN AND BIDET SET**

from page 459



II Tondo



MySpring



II Quadro

**MIXERS**

from page 474



II Tondo



II Quadro



MySpring

**COMPLETE SHOWER SET**

from page 460



II Tondo MySlim



II Tondo Stick



II Quadro MySlim



II Quadro Square

**COLUMNS WITH MIXER**

from page 476

Fixed Rigoletto  
NewcontractTelescopic Rigoletto  
NewcontractFixed Rigoletto Square  
NewcontractTelescopic Rigoletto Square  
Newcontract

## CONTRACT LINE

## SINGLE COLUMNS

Fixed Ponte  
NewcontractTelescopic Ponte  
Newcontract

from page 480

## SLIDING RAIL KIT

from page 482



Nova

## SHOWER

from page 482



Nova



## COMPLETE BATHROOM SET

## COMPLETE SET COMPOSED OF:

- Spigolo - Brass shower arm ø 20, center distance cm 35 ART.20040C35-CR(0001)
- MySlim stainless steel NON-INSPECTABLE AND NON-SERVICEABLE shower head Ø240 ART.SLM0002/NI
- Duplex Stick w/ABS shower and PVC flexible hose ART.65183-CR
- ILTONDO 2-way single lever mixer w/diverter ART.W4701+0-ITD4705EST-CR
- ILTONDO single lever washbasin mixer ART. 0-ITD0701-CR
- ILTONDO single lever bidet mixer ART. 0-ITD3701-CR

PN	SET ART.	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
	7900	976,00	1.391,00	1.278,00

PN	ART.	POP-UP WASTE (not included)	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
	70320-CR	BRASS	55,50	83,50	67,00
	70321-CR	ABS	37,00	ND	ND

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

## MySpring

## COMPLETE SET COMPOSED OF:

- Spigolo - Brass shower arm ø 20, center distance cm 35 ART.20040C35-CR(0001)
- MySlim stainless steel NON-INSPECTABLE AND NON-SERVICEABLE shower head Ø240 ART.SLM0002/NI
- Duplex Stick w/ABS shower and PVC flexible hose ART.65183-CR
- MYSRING 2-way single lever mixer w/diverter ART.W4701+0-SPZ4701EST-CR
- MYSRING single lever washbasin mixer ART. 0-SPZ0701-CR
- MYSRING single lever bidet mixer ART. 0-SPZ3701-CR

PN	SET ART.	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
	7800	988,00	1.434,00	1.318,00

PN	ART.	POP-UP WASTE (not included)	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
	70320-CR	BRASS	55,50	83,50	67,00
	70321-CR	ABS	37,00	ND	ND

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

## COMPLETE BATHROOM SET



### COMPLETE SET COMPOSED OF:

- Spigolo Square - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR
- MySlim stainless steel NON-INSPECTABLE AND NON-SERVICEABLE shower head 240X240  
ART.SLM0005/NI
- Duplex Square w/ABS shower and PVC flexible hose  
ART.65545-CR
- ILQUADRO 2-way single lever mixer w/diverter  
ART.W4701+0-IQD4703EST-CR
- ILQUADRO single lever washbasin mixer  
ART. 0-IQD0702-CR
- ILQUADRO single lever bidet mixer  
ART. 0-IQD3702-CR

PN	SET ART.	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
	8200	1.188,00	1.733,00	1.595,00

PN	ART.	POP-UP WASTE (not included)	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
	70320-CR	BRASS	55,50	83,50	67,00
	70321-CR	ABS	37,00	ND	ND

1 For NEOP and STN finish shower in brass

PN See legend on page 10



## IlQuadro

## WASHBASIN AND BIDET SET



### COMPLETE SET COMPOSED OF:

- ILTONDO single lever washbasin mixer  
ART. 0-ITD0701-CR
- ILTONDO single lever bidet mixer  
ART. 0-ITD3701-CR

PN	SET ART.	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
	8100CR	441,00	616,00	572,00

PN	ART.	POP-UP WASTE (not included)	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
	70320-CR	BRASS	55,50	83,50	67,00
	70321-CR	ABS	37,00	ND	ND

PN See legend on page 10

## MySpring

## WASHBASIN AND BIDET SET



### COMPLETE SET COMPOSED OF:

- MYSRING single lever washbasin mixer  
ART. 0-SPZ0701-CR
- MYSRING single lever bidet mixer  
ART. 0-SPZ3701-CR

PN	SET ART.	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
	8000CR	460,00	642,00	597,00

PN	ART.	POP-UP WASTE (not included)	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
	70320-CR	BRASS	55,50	83,50	67,00
	70321-CR	ABS	37,00	ND	ND

PN See legend on page 10

## IlQuadro

## WASHBASIN AND BIDET SET



### COMPLETE SET COMPOSED OF:

- ILQUADRO single lever washbasin mixer  
ART. 0-IQD0702-CR
- ILQUADRO single lever bidet mixer  
ART. 0-IQD3702-CR

PN	SET ART.	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
	8300CR	534,00	746,00	693,00

PN	ART.	POP-UP WASTE (not included)	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
	70320-CR	BRASS	55,50	83,50	67,00
	70321-CR	ABS	37,00	ND	ND

PN See legend on page 10

**ILTONDO MySlim 1**

COMPLETE SET COMPOSED OF:

- Spigolo - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR(0001)
- MySlim stainless steel INSPECTABLE AND SERVICEABLE or NON-INSPECTABLE AND NON-SERVICEABLE shower head Ø220 Ø240 Ø300
- Duplex Stick w/ABS hand shower and PVC flexible hose  
ART.65183-CR
- ILTONDO 2-way single lever mixer w/diverter  
ART.W4701+0-ITD4705EST-CR

Complete Shower Set

PN

SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
3706	NON-INSPECTABLE INOX Ø 220 (ART.SLM0001/NI)	498,00	ND	ND
3705	NON-INSPECTABLE INOX Ø 240 (ART.SLM0002/NI)	517,00	ND	707,00
3707	NON-INSPECTABLE INOX Ø 300 (ART.SLM0003/NI)	593,00	ND	801,00
3704CR	INSPECTABLE INOX Ø 240 (ART.SLM0002CRX)	599,00	909,00	836,00
3708CR	INSPECTABLE INOX Ø 300 (ART. SLM0003CRX)	717,00	1.055,00	972,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILTONDO DueMillimetri 1**

COMPLETE SET COMPOSED OF:

- Tondo S - Brass shower arm ø 20, center distance cm 35  
ART. 20020C35-CR
- DueMillimetri stainless steel NON-INSPECTABLE AND NON-SERVICEABLE shower head Ø200 Ø250 Ø300
- Duplex Stick w/ABS hand shower and PVC ECO flexible hose  
ART.65181E-CR
- ILTONDO 2-way single lever mixer w/diverter  
ART.W4701+0-ITD4705EST-CR

Complete Shower Set

PN

SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
3710	NON-INSPECTABLE INOX Ø 200 (ART.2MM0001)	418,00	717,00	ND
3711	NON-INSPECTABLE INOX Ø 250 (ART.2MM0002)	450,00	755,00	ND
3712	NON-INSPECTABLE INOX Ø 300 (ART.2MM0003)	466,00	805,00	ND

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILTONDO MySlim 2**

COMPLETE SET COMPOSED OF:

- Spigolo - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR(0001)
- MySlim stainless steel INSPECTABLE AND SERVICEABLE or NON-INSPECTABLE AND NON-SERVICEABLE shower head Ø220 Ø240 Ø300
- ILTONDO 2-way single lever mixer w/diverter, PVC flexible hose and ABS hand shower  
ART.W5701+0-ITD5706EST-CR

PN

SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
3455	NON-INSPECTABLE INOX Ø 220 (ART.SLM0001/NI)	735,00	ND	ND
3453	NON-INSPECTABLE INOX Ø 240 (ART.SLM0002/NI)	755,00	ND	929,00
3452	NON-INSPECTABLE INOX Ø 300 (ART.SLM0003/NI)	847,00	ND	1.017,00
3450CR	INSPECTABLE INOX Ø 240 (ART.SLM0002CRX)	852,00	1.130,00	1.058,00
3454CR	INSPECTABLE INOX Ø 300 (ART. SLM0003CRX)	968,00	1.270,00	1.188,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILTONDO DueMillimetri 2**

COMPLETE SET COMPOSED OF:

- Spigolo - Brass shower arm ø 20, center distance cm 35  
ART. 20020C35-CR(0001)
- DueMillimetri stainless steel NON-INSPECTABLE AND NON-SERVICEABLE shower head Ø200 Ø250 Ø300
- Duplex Stick w/ABS hand shower and PVC ECO flexible hose  
ART.65181E-CR
- ILTONDO 2-way single lever mixer w/diverter  
ART.W4701+0-ITD4705EST-CR

PN

SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
3713	NON-INSPECTABLE INOX Ø 200 (ART.2MM0001)	432,00	701,00	ND
3714	NON-INSPECTABLE INOX Ø 250 (ART.2MM0002)	462,00	766,00	ND
3715	NON-INSPECTABLE INOX Ø 300 (ART.2MM0003)	479,00	793,00	ND

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILTONDO OttoMillimetri 1**

COMPLETE SET COMPOSED OF:

- Spigolo - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR(0001)
- OttoMillimetri stainless steel INSPECTABLE AND SERVICEABLE shower head Ø250 Ø300
- Duplex Stick w/ABS hand shower and PVC flexible hose  
ART.65183-CR
- ILTONDO 2-way single lever mixer w/diverter  
ART.W4701+0-ITD4705EST-CR

Complete Shower Set

PN SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
3709CR	INSPECTABLE INOX Ø 250 (ART. 8MM0002CRX)	597,00	881,00	810,00
3716CR	INSPECTABLE INOX Ø 300 (ART. 8MM0003CRX)	672,00	985,00	907,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILTONDO Stick 1**

COMPLETE SET COMPOSED OF:

- Spigolo - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR(0001)
- Stick stainless steel INSPECTABLE AND SERVICEABLE or ABS NON-INSPECTABLE AND NON-SERVICEABLE shower head Ø200 Ø250 Ø300
- Duplex Stick w/ABS hand shower and PVC flexible hose  
ART.65183-CR
- ILTONDO 2-way single lever mixer w/diverter  
ART.W4701+0-ITD4705EST-CR

Complete Shower Set

PN SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
3701CR	NON-INSPECTABLE ABS Ø 200 (ART. 23625-CR)	414,00	ND	ND
3717CR	NON-INSPECTABLE ABS Ø 250 (ART. 23628-CR)	434,00	ND	ND
3703CR	INSPECTABLE INOX Ø 200 (ART. 23621X-CRX)	462,00	678,00	622,00
3718CR	INSPECTABLE INOX Ø 250 (ART. 23623X-CRX)	501,00	736,00	675,00
3719CR	INSPECTABLE INOX Ø 300 (ART. 23630X-CRX)	617,00	907,00	835,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILTONDO OttoMillimetri 2**

COMPLETE SET COMPOSED OF:

- Spigolo - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR(0001)
- OttoMillimetri stainless steel INSPECTABLE AND SERVICEABLE shower head Ø250 Ø300
- ILTONDO 2-way single lever mixer w/diverter, PVC flexible hose and ABS hand shower  
ART.W5701+0-ITD5706EST-CR

PN SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
3459CR	INSPECTABLE INOX Ø 250 (ART. 8MM0002CRX)	825,00	1.102,00	1.032,00
3460CR	INSPECTABLE INOX Ø 300 (ART. 8MM0003CRX)	913,00	1.200,00	1.123,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILTONDO Stick 2**

COMPLETE SET COMPOSED OF:

- Spigolo - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR(0001)
- Stick stainless steel INSPECTABLE AND SERVICEABLE or ABS NON-INSPECTABLE AND NON-SERVICEABLE shower head Ø200 Ø250 Ø300
- ILTONDO 2-way single lever mixer w/diverter, PVC flexible hose and ABS hand shower  
ART.W5701+0-ITD5706EST-CR

PN SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
3451CR	NON-INSPECTABLE ABS Ø 200 (ART. 23625-CR)	638,00	ND	ND
5700CR	NON-INSPECTABLE ABS Ø 250 (ART. 23628-CR)	658,00	ND	ND
3458CR	INSPECTABLE INOX Ø 200 (ART. 23621X-CRX)	681,00	893,00	838,00
5701CR	INSPECTABLE INOX Ø 250 (ART. 23623X-CRX)	762,00	957,00	897,00
5702CR	INSPECTABLE INOX Ø 300 (ART. 23630X-CRX)	844,00	1.122,00	1.051,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILQUADRO MySlim 1**

COMPLETE SET COMPOSED OF:

- Spigolo - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR(0001)
- MySlim stainless steel INSPECTABLE AND SERVICEABLE or NON-INSPECTABLE AND NON-SERVICEABLE shower head Ø220 Ø240 Ø300
- Duplex Stick w/ABS hand shower and PVC flexible hose ART.65183-CR
- ILTONDO 2-way single lever mixer w/diverter ART.W4701+0-ITD4705EST-CR



Complete Shower Set

PN SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
2710CR	NON-INSPECTABLE INOX 240x240 (ART. SLM0005/NI)	638,00	ND	903,00
2711CR	NON-INSPECTABLE INOX 300x300 (ART. SLM0006/NI)	674,00	ND	995,00
2712CR	INSPECTABLE INOX 240x240 (ART. SLM0005CRX)	720,00	1.138,00	1.041,00
2713CR	INSPECTABLE INOX 300x300 (ART. SLM0006CRX)	826,00	1.313,00	1.205,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10**ILQUADRO DueMillimetri**

COMPLETE SET COMPOSED OF:

- Spigolo Square - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR
- DueMillimetri stainless steel NON-INSPECTABLE AND NON-SERVICEABLE shower head 200x200 250x250 300x300
- Duplex Square w/ABS hand shower and PVC ECO flexible hose ART. 65645E-CR
- ILQUADRO 2-way single lever mixer w/diverter ART.W4701+0-IQD4703EST-CR



Complete Shower Set

PN SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
2707	NON-INSPECTABLE INOX 200x200 (ART. 2MM0011)	465,00	849,00	ND
2708	NON-INSPECTABLE INOX 250x250 (ART. 2MM0012)	494,00	916,00	ND
2709	NON-INSPECTABLE INOX 300x300 (ART. 2MM0013)	520,00	972,00	ND

1 For NEOP and STN finish shower in brass  
PN See legend on page 10**ILQUADRO MySlim 2**

COMPLETE SET COMPOSED OF:

- Spigolo Square - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR
- MySlim stainless steel INSPECTABLE AND SERVICEABLE or NON-INSPECTABLE AND NON-SERVICEABLE shower head 240x240 300x300
- ILQUADRO 2-way single lever mixer w/diverter, PVC flexible hose and ABS hand shower ART.W5701+0-IQD5708EST-CR



PN SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
2455	NON-INSPECTABLE INOX 240x240 (ART. SLM0005/NI)	808,00	ND	1.036,00
2457	NON-INSPECTABLE INOX 300x300 (ART. SLM0006/NI)	895,00	ND	1.122,00
2458CR	INSPECTABLE INOX 240x240 (ART. SLM0005CRX)	907,00	1.259,00	1.174,00
2459CR	INSPECTABLE INOX 300x300 (ART. SLM0006CRX)	1.046,00	1.428,00	1.332,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10**ILQUADRO OttoMillimetri 1**

COMPLETE SET COMPOSED OF:

- Spigolo Square - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR
- OttoMillimetri stainless steel INSPECTABLE AND SERVICEABLE shower head 250x250 300x300
- Duplex Square w/ABS hand shower and PVC flexible hose ART. 65545-CR
- ILQUADRO 2-way single lever mixer w/diverter ART.W4701+0-IQD4703EST-CR



PN SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
2714CR	INSPECTABLE INOX 250x250 (ART. 8MM0005CRX)	751,00	1.150,00	1.053,00
2715CR	INSPECTABLE INOX 300x300 (ART. 8MM0006CRX)	833,00	1.295,00	1.188,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILQUADRO OttoMillimetri 2**

COMPLETE SET COMPOSED OF:

- Spigolo Square - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR
- OttoMillimetri stainless steel INSPECTABLE AND SERVICEABLE shower head 250x250 300x300
- ILQUADRO 2-way single lever mixer w/diverter, PVC flexible hose and ABS hand shower  
ART.W5701+0-IQD5708EST-CR

**ILQUADRO Square 2**

COMPLETE SET COMPOSED OF:

- Spigolo Square - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR
- Square BRASS INSPECTABLE AND SERVICEABLE or ABS NON-INSPECTABLE AND NON-SERVICEABLE shower head 200x200
- ILQUADRO 2-way single lever mixer w/diverter, PVC flexible hose and ABS hand shower  
ART.W5701+0-IQD5708EST-CR

Complete Shower Set

PN SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
2460CR	INSPECTABLE INOX 250x250 (ART. 8MM0005CRX)	912,00	1.271,00	1.186,00
2461CR	INSPECTABLE INOX 300x300 (ART. 8MM0006CRX)	1.029,00	1.410,00	1.315,00

PN SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
2456CR	NON-INSPECTABLE ABS 200x200 (ART. 23425-CR)	687,00	ND	ND
2454CR	INSPECTABLE BRASS 200x200 (ART. 23421-CR)	771,00	1.091,00	1.018,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 101 For NEOP and STN finish shower in brass  
PN See legend on page 10**ILQUADRO Square 1**

COMPLETE SET COMPOSED OF:

- Spigolo Square - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR
- Square BRASS INSPECTABLE AND SERVICEABLE or ABS NON-INSPECTABLE AND NON-SERVICEABLE shower head 200x200
- Duplex Square w/ABS hand shower and PVC flexible hose  
ART. 65545-CR
- ILQUADRO 2-way single lever mixer w/diverter  
ART.W4701+0-IQD4703EST-CR

PN SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
2700CR	NON-INSPECTABLE ABS 200x200 (ART. 23425-CR)	529,00	ND	ND
2701CR	INSPECTABLE BRASS 200x200 (ART. 23421-CR)	632,00	970,00	885,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILTTONDO MySlim**

COMPLETE SET COMPOSED OF:

- Spigolo - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR(0001)
- MySlim stainless steel INSPECTABLE AND SERVICEABLE or NON-INSPECTABLE AND NON-SERVICEABLE shower head Ø220 Ø240 Ø300
- Duplex Stick w/ABS hand shower and PVC flexible hose  
ART.65183-CR



Basic Shower Set

PN SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
1050	NON-INSPECTABLE INOX Ø 220 (ART. SLM0001/NI)	292,00	ND	ND
1051	NON-INSPECTABLE INOX Ø 240 (ART. SLM0002/NI)	313,00	ND	424,00
1052	NON-INSPECTABLE INOX Ø 300 (ART. SLM0003/NI)	404,00	ND	512,00
1057CR	INSPECTABLE INOX Ø 240 (ART. SLM0002CRX)	409,00	594,00	553,00
1055CR	INSPECTABLE INOX Ø 300 (ART. SLM0003CRX)	526,00	734,00	683,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILTTONDO OttoMillimetri**

COMPLETE SET COMPOSED OF:

- Spigolo - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR(0001)
- OttoMillimetri stainless steel INSPECTABLE shower head Ø250 Ø300
- Duplex Stick w/ABS hand shower and PVC flexible hose  
ART.65183-CR



PN SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
1075CR	INSPECTABLE INOX Ø 250 (ART. 8MM0002CRX)	385,00	566,00	527,00
1076CR	INSPECTABLE INOX Ø 300 (ART. 8MM0003CRX)	470,00	664,00	618,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILTTONDO DueMillimetri 1**

COMPLETE SET COMPOSED OF:

- Tondo S - Brass shower arm Ø 20, center distance cm 35  
ART. 20020C35-CR
- DueMillimetri stainless steel NON-INSPECTABLE AND NON-SERVICEABLE shower head Ø200 Ø250 Ø300
- Duplex Stick w/ABS hand shower and PVC ECO flexible hose  
ART.65181E-CR



PN SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
1500	NON-INSPECTABLE INOX Ø 200 (ART. 2MM0001)	218,00	402,00	ND
1501	NON-INSPECTABLE INOX Ø 250 (ART. 2MM0002)	247,00	440,00	ND
1502	NON-INSPECTABLE INOX Ø 300 (ART. 2MM0003)	270,00	484,00	ND

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILTTONDO DueMillimetri 2**

COMPLETE SET COMPOSED OF:

- Spigolo - Brass shower arm Ø 20, center distance cm 35  
ART. 20040C35-CR(0001)
- DueMillimetri stainless steel NON-INSPECTABLE AND NON-SERVICEABLE shower head Ø200 Ø250 Ø300
- Duplex Stick w/ABS hand shower and PVC ECO flexible hose  
ART.65181E-CR



PN SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
1510	NON-INSPECTABLE INOX Ø 200 (ART. 2MM0001)	229,00	403,00	ND
1511	NON-INSPECTABLE INOX Ø 250 (ART. 2MM0002)	261,00	467,00	ND
1512	NON-INSPECTABLE INOX Ø 300 (ART. 2MM0003)	285,00	495,00	ND

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILTONGO Stick 1**

COMPLETE SET COMPOSED OF:

- Spigolo - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR(0001)
- Stick stainless steel INSPECTABLE AND SERVICEABLE or ABS NON-INSPECTABLE AND NON-SERVICEABLE shower head Ø200 Ø250 Ø300
- Duplex Stick w/ABS hand shower and PVC flexible hose  
ART.65183-CR



PN

SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
1351CR	NON-INSPECTABLE ABS Ø 200 (ART. 23625-CR)	202,00	ND	ND
1355CR	NON-INSPECTABLE ABS Ø 250 (ART. 23628-CR)	223,00	ND	ND
1350CR	INSPECTABLE INOX Ø 200 (ART. 23621X-CRX)	250,00	363,00	339,00
1352CR	INSPECTABLE INOX Ø 250 (ART. 23623X-CRX)	292,00	421,00	392,00
1356CR	INSPECTABLE INOX Ø 300 (ART. 23630X-CRX)	405,00	586,00	546,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILQUADRO MySlim 1**

COMPLETE SET COMPOSED OF:

- Spigolo Square - Brass shower arm Ø 20, center distance cm 35  
ART.20040C35-CR
- MySlim stainless steel INSPECTABLE AND SERVICEABLE or NON-INSPECTABLE AND NON-SERVICEABLE shower head 240x240 300x300
- Duplex Square w/ABS hand shower and PVC flexible hose  
ART. 65545-CR



PN

SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
1150	NON-INSPECTABLE INOX 240x240 (ART. SLM0005/NI)	377,00	ND	544,00
1152	NON-INSPECTABLE INOX 300x300 (ART. SLM0006/NI)	463,00	ND	630,00
1151CR	INSPECTABLE INOX 240x240 (ART. SLM0005CRX)	476,00	734,00	682,00
1155CR	INSPECTABLE INOX 300x300 (ART. SLM0006CRX)	614,00	903,00	840,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILTONGO Stick 2**

COMPLETE SET COMPOSED OF:

- Tondo S - Brass shower arm ø 20, center distance cm 35  
ART.20020C35-CR
- Stick stainless steel INSPECTABLE AND SERVICEABLE or ABS NON-INSPECTABLE AND NON-SERVICEABLE shower head Ø200 Ø250 Ø300
- Duplex Stick w/ABS hand shower and PVC flexible hose  
ART.65183-CR



PN

SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
1326CR	NON-INSPECTABLE ABS Ø 200 (ART. 23625-CR)	184,00	ND	ND
1328CR	NON-INSPECTABLE ABS Ø 250 (ART. 23628-CR)	209,00	ND	ND
1325CR	INSPECTABLE INOX Ø 200 (ART. 23621X-CRX)	232,00	342,00	319,00
1329CR	INSPECTABLE INOX Ø 250 (ART. 23623X-CRX)	273,00	400,00	372,00
1330CR	INSPECTABLE INOX Ø 300 (ART. 23630X-CRX)	389,00	565,00	526,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILQUADRO MySlim 2**

COMPLETE SET COMPOSED OF:

- Complete set composed of:
- Extreme - Brass shower arm 18, center distance cm 35  
ART. 20051C35-CR
- MySlim stainless steel INSPECTABLE AND SERVICEABLE or NON-INSPECTABLE AND NON-SERVICEABLE shower head 240x240 300x300
- Duplex Square w/ABS hand shower and PVC flexible hose  
ART. 65545-CR



PN

SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
1400	NON-INSPECTABLE INOX 240x240 (ART. SLM0005/NI)	427,00	ND	595,00
1401	NON-INSPECTABLE INOX 300x300 (ART. SLM0006/NI)	513,00	ND	681,00
1402CR	INSPECTABLE INOX 240x240 (ART. SLM0005CRX)	525,00	789,00	733,00
1403CR	INSPECTABLE INOX 300x300 (ART. SLM0006CRX)	664,00	958,00	891,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILQUADRO OttoMillimetri 1**

COMPLETE SET COMPOSED OF:

- Spigolo Square - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR
- OttoMillimetri stainless steel INSPECTABLE AND SERVICEABLE shower head 250x250 300x300
- Duplex Square w/ABS hand shower and PVC flexible hose  
ART. 65545-CR



PN

SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
1175CR	INSPECTABLE INOX 250x250 (ART. 8MM0005CRX)	488,00	746,00	694,00
1176CR	INSPECTABLE INOX 300x300 (ART. 8MM0006CRX)	598,00	885,00	823,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILQUADRO DueMillimetri**

COMPLETE SET COMPOSED OF:

- Spigolo Square - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR
- DueMillimetri stainless steel NON-INSPECTABLE AND NON-SERVICEABLE shower head 200x200 250x250 300x300
- Duplex Square w/ABS hand shower and PVC ECO flexible hose  
ART. 65645E-CR



PN

SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
1520	NON-INSPECTABLE INOX 200x200 (ART. 2MM0011)	250,00	522,00	ND
1521	NON-INSPECTABLE INOX 250x250 (ART. 2MM0012)	280,00	588,00	ND
1522	NON-INSPECTABLE INOX 300x300 (ART. 2MM0013)	308,00	645,00	ND

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILQUADRO OttoMillimetri 2**

COMPLETE SET COMPOSED OF:

- Extreme - Brass shower arm 18, center distance cm 35  
ART.20051C35-CR
- OttoMillimetri stainless steel INSPECTABLE AND SERVICEABLE shower head 250x250 300x300
- Duplex Square w/ABS hand shower and PVC flexible hose  
ART. 65545-CR



PN

SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
1450CR	INSPECTABLE INOX 250x250 (ART. 8MM0005CRX)	533,00	801,00	745,00
1451CR	INSPECTABLE INOX 300x300 (ART. 8MM0006CRX)	648,00	940,00	874,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10

**ILQUADRO Square**

COMPLETE SET COMPOSED OF:


- Spigolo Square - Brass shower arm ø 20, center distance cm 35  
ART.20040C35-CR
- Square BRASS INSPECTABLE AND SERVICEABLE or ABS NON-INSPECTABLE AND NON-SERVICEABLE shower head 200x200
- Duplex Square w/ABS hand shower and PVC flexible hose  
ART. 65545-CR



PN

SET ART.	SHOWER HEAD	CHROME PRICE LIST €	NEOP PRICE LIST €	STN PRICE LIST €
1251CR	NON-INSPECTABLE ABS 200x200 (ART. 23425-CR)	267,00	ND	ND
1250CR	INSPECTABLE BRASS 200x200 (ART. 23421-CR)	370,00	566,00	526,00

1 For NEOP and STN finish shower in brass  
PN See legend on page 10



**CONCEALED PART FOR 2-WAY SINGLE LEVER SHOWER MIXER WITH SHOWER**

- Conventional cartridge
- Automatic diverter with stop
- Wall outlet with shower holder
- Inlets G 1/2"
- Concealed mixer with protective cover
- Suitable with outer parts : ILTONDOLIQUADRO-COLONIAL-MYSPRING-RACE-NAVIS316

PN ART.	ITEM DESCRIPTION	CARTRIDGE	WAY	PRICE LIST €
W5701	CONCEALED PART	CONVENTIONAL	2	273,00

PN See legend on page 10



**ILTONDONO OUTER PART FOR 2-WAY SINGLE LEVER SHOWER MIXER**

PN ART.	ITEM DESCRIPTION	CARTRIDGE	SHOWER	WAY	PRICE LIST €
0-ITD5705EST-CR	OUTER PART	CONVENTIONAL	BRASS	2	259,00
0-ITD5706EST-CR	OUTER PART	CONVENTIONAL	ABS	2	247,00


PN See legend on page 10



**ILQUADRO OUTER PART FOR 2-WAY SINGLE LEVER SHOWER MIXER**

PN ART.	ITEM DESCRIPTION	CARTRIDGE	SHOWER	WAY	PRICE LIST €
0-IQD5707EST-CR	OUTER PART	CONVENTIONAL	BRASS	2	332,00
0-IQD5708EST-CR	OUTER PART	CONVENTIONAL	ABS	2	290,00

PN See legend on page 10



**CONCEALED PART FOR 2-WAY SINGLE LEVER SHOWER MIXER WITH DIVERTER SHOWER**

- Conventional cartridge
- Automatic diverter with stop
- G 1/2" Inlets
- Suitable with outer parts: ILTONDOLIQUADRO-COLONIAL-MYSPRING-RACE-NAVIS316

PN ART.	ITEM DESCRIPTION	CARTRIDGE	WAY	PRICE LIST €
W4701	CONCEALED PART	CONVENTIONAL	2	115,00

PN See legend on page 10



**ILTONDONO EXTERNAL PART FOR 2-WAY SINGLE LEVER SHOWER MIXER**

PN ART.	ITEM DESCRIPTION	CARTRIDGE	INSTALLATION	WAY	PRICE LIST €
0-ITD4705EST-CR	OUTER PART	CONVENTIONAL	VERTICAL	2	105,00

PN See legend on page 10



**ILQUADRO EXTERNAL PART SINGLE LEVER SHOWER MIXER**

PN ART.	ITEM DESCRIPTION	CARTRIDGE	INSTALLATION	WAY	PRICE LIST €
0-IQD4703EST-CR	OUTER PART	CONVENTIONAL	VERTICAL	2	152,00

PN See legend on page 10



**MYSPRING EXTERNAL PART FOR SINGLE LEVER SHOWER MIXER**

PN ART.	ITEM DESCRIPTION	CARTRIDGE	INSTALLATION	WAY	PRICE LIST €
0-SPZ4701EST-CR	OUTER PART	CONVENTIONAL	VERTICAL	2	114,00


PN See legend on page 10



## FIXED RIGOLETTO

NEWCONTRACT  
Ø 200 and Ø 250



- Exposed mixer with thermostatic or mixing cartridge
- Rotating diverter with 2 outlet closure
- Fixed column with orientable bar
- Angled upper bridge
- Adjustable upper holder
- Stick ABS shower 1 jet
- Anti-liming NON-INSPECTABLE AND NON-SERVICEABLE shower head - DueMillimetri in polished stainless steel OR Stick in chrome-plated ABS, Ø 200 or Ø 250
- Slider in ABS
- PVC ECO flexible hose 150 cm



## TELESCOPIC RIGOLETTO

NEWCONTRACT Ø 200 and Ø 250

- Exposed mixer with thermostatic or mixing cartridge
- Rotating diverter with 2 outlet closure
- Telescopic column with orientable bar
- Angled upper bridge
- Adjustable upper holder
- Stick ABS shower 1 jet
- Anti-liming NON-INSPECTABLE AND NON-SERVICEABLE shower head - DueMillimetri in polished stainless steel OR Stick in chrome-plated ABS, Ø 200 or Ø 250
- Slider in ABS
- PVC flexible hose 150 cm



DUEMILLIMETRI

STICK

PN SET ART	CARTRIDGE	SHOWER HEAD	SHOWER	€
00-1821-01E-CR	THERMOSTATIC	DUEMILLIMETRI Ø 200 INOX	STICK ABS	488,00
00-1822-01E-CR	THERMOSTATIC	DUEMILLIMETRI Ø 250 INOX	STICK ABS	516,00
01-1821-01E-CR	MECHANICAL	DUEMILLIMETRI Ø 200 INOX	STICK ABS	504,00
01-1822-01E-CR	MECHANICAL	DUEMILLIMETRI Ø 250 INOX	STICK ABS	532,00

PN See legend on page 10



DUEMILLIMETRI

STICK

PN SET ART	CARTRIDGE	SHOWER HEAD	SHOWER	€
00-1891-01E-CR	THERMOSTATIC	DUEMILLIMETRI Ø 200 INOX	STICK ABS	558,00
00-1892-01E-CR	THERMOSTATIC	DUEMILLIMETRI Ø 250 INOX	STICK ABS	575,00
01-1891-01E-CR	MECHANICAL	DUEMILLIMETRI Ø 200 INOX	STICK ABS	574,00
01-1892-01E-CR	MECHANICAL	DUEMILLIMETRI Ø 250 INOX	STICK ABS	591,00

PN See legend on page 10



STICK

STICK

PN SET ART	CARTRIDGE	SHOWER HEAD	SHOWER	€
00-1804-01E-CR	THERMOSTATIC	STICK Ø 200 ABS	STICK ABS	440,00
00-1805-01E-CR	THERMOSTATIC	STICK Ø 250 ABS	STICK ABS	459,00
01-1804-01E-CR	MECHANICAL	STICK Ø 200 ABS	STICK ABS	457,00
01-1805-01E-CR	MECHANICAL	STICK Ø 250 ABS	STICK ABS	475,00

PN See legend on page 10



STICK

STICK


PN SET ART	CARTRIDGE	SHOWER HEAD	SHOWER	€
00-1844-01E-CR	THERMOSTATIC	STICK Ø 200 ABS	STICK ABS	509,00
00-1845-01E-CR	THERMOSTATIC	STICK Ø 250 ABS	STICK ABS	522,00
01-1844-01E-CR	MECHANICAL	STICK Ø 200 ABS	STICK ABS	525,00
01-1845-01E-CR	MECHANICAL	STICK Ø 250 ABS	STICK ABS	538,00

PN See legend on page 10





**FIXED RIGOLETTO SQUARE**  
NEWCONTRACT 200x200 and  
250x250

- Exposed mixer with thermostatic or mixing cartridge
- Rotating diverter with 2 outlet closure
- Fixed column with orientable bar
- Angled upper bridge
- Adjustable upper holder
- Square ABS shower 1 jet
- Anti-liming NON-INSPECTABLE AND NON-SERVICEABLE shower head - DueMillimetri in polished stainless steel 200X200/250X250 OR Square in chrome-plated ABS 200x200
- Slider in ABS
- PVC flexible hose 150 cm



**TELESCOPIC RIGOLETTO SQUARE**  
NEWCONTRACT 200x200 and  
250x250

- Exposed mixer with thermostatic or mixing cartridge
- Rotating diverter with 2 outlet closure
- Telescopic column with orientable bar
- Angled upper bridge
- Adjustable upper holder
- Square ABS shower 1 jet
- Anti-liming NON-INSPECTABLE AND NON-SERVICEABLE shower head - DueMillimetri in polished stainless steel 200X200/250X250 OR Square in chrome-plated ABS 200x200
- Slider in ABS
- PVC flexible hose 150 cm



DUEMILLIMETRI

SQUARE

PN SET ART	CARTRIDGE	SHOWER HEAD	SHOWER	€
00-1821Q-06E-CR	THERMOSTATIC	DUEMILLIMETRI 200X200 INOX	SQUARE ABS	477,00
00-1822Q-06E-CR	THERMOSTATIC	DUEMILLIMETRI 250X250 INOX	SQUARE ABS	513,00
01-1821Q-06E-CR	MECHANICAL	DUEMILLIMETRI 200X200 INOX	SQUARE ABS	493,00
01-1822Q-06E-CR	MECHANICAL	DUEMILLIMETRI 250X250 INOX	SQUARE ABS	529,00

PN See legend on page 10



SQUARE

SQUARE

PN SET ART	CARTRIDGE	SHOWER HEAD	SHOWER	€
00-1804Q-06E-CR	THERMOSTATIC	SQUARE 200X200 ABS	SQUARE ABS	448,00
01-1804Q-06E-CR	MECHANICAL	SQUARE 200X200 ABS	SQUARE ABS	464,00

PN See legend on page 10



DUEMILLIMETRI

SQUARE

PN SET ART	CARTRIDGE	SHOWER HEAD	SHOWER	€
00-1891Q-06E-CR	THERMOSTATIC	DUEMILLIMETRI 200X200 INOX	SQUARE ABS	548,00
00-1892Q-06E-CR	THERMOSTATIC	DUEMILLIMETRI 250X250 INOX	SQUARE ABS	565,00
01-1891Q-06E-CR	MECHANICAL	DUEMILLIMETRI 200X200 INOX	SQUARE ABS	564,00
01-1892Q-06E-CR	MECHANICAL	DUEMILLIMETRI 250X250 INOX	SQUARE ABS	581,00

PN See legend on page 10



SQUARE

SQUARE


PN SET ART	CARTRIDGE	SHOWER HEAD	SHOWER	€
00-1844Q-06E-CR	THERMOSTATIC	SQUARE 200X200 ABS	SQUARE ABS	518,00
01-1844Q-06E-CR	MECHANICAL	SQUARE 200X200 ABS	SQUARE ABS	534,00

PN See legend on page 10




**FIXED PONTE NEWCONTRACT**

- Lower holder with concealed or external connection
- Adjustable upper holder
- Diverter
- Fixed column with orientable bar
- Angled upper part
- Stick or Square ABS shower 1 jet
- Anti-liming NON-INSPECTABLE AND NON-SERVICEABLE shower head - DueMillimetri in polished stainless steel ø 200/200x200 OR Stick in chrome-plated ABS ø 200 OR Square in chrome-plated ABS 200x200
- Slider in ABS
- PVC flexible hose 150 cm



**TELESCOPIC PONTE NEWCONTRACT**

- Lower holder with concealed or external connection
- Adjustable upper holder
- Diverter
- Fixed column with orientable bar
- Angled upper part
- Stick or Square ABS shower 1 jet
- Anti-liming NON-INSPECTABLE AND NON-SERVICEABLE shower head - DueMillimetri in polished stainless steel ø 200/200x200 OR Stick in chrome-plated ABS ø 200 OR Square in chrome-plated ABS 200x200
- Slider in ABS
- PVC flexible hose 150 cm



DUEMILLIMETRI



STICK

CONCEALED CONNECTION


PN

SET ART	CONNECTION	SHOWER HEAD	SHOWER	€
35491/ID-01E-CR	CONCEALED	DUEMILLIMETRI Ø 200 INOX	STICK ABS	351,00
35491/ED-01E-CR	EXTERNAL	DUEMILLIMETRI Ø 200 INOX	STICK ABS	367,00

PN See legend on page 10



EXTERNAL CONNECTION



DUEMILLIMETRI



SQUARE

PN See legend on page 10

PN

SET ART	CONNECTION	SHOWER HEAD	SHOWER	€
35491Q/ID-06E-CR	CONCEALED	DUEMILLIMETRI 200X200 INOX	SQUARE ABS	336,00
35491Q/ED-06E-CR	EXTERNAL	DUEMILLIMETRI 200X200 INOX	SQUARE ABS	352,00

PN See legend on page 10



CONCEALED CONNECTION



STICK



STICK

PN See legend on page 10

PN

SET ART	CONNECTION	SHOWER HEAD	SHOWER	€
31696/ID-01E-CR	CONCEALED	STICK Ø 200 ABS	STICK ABS	298,00
31696/ED-01E-CR	EXTERNAL	STICK Ø 200 ABS	STICK ABS	314,00

PN See legend on page 10



EXTERNAL CONNECTION



SQUARE



SQUARE

PN See legend on page 10

PN

SET ART	CONNECTION	SHOWER HEAD	SHOWER	€
31696Q/ID-06E-CR	CONCEALED	SQUARE 200X200 ABS	SQUARE ABS	307,00
31696Q/ED-06E-CR	EXTERNAL	SQUARE 200X200 ABS	SQUARE ABS	323,00

PN See legend on page 10



SQUARE



SQUARE

SET ART	CONNECTION	SHOWER HEAD	SHOWER	€
31676Q/ID-06E-CR	CONCEALED	SQUARE 200X200 ABS	SQUARE ABS	376,00
31676Q/ED-06E-CR	EXTERNAL	SQUARE 200X200 ABS	SQUARE ABS	392,00

PN See legend on page 10

## SLIDING RAIL KIT



### NOVA

- Sliding rail
- Ø 22 mm
- Height 72 cm
- Center distance 69,4 cm
- Nova anti-liming ABS shower 3 jets, ø 100
- Stainless steel flexible hose 150 cm with twin spiral
- Chrome

PN

ART.

FLEXIBLE

€

95500-CR	STAINLESS STEEL	73,00
95502E-CR	PVC	81,50

PN See legend on page 10

## SHOWER



### NOVA

- Nova ABS shower 3 jets
- Ø 100
- Anti-liming
- Chrome


PN

ART.

€

55605-CR		23,00
----------	--	-------

PN See legend on page 10



# Miscellaneous Articles

<b>487</b>	SHOWERS
<b>495</b>	PUSH-LEVER SHOWERS
<b>499</b>	FLEXIBLE HOSES
<b>504</b>	POP-UP WASTE - SIPHONS - FILTER TAPS
<b>507</b>	WC PLATES
<b>509</b>	ACCESSORIES AND SPARE PARTS



Showers

ART. 49878-CR handle in brass € 131,50

**Stilo**


- 1 jet shower in brass
- Brass handle
- Anti-liming
- Inspectable and serviceable
- Chrome

## AVAILABLE FINISHINGS

MODERN 4

CLASSIC 4

PVD 3




For finishing surcharge, see table on the inside cover of the catalogue

ART. 49870-CR/NE black ABS handle € 123,50

**Stilo black**

- 1 jet shower in brass
- Handle in matt black ABS
- Anti-liming
- Inspectable and serviceable
- Chrome



## AVAILABLE FINISHINGS

MODERN 4

CLASSIC 4


PVD 3

For finishing surcharge, see table on the inside cover of the catalogue

ART. 49865-CR handle in brass € 63,50

**Still-Oh**

- 1 jet shower in brass
- Anti-liming
- Inspectable and serviceable
- Chrome



## AVAILABLE FINISHINGS

MODERN 4



CLASSIC 4

PVD 3

For finishing surcharge, see table on the inside cover of the catalogue

ART. 49815-CR ABS € 16,00  
ART. 49917-CR brass € 26,00**Stick**

- 1 jet shower in brass or ABS
- Anti-liming
- Inspectable and serviceable
- Chrome



## AVAILABLE FINISHINGS



MODERN 4

CLASSIC 4

PVD 3

For finishing surcharge, see table on the inside cover of the catalogue  
FINISHINGS ONLY AVAILABLE FOR BRASS VERSIONART. 49816-CR/NE in ABS € 21,00  
ART. 49918-CR/NE in brass € 28,50**New Stick**

- 1 jet shower in brass or ABS
- Handle in black ABS
- Anti-liming
- Inspectable and serviceable
- Chrome



## AVAILABLE FINISHINGS

MODERN 4

CLASSIC 4



PVD 3

For finishing surcharge, see table on the inside cover of the catalogue  
FINISHINGS ONLY AVAILABLE FOR BRASS VERSION

ART. 49955-CR in brass € 130,00

**Vehla**

- 1 jet shower in brass
- Anti-liming
- Inspectable and serviceable
- Chrome



## AVAILABLE FINISHINGS

MODERN 4

CLASSIC 4

PVD 3


For finishing surcharge, see table on the inside cover of the catalogue



ART. 49845-CR ABS € 22,50  
ART. 49947-CR brass € 57,50

**Square 45**


- 1 jet shower in brass or ABS
- Anti-liming
- Inspectable and serviceable in brass version
- Chrome



## AVAILABLE FINISHINGS

MODERN 4  
CLASSIC 4  
PVD 3

For finishing surcharge, see table on the inside cover of the catalogue  
FINISHINGS ONLY AVAILABLE FOR BRASS VERSION




ART. 55605-CR in ABS € 23,00

PN

**Nova**

- Shower 3 jets in ABS
- Anti-liming
- Chrome



## AVAILABLE FINISHINGS




PN See legend on page 10

ART. 55505-CR in ABS € 45,50

**Relax**

- Shower 3 jets in ABS
- Anti-liming
- Chrome




## AVAILABLE FINISHINGS



ART. 55205-CR in ABS € 32,00

**Flat**

- Shower 5 jets in ABS
- Anti-liming
- Chrome




## AVAILABLE FINISHINGS



ART. 55255-CR in ABS € 23,50

**Flat 1**

- 1 jet shower in ABS
- Anti-liming
- Chrome




## AVAILABLE FINISHINGS



ART. 51005-CR in ABS € 28,50

**Tonika**

- Shower 5 jets in ABS
- Anti-liming
- Inspectable and serviceable
- Chrome



## AVAILABLE FINISHINGS




ART. 55305-CR in ABS € 18,00



## Sirius

- Shower 5 jets in ABS
- Anti-liming
- Chrome



## AVAILABLE FINISHINGS

-




ART. 48605-CR in ABS € 14,50




## Ruby

- 1 jet shower in ABS
- Anti-liming
- Chrome




## AVAILABLE FINISHINGS

-

ART. 52000/SC-CR handle in brass € 123,00  
ART. 52200/SC-CR handle in resin € 115,00

## Colonial 5

- Shower 5 jets in brass
- Anti-liming
- Inspectable and serviceable
- Chrome



## AVAILABLE FINISHINGS


- MODERN 4  
CLASSIC 4  
PVD 3

For finishing surcharge, see table on the inside cover of the catalogue

ART. 45020/SC-CR handle in brass € 74,50  
ART. 45220/SC-CR handle in resin € 67,50

## Colonial

- 1 jet shower in brass
- Anti-liming
- Inspectable and serviceable
- Chrome



## AVAILABLE FINISHINGS


- MODERN 4  
CLASSIC 4  
PVD 3

For finishing surcharge, see table on the inside cover of the catalogue

ART. 44020/SC-CR handle in brass € 52,00  
ART. 44220/SC-CR handle in resin € 46,50

## Old America

- 1 jet shower
- Anti-liming
- Inspectable and serviceable
- Chrome



## AVAILABLE FINISHINGS


- MODERN 4  
CLASSIC 4  
PVD 3

For finishing surcharge, see table on the inside cover of the catalogue

ART. 43005-CR handle in brass € 34,50  
ART. 43205-CR handle in resin € 32,00

## Antica

- 1 jet shower
- Inspectable and serviceable
- Chrome



## AVAILABLE FINISHINGS

- MODERN 4  
CLASSIC 4  
PVD 3

For finishing surcharge, see table on the inside cover of the catalogue



ART. 49866-CR handle in brass € 83,50





## Still Colonial

- 1 jet shower in brass
- Anti-liming
- Inspectable and serviceable
- Chrome

## AVAILABLE FINISHINGS

MODERN 4  
CLASSIC 4  
PVD 3

For finishing surcharge, see table on the inside cover  
of the catalogue



ART. 49867-CR handle in brass € 91,00





## Colonial 2.0

- 1 jet shower in brass
- Anti-liming
- Inspectable and serviceable
- Chrome

## AVAILABLE FINISHINGS

MODERN 4  
CLASSIC 4  
PVD 3

For finishing surcharge, see table on the inside cover  
of the catalogue




Push-lever Showers

Push-lever Showers

ART. 18705/CIL-CR € 53,50

**Mini**

- Brass push-lever shower
- Interchangeable filter
- Integrated drip-less system
- Chrome



## AVAILABLE FINISHINGS




CAUTION: do not connect directly to plumbing system. Use a suitable mixer

ART. 18705XL/CIL-CR € 55,00

**Mini XL**

- Brass push-lever shower
- Integrated drip-less system
- Chrome



## AVAILABLE FINISHINGS




CAUTION: do not connect directly to plumbing system. Use a suitable mixer

ART. 18915-CR € 16,50

**Light**

- ABS push-lever shower
- Chrome



## AVAILABLE FINISHINGS




CAUTION: do not connect directly to plumbing system. Use a suitable mixer

ART. 18300/CIL-CR € 54,00

**Standard**

- Brass push-lever shower
- Integrated drip-less system
- Chrome



## AVAILABLE FINISHINGS




CAUTION: do not connect directly to plumbing system. Use a suitable mixer

ART. 18300/RIG-CR € 52,50

**Standard RIG**

- Brass push-lever shower
- Integrated drip-less system
- Chrome



## AVAILABLE FINISHINGS




CAUTION: do not connect directly to plumbing system. Use a suitable mixer


ART. 18000/BOM-CR € 55,00

**Spherical**

- Brass push-lever shower
- Integrated drip-less system
- Chrome



## AVAILABLE FINISHINGS




CAUTION: do not connect directly to plumbing system. Use a suitable mixer

ART. 18502/SC-CR/BI      € 44,50  
 ART. 70220-CR optional holder      € 5,50

**Ring White**

- Brass push-lever shower
- ABS lever
- Integrated drip-less system
- White ABS handle
- Chrome



## AVAILABLE FINISHINGS


-

CAUTION: do not connect directly to plumbing system. Use a suitable mixer

ART. 18502/SC-CR/NE      € 44,50  
 ART. 70220-CR optional holder      € 5,50

**Ring Black**

- Brass push-lever shower
- ABS lever
- Integrated drip-less system
- White ABS handle
- Chrome



## AVAILABLE FINISHINGS

-

CAUTION: do not connect directly to plumbing system. Use a suitable mixer



Flexible Hoses



- Brass flexible shower hose
- Double interlock
- Ø 14
- 1/2" F x 1/2" F
- Conical/conical
- Chrome

ART. 16220C120-CR	cm 120	€ 19,20
ART. 16220C150-CR	cm 150	€ 21,60
ART. 16220C200-CR	cm 200	€ 27,20
ART. 16220C150-NEOP	cm 150 *	€ 46,50
ART. 16220C150-BA/BR	cm 150 *	€ 47,90
ART. 16220C150-VO	cm 150 *	€ 45,20
ART. 16220C150-NKSP	cm 150 *	€ 50,10
ART. 16220C150-VR	cm 150 *	€ 46,50
ART. 16220C150-CRSAT	cm 150 *	€ 55,90
ART. 16220C150-OR	cm 150 *	€ 86,70

\* Finishes available only for 150 cm lengths.



- Smooth PVC flexible shower hose
- Double anti-torsion 1
- Ø 14
- 1/2" F x 1/2" F
- Conical/conical
- Chrome

ART. 16880C100-CR	cm 100	€ 20,40
ART. 16880C120-CR	cm 120	€ 22,40
ART. 16880C150-CR	cm 150	€ 24,30
ART. 16880C200-CR	cm 200	€ 28,60



- Stainless steel flexible shower hose
- Double interlock
- Ø 14
- 1/2" F x 1/2" F
- Conical/conical
- Chrome

ART. 16220XC120-CRX	cm 120	€ 15,80
ART. 16220XC150-CRX	cm 150	€ 17,90



- Flexible hose for extractable kitchen showers in chromed plated stainless steel
- Double interlock
- Ø 14
- 15x1M x 1/2" F
- Conical
- Chrome

ART. 16400XC120-CRX	cm 120	€ 21,90
ART. 16400XC150-CRX	cm 150	€ 21,90
ART. 16401XC120-CRX *	cm 120	€ 29,10
ART. 16401XC150-CRX *	cm 150	€ 29,10

\* with lead counterweight



- Brass flexible shower hose
- Double interlock
- Ø 15
- 1/2" F x 1/2" F
- Conical/conical
- Water flow diameter Ø 9.5
- Chrome

ART. 16270C120-CR	cm 120	€ 21,60
ART. 16270C150-CR	cm 150	€ 24,70
ART. 16270C200-CR	cm 200	€ 30,40



- Nylon braided flexible hose
- 15x1M x 1/2" F
- Conical
- Chrome

ART. 16850C120-CR	cm 120	€ 11,40
ART. 16850C150-CR	cm 150	€ 12,40
ART. 16851C120-CR *	cm 120	€ 17,90
ART. 16851C150-CR *	cm 150	€ 18,90


\* with lead counterweight



- Brass flexible shower hose
- Double interlock
- Double anti-torsion 1
- Ø 14
- 1/2" F x 1/2" F
- Conical/conical
- Chrome

ART. 16590C150-CR	cm 150	€ 24,00
ART. 16590C200-CR	cm 200	€ 30,60

#### IDEAL FOR HOSPITALITY SOLUTIONS



#### BENEFITS

- Long flexible hose life
- No torsion stress
- Ease of use in shower
- Flexible hose always in correct position with one easy motion

## Complementary Items

**504**

POP-UP WASTE - SIPHONS - FILTER TAPS

**507**


WC PLATES

ART. 70320-CR brass € 55,50  
 ART. 70321-CR ABS € 37,00

PN

**Pop-up drain**

- Pop-up waste 1" 1/4
- Brass / ABS
- 2-in-1 system for washbasin with or without overflow
- Chrome




**AVAILABLE FINISHINGS**  
 MODERN 12  
 CLASSIC 11  
 PVD 2

For finishing surcharge, see table on the inside cover of the catalogue  
 PN See legend on page 10

ART. 70400-CR € 138,00

**Minimal siphon**

- Siphon 1" 1/4
- Brass
- Chrome




**AVAILABLE FINISHINGS**  
 MODERN 11  
 CLASSIC 10  
 PVD 10

For finishing surcharge, see table on the inside cover of the catalogue

ART. 70600-CR € 119,00

**Filter tap pair**

- 2 filter taps
- Fitting G 1/2" x G 3/8"
- Brass
- Chrome



**AVAILABLE FINISHINGS**  
 MODERN 6  
 CLASSIC 6  
 PVD 5


For finishing surcharge, see table on the inside cover of the catalogue

ART. 70320X € 52,00

PN

**Bidet mixer**

- Pop-up waste 1" 1/4
- Brushed stainless steel AISI 304
- 2-in-1 system for washbasin with or without overflow




PN See legend on page 10

ART. 70400X € 102,00

**Siphon**

- Siphon 1" 1/4
- Brushed stainless steel AISI 304





Complementary Items

ART. 70600X € 154,00

**Filter tap pair**

- 2 filter taps
- Fitting G 1/2" x G 3/8"
- Brushed stainless steel AISI 304



## WC Plates

ART. 70500-CR € 502,00

**WC control plate**

- Brass
- Compatible with Geberit concealed models:
  - UP720 and UP320
  - G.SIGMA 8 CM 109.790.00.1
  - DUOFIX 111.374.00.5  
111.350.00.5  
11.370.00.5  
111.375.00.5  
111.791.00.1  
- KOMBIFIX 110.374.00.5  
110.793.00.1
- Chrome

**AVAILABLE FINISHINGS**

<b>MODERN</b>	2
<b>CLASSIC</b>	2
<b>PVD</b>	1

For finishing surcharge, see table on the inside cover of the catalogue

**Accessories and Spare Parts**


<b>510</b>	WALL OUTLETS AND HOLDER
<b>513</b>	ACCESSORIES/SPARE PARTS COLUMNS AND SLIDING RAIL KITS
<b>517</b>	ACCESSORIES/SPARE PARTS SHOWER HEADS
<b>519</b>	ACCESSORIES/SPARE PARTS MIXERS
<b>522</b>	CARTRIDGES

## MISCELLANEOUS ARTICLES

ART. 32815-CR € 89,00




- Oval holder
- Concealed
- Brass
- Fitting G 1/2" M
- Chrome



ART. 32615-CR € 83,50




- Rectangular holder
- Concealed
- Brass
- Fitting G 1/2" M
- Chrome



ART. 32881-CR € 32,00




- Cylindrical holder
- Concealed
- Brass
- Fitting G 1/2" M
- Chrome



ART. 32880-CR € 28,00




- Cylindrical holder
- Concealed
- Brass
- Fitting G 1/2" M
- Chrome



ART. 32781-CR € 52,50




- Square holder
- Concealed
- Brass
- Fitting G 1/2" M
- Chrome



ART. 33480-CR € 40,50



- Spherical holder
- Concealed
- Brass
- Fitting G 1/2" M
- Chrome




## Wall outlets with holder

## MISCELLANEOUS ARTICLES

ART. 33642-CR € 25,00




- Cylindrical wall outlet
- Brass
- Fitting G 1/2" M
- Chrome



ART. 33640-CR € 21,50




- Cylindrical wall outlet
- Brass
- Fitting G 1/2" M
- Chrome



ART. 33740-CR € 23,50




- Cylindrical wall outlet
- Brass
- Fitting G 1/2" M
- Chrome



ART. 33621-CR € 48,50




- Square wall outlet
- Brass
- Fitting G 1/2" M
- Chrome



ART. 33661-CR € 9,50




- Curved wall outlet
- Brass
- Fitting G 1/2" M
- Chrome



ART. 33630-CR € 28,00




- SFERICA wall outlet
- Brass
- Fitting G 1/2" M
- Chrome



ART. 32607-CR € 80,50




- Oval holder
- External
- Brass
- Chrome



ART. 32606-CR € 76,50




- Rectangular holder
- External
- Brass
- Chrome



ART. 33450-CR € 22,50




- Rounded holder
- External
- Brass
- Chrome



ART. 32800/SC-CR € 25,50




- Cylindrical holder
- External
- Brass
- Chrome



ART. 32850/SC-CR € 48,00



- Adjustable Cylindrical holder
- External
- Brass
- Chrome




## Exposed mounts




- ART. OCEN120-CR ø 18 € 101,00  
ART. OCEN320-CR ø 20 € 99,00  
ART. OCEN220-CR ø 24 € 109,50

- Full brass slider




- ART. OCEN130-CR ø 18 € 70,50  
ART. OCEN330-CR ø 20 € 75,50  
ART. OCEN230-CR ø 24 € 77,50

- Full brass slider




- ART. OCEN140-CR ø 18 € 113,50  
ART. OCEN340-CR ø 20 € 113,00  
ART. OCEN440-CR ø 24 € 120,50

- Full brass slider





ART. 33675-CR € 22,50

- Elbow in brass
- 1/2" MF with swivel nut




- ART. OSUP062-CR ø 24 € 40,50  
ART. OSUP058-CR ø 20 € 40,50


- Sliding holder for columns



ART. ORIC003-CR € 18,00


- Diverter with ball knob for Colonial columns






ART. ORIC009-CR € 14,50

- Diverter with cylindrical knob for Minimal columns



ART. ORIC004-CR € 29,00

- Diverter with square knob for Extreme columns




ART. KIT00017 cm 50 € 138,50

- 50 cm extension for columns  
Rigoletto Telescopic Ø24




ART. KIT00013 cm 10 € 35,50

- 10 cm extension for high wall outlet columns




ART. KIT00014 cm 16 € 49,00

- 16 cm extension for Extreme columns





ART. 70230-CR Ø 24 € 32,50

- Brass fitting for flexible hose fitting for 1/2"  
FM shower columns

ART. 70200-CR chrome € 9,50  
ART. 70200-AC acrylic € 4,50


- Soap dish for rail Ø 18-20-22-24



- Brass handles replacement kit for Rigoletto thermostatic mixer

ART. ORIC042CR € 106,00


For articles:  
21500-CR; 21505-CR  
00-08xx-CR; 00-18xx-CR  
00-09xx-CR; 00-19xx-CR



- Brass handles replacement kit for Rigoletto mechanical mixer

ART. ORIC043CR € 95,00


For articles:  
21510-CR; 21515-CR  
01-08xx-CR; 01-18xx-CR  
01-09xx-CR; 01-19xx-CR



- Kit for converting Rigoletto thermostatic mixer with ABS handles into mechanical mixer

ART. ORIC036 € 73,50


For articles:  
21500-CR  
00-08xx-CR; 00-18xx-CR  
Excluding Rigoletto Colonial



- Kit for converting Rigoletto mechanical mixer with ABS handles into thermostatic mixer

ART. ORIC038 € 56,50


For articles:  
21510-CR  
01-08xx-CR; 01-18xx-CR  
Excluding Rigoletto Colonial



- Kit for converting Rigoletto thermostatic mixer with brass handles into mechanical mixer

ART. ORIC061 € 112,00


For articles:  
21505-CR  
00-09xx-CR; 00-19xx-CR



- Kit for converting Rigoletto mechanical mixer with brass handles into thermostatic mixer

ART. ORIC062 € 102,00


For articles:  
21515-CR  
01-09xx-CR; 01-19xx-CR



- Kit for converting Rigoletto Colonial thermostatic mixer into mechanical mixer

ART. ORIC055 € 111,00


For articles:  
21522-CR; 00-1824-CR; 00-1825-CR  
00-1826-CR; 00-1827-CR; 00-1828-  
00-1829-CR; 00-0820-CR



- Kit for converting Rigoletto Colonial mechanical mixer into thermostatic mixer

For articles:  
21532-CR; 01-1824-CR; 01-1825-CR  
01-1826-CR; 01-1827-CR; 01-1828-CR;  
01-1829-CR; 01-0820-CR


**ART. ORIC056 € 93,00**



- Kit for converting Così thermostatic mixer into mechanical mixer

For articles:  
21400-CR;  
00-07xx-CR; 00-17xx-CR


**ART. ORIC039 € 96,00**



- Kit for converting Così mechanical mixer into thermostatic mixer

For articles:  
21400-CR;  
00-07xx-CR; 00-17xx-CR


**ART. ORIC040 € 116,00**



- Kit for converting Extreme thermostatic mixer into mechanical mixer

For articles:  
21550-CR; 21551-CR  
00-02xxE-CR; 00-12xxE-CR


**ART. ORIC057 € 162,00**



- Kit for converting Extreme mechanical mixer into thermostatic mixer

For articles:  
21560-CR; 21561-CR  
01-02xxE-CR; 01-12xxE-CR

**ART. ORIC058 € 121,00**



- Complete diverter for high wall outlet columns

For high wall outlet columns  
Stick and Square:

**ART. ORIC063/60 € 123,00**  
**ART. ORIC063/70 € 123,00**  
**ART. ORIC063/80 € 123,00**

**ART. ORIC064/60 € 128,00**  
**ART. ORIC064/70 € 128,00**  
**ART. ORIC064/80 € 128,00**

ORIC063/60 = center distance 600  
ORIC063/70 = center distance 700  
ORIC063/80 = center distance 800

For high wall outlet columns


Colonial:  
ORIC064/60 = center distance 600  
ORIC064/70 = center distance 700  
ORIC064/80 = center distance 800



- #4 nozzle replacement kit for ultra-flat MySlim inspectable and serviceable shower heads

**ART. KIT00007 € 6,00**  
**ART. KIT00008 € 10,00**

ART	FOR SHOWER HEADS ART.
KIT00007	SLM0002CRX, SLM0003CRX, SLM0005CRX, SLM0006CRX
KIT00008	SLM0004CRX, SLM0007CRX, SLM0008CRX, SLM0009CRX, SLM0010CRX, 26855-CRX, 26856-CRX



- #4 nozzle replacement kit for OttoMillimetri inspectable and serviceable shower heads


**ART. KIT00018 € 6,00**

ART	FOR SHOWER HEADS ART.
KIT00018	8MM0005CRX, 8MM0006CRX, 8MM0002CRX, 8MM0003CRX




- Kit for flush shower head installation to false ceiling

**ART. KIT00006 € 65,50**



- Holder for minimal shower arm Ø 20 1/2" MM to be paired with large shower heads

**ART. 32100-CR € 113,00**



- Standard cartridge replacement kit for MyDream shower head

**ART. KIT00028 € 72,50**

See details page 540  
Holder for minimal shower arm Ø 20 1/2" MM  
to be paired with large shower heads

ART	ITEM DESCRIPTION
KIT00028	MyDream STANDARD cartridge replacement kit




- MyDream standard into MyDream ECO conversion kit

**ART. KIT00128 € 62,00**

See details page 541  
Check the number of cartridges according to the purchased model and purchase the required number of kits to fit all cartridges

ART	ITEM DESCRIPTION
KIT00128	MyDream ECO cartridge replacement kit




- MyDream safety kit

**ART. KIT00029 € 31,50**

See details page 542  
Check the number of cartridges according to the purchased model and purchase the required number of kits to fit all cartridges

ART	ITEM DESCRIPTION
KIT00029	MyDream safety kit



- Pressure relief valve for MyDream shower heads

ART	ITEM DESCRIPTION
KIT00031/SC	Pressure relief valve

ART. KIT00031/SC € 40,00


Standard on all MyDream shower heads from November 2019  
For MyDream with more than 4 cartridges, purchase 2 kits



- Kit to include chromotherapy LEDs on MyDream shower head at a later date

ART	NO.LEDS
KIT00011	2 LEDs
KIT00012	4 LEDs

ART. KIT00011 € 732,50  
ART. KIT00012 € 1.081,50



- Kit to include atomizers on MyDream shower head at a later date

ART	NO.ATOMIZERS
KIT00015	1 atomizer
KIT00051	2 atomizers
KIT00052	4 atomizers

ART. KIT00015 € 93,50  
ART. KIT00051 € 191,50  
ART. KIT00052 € 367,00



- Secret aerator M18.5x1

ART. ORIC086 € 9,50

For serial 0-SCL with code:  
1701/V; 1702/V; 1703/V; 1701;  
1702; 1703  
0701; 0702; 0703; 3701; 3702;



- Fitting spanner for secret aerator M18.5x1

ART. ORIC091 € 3,50

For 0-SCL series with code:  
1701/V; 1702/V; 1703/V; 1701;  
1702; 1703  
0701; 0702; 0703; 3701; 3702;



- Orientable slim aerator M24x1

ART. ORIC087 € 9,50

For 0-QTM, 0-OCB, 0-DSD series  
with code:  
1501; 1502; 2501; 2502; 6101;  
6102; 6501;

For articles: 0-SPZ0701; OSPZ1701;  
0-SPZ2900; 0- IQD0701; 28110-CR



- Fitting spanner for slim orientable M24x1

ART. ORIC089 € 3,50

For 0-QTM, 0-OCB, 0-DSD series  
with code:  
1501; 1502; 2501; 2502; 6101;  
6102; 6501;

For articles: 0-SPZ0701; OSPZ1701;  
0-SPZ2900; 0- IQD0701; 28110-CR



- Rectangular aerator M28x7

ART. ORIC088 € 31,50

For 0-QTM, 0-OCB, 0-DSD series  
with code:  
3501; 3502; 3701;

For articles: 0-IQD3701



- Fitting spanner for rectangular aerator 28x7

ART. ORIC090 € 4,50

For 0-QTM, 0-OCB, 0-DSD series  
with code:  
3501; 3502; 3701;

For articles: 0-IQD3701



- Secret aerator M16.5x1

ART. ORIC092 € 11,00

For articles:  
0-SPZ3701



- Fitting spanner for secret aerator M16.5x1

For articles 0-SPZ3701


**ART. ORIC094 € 3,50**



- Lever for single-control washbasin and bidet QTIME, OCUBE, DSIDE, II-QUADRO.

For 0-QTM, 0-OCB, 0-DSD, 0-IQD series with code: 0701; 3701

**ART. ORIC084 € 13,00**



- Diverter 2 outlets for bathtub deck-mount.


For 0-QTM, 0-OCB, 0-DSD series, with code: 6501; 6502

**ART. ORIC085 € 109,50**




- Automatic round diverter push-button with detent for concealed single-control mixer articles: W21120; W21629; W21729;

**ART. OPUL010-CR ø 15 € 58,00**  
**ART. OPUL020-CR ø 20 € 72,00**



- Automatic square diverter push-button with detent for concealed single-control mixer articles: W21120; W21629; W21729;

**ART. OPUL110-CR ø 15 € 62,50**  
**ART. OPUL120-CR ø 20 € 71,50**




- Automatic diverter assembly with detent, for concealed single-control mixer articles W4701; W5701

**ART. ORIC095 € 39,00**




- Easy mounting kit for 2-way high flow thermostatic mixer

**ART. KIT00020 € 134,00**




- Easy mounting kit for 3-way high flow thermostatic mixer

**ART. KIT00030 € 153,00**




- Easy mounting kit for 4-way high flow thermostatic mixer

**ART. KIT00040 € 171,00**




- Easy mounting kit for 5-way high flow thermostatic mixer

**ART. KIT00050 € 193,00**




- Easy mounting kit for 6-way high flow thermostatic mixer

**ART. KIT00060 € 227,00**




## MISCELLANEOUS ARTICLES



- Cartridge G 3/4" 90° clockwise opening

**ART. ORIC082 € 20,00**

For concealed mixer code:  
W2500; W2501;



- Cartridge G 3/4" 90° counter-clockwise opening

**ART. ORIC007 € 21,50**


For concealed mixer code:  
W2500; W2501  
W21029CR; W21039CR; W21049CR;  
W21059CR; W21069CR  
W21028; W21038; W21048; W2105;  
W21068  
For columns code:  
00-0200x-CR



- Cartridge G 1/2" 90° clockwise opening

**ART. ORIC080 € 14,50**


For mixer 0-QTM, 0-OCB,  
0-DSD, series with code:  
0501; 1501; 3501; 6501; 6502;



- Cartridge G 1/2" 90° counter-clockwise opening

**ART. ORIC021 € 16,00**

For mixer 0-QTM, 0-OCB,  
0-DSD, series with code:  
0501; 1501; 3501; 6501; 6502  
For exposed mixers with code:  
21400; 21410; 21550; 21560; 21551;  
21561; 21500; 21510; 21505; 21515;  
21520; 21530




- Cartridge axial 90°

**ART. ORIC020**  
clockwise opening–shower head **€ 45,50**

**ART. ORIC024**  
counter-clockwise opening–shower **€ 45,50**


00-170x-CR; 00-171x-CR; 00-172x-CR;  
00-173x-CR; 00-174x-CR; 00-176x-CR;  
00-178x-CR; 01-170x-CR; 01-171x-CR;  
01-172x-CR; 01-173x-CR; 01-174x-CR;  
01-176x-CR; 01-178x-CR; 00-070x-CR;  
00-071x-CR; 00-072x-CR; 00-073x-CR;  
00-074x-CR; 00-076x-CR; 00-078x-CR;  
01-070x-CR; 01-071x-CR; 01-072x-CR;  
01-073x-CR; 01-074x-CR; 01-076x-CR;  
01-078x-CR



- Thermostatic cartridge Ø 34 H 96

**ART. ORIC046 € 73,00**

For concealed mixer code:  
W5100; W5101; W5102; W5103;  
W5104; W5105; W5106; W6100;  
W6101 W21028; W21038;  
W21048; W21058; W21068  
W21221CR; W21231CR; W21241CR;  
W21251CR; W21261CR  
W21829CR; W21839CR; W21849CR;  
W21859CR; 9CR; W21869CR; W21800CR  
W19810CR




- Thermostatic cartridge Ø 47 H 86.65

**ART. ORIC010 € 137,00**

For concealed mixer code:  
W21009CR; W21010CR;  
W21029CR; W21039CR;  
W21049CR; W21059CR;  
W21069CR; W21020CR;  
W21030CR; W21040CR;  
W21050CR

## Cartridges


## MISCELLANEOUS ARTICLES



- Thermostatic cartridge Ø 34

**ART. ORIC012 € 78,00**


For concealed mixer code:  
W21220; W21230; W21240;  
W21250; W21260; W21270  
For Duetto columns with code:  
00-16XX-CR; 00-15xx-Cr



- Thermostatic cartridge Ø 27

**ART. ORIC031 € 46,50**

For exposed mixer code:  
21500; 21505; 21522; 21551  
For Rigoletto columns code:  
00-08xx; 00-09xx;  
00-18xx; 00-19xx  
For Extreme columns code:  
00-02xxE; 00-12xxE



- Thermostatic cartridge Ø 34

**ART. ORIC059 € 75,50**

For Rigoletto Colonial columns  
code:  
00-0003;  
00-20xx



- Coaxial thermostatic cartridge Ø 40

**ART. ORIC006 € 123,00**


For Extreme columns code:  
00-12xx-CR; 00-02xx-CR  
For Select columns, Gem;  
Clean code:  
00-115x; 00-13xx; 00-14xx



- Thermostatic cartridge Ø 27

**ART. ORIC013 € 77,00**


For exposed mixer code:  
21400  
For Così columns codes:  
00-07xx; 00-17xx



- Mechanical cartridge without closure Ø 33

**ART. ORIC052 € 78,00**

For concealed mixer code:  
W21421CR; W21431CR;  
W21341CR; W21351CR;  
W21361CR; W21529CR;  
W21539CR; W21949CR;  
W21959CR; W21969CR



- Mechanical cartridge without closure Ø 35 H 61.6

**ART. ORIC018 € 38,00**

For concealed mixer code:  
W21320; W21330; W21340;  
W21350; W21360; W21370


## Cartridges

## MISCELLANEOUS ARTICLES

## Cartridges

## MISCELLANEOUS ARTICLES


## Cartridges



- Mechanical cartridge without closure Ø 25

ART. ORIC019 € 38,00


For exposed mixer code:  
21410  
For Così columns codes:  
01-07xx; 01-17xx



- Progressive cartridge with closure Ø 33

For concealed mixer code:  
W21321CR; W21331CR  
W21929CR; W21939CR


ART. ORIC053 € 78,00



- Progressive cartridge with closure Ø 35

For concealed mixer code:  
W21719; W21729  
For articles code:  
197xx; 1971x/C-120;


ART. ORIC049 € 32,50



- Progressive cartridge with closure Ø 35

For Vehla columns code:  
30000; 00-0102; 00-1101; 00-1102;  
00-1103


ART. ORIC011 € 102,00



- Conventional cartridge Ø 25

For 0-SCL series mixer  
with code:  
0701; 0702; 0703; 1701; 1702; 1703;  
1701/V; 1702/V; 1703/V; 3701; 3702;  
3703


ART. ORIC079 € 26,50



- Conventional cartridge Ø 25,  
with lever control

For mixer series 0-QTM; 0-OCB;  
0-DSD; 0-IQD with code:  
0701; 1701; 3701


ART. ORIC083 € 32,00



- Conventional cartridge Ø 35

For 0-SPZ series mixer  
with code: 0701; 1701; 3701

ART. ORIC093 € 18,50




- Conventional cartridge Ø 35

ART. ORIC033 € 15,00

For concealed mixer code:  
W21100; W21120; W21619; W21629  
W19119; W4700; W4701; W5700;  
W5701


For articles code:  
21200; 21209  
19110/C-; 19119/C-; 19519/C-



- Diverter cartridge 2-way  
with closure Ø 29

ART. ORIC047 € 52,00


For concealed mixer code:  
W5100; W5102; W5103; W5105;  
W6101  
W21221; W21241; W21251; W21801;  
W21829; W21849; W21859  
W21421; W21341; W21351;  
W21529; W21949; W21959



- Diverter cartridge 3-way  
with closure Ø 33

ART. ORIC048 € 91,00


For concealed mixer code:  
W5101; W5103; W5104; W5106;  
W21231; W21251; W21261; W21802  
W21839; W21859; W21869  
W21431; W21351; W21361;  
W21539; W21959; W21969



- Diverter Cartridge 1-way Ø 29

ART. ORIC081 € 58,00


For mixer code:  
W6100; W6101;



- Diverter cartridge 2-way no closure Ø 29

ART. ORIC051 € 58,00


For concealed mixer code:  
W21321; W21929  
For articles code:  
1981x/C-



- Diverter cartridge 3-way no closure Ø 33

ART. ORIC050 € 78,00


For concealed mixer code:  
W21331; W21939



- Diverter cartridge 2-way  
with closure Ø 35

ART. ORIC023 € 31,50


For concealed mixer code:  
W21220; W21320  
W21270; W21370



- Diverter cartridge 3,4,5-way Ø 48

For concealed mixer code:  
W21230; W21240; W21250; W21260;  
W21270; W21330; W21340; W21350;  
W21360


**ART. ORIC034 € 62,50**



- Diverter cartridge 2-way with closure Ø 29

For Rigoletto columns code:  
00-08xx; 00-09xx; 01-08xx; 01-09xx;  
00-18xx; 00-19xx, 01-18xx; 01-19xx  
For Extreme columns code:  
00-02xxE;  
00-12xxE


**ART. ORIC032 € 34,50**



- Diverter Cartridge 2-way Ø 29

For Select columns code:  
00-115x  
For Gem columns code:  
00-13xx


**ART. ORIC060 € 44,00**



- Diverter 2-way

For Vehla columns with code:  
00-1101, 30000; 00-102; 001102;  
001103

**ART. ORIC037 € 61,50**



- Progressive Cartridge for mechanical rigoletto

For articles code:  
01-08xx-  
01-09xx-  
01-18xx-  
01-19xx-



**ART. ORIC035 € 36,50**




**MOUNTING KIT**

FOR CONCEALED PART SHOWER MIXER  
INLETS G 1/2"

The **special protective polystyrene cover** protects the concealed mixer body from contamination, facilitates installation and provides ample room for manoeuvring both during installation and when replacing control components at a later date with no need for carrying out building work.



Insert the concealed assembly with protection, fixing plates and mounted testing knobs into the groove. Use the supplied rear plate and brackets for wall or plasterboard mounting.



When the coating is complete, remove the fixing plates and the system testing handle, affixing it flush against the protection.



Trim the protection and create the openings to mount the knobs and valves.



Finish off the installation by inserting and fixing the exposed components.



EASY  
INSTALLATION





SAFE AND SECURE  
INSTALLATION



EASY  
INSTALLATION



SAFE AND SECURE  
INSTALLATION



The stainless steel concealed kit allows all CARIMALI high flow rate thermostatic mixers to be installed safely and rapidly in both masonry and plasterboard walls.

1.

Level and secure the concealed box.

2.

Fit the thermostatic assembly onto the support plate.

3.


Insert the concealed group into the mounting box and secure with the screws provided.  
Connect the water supply and test the system.

4.

Remove the protection. Finish with plaster and lay the coating.  
Lastly, install and secure the aesthetic plate of the thermostatic with all components.


## PROTECTIVE COVER CONCEALED PART WALL-MOUNTED WASHBASIN MIXER

The **special protective polystyrene cover** protects the concealed mixer body from contamination, facilitates installation and provides ample room for manoeuvring both during installation and when replacing control components at a later date with no need for carrying out building work.




1.

Insert the concealed group with protection, fixing plates and testing knobs fitted into the groove in the wall.  
Use the supplied rear plate and brackets for wall or plasterboard mounting.




2.

Check the conceal depths as indicated on the protective cover, finish with plaster and coating.  
Test for correct operation of the concealed assembly by inserting the supplied handle  
Test open/close operation.



3.


When the coating is complete, remove the fixing plates and the system testing handle.



4.


Trim the polystyrene protection and create openings to mount the knobs.

Finish off the installation by inserting and fixing the exposed components.




All mixers in the II Tondo range are equipped with an "easy-grip kit" which allows a pin to be added to the smooth handle in a few simple steps, thus making it easier to grip.


1 - GRAIN M5x20  
2 - PIN




Remove the plug from the handle




Unscrew the grain inside the handle



Screw in grain M5x20



Screw in the pin



**MIXERS****ENERGY SAVING SYSTEM AND WATER SAVING**

The **programme dedicated to energy and water saving** brings together a series of technologies conceived, designed and realised in-house that allow to generate an effective reduction in consumption with a positive economic and environmental impact.



It is possible to have the products in the standard version or with Energy Saving System cartridge.

**HOW IT WORKS**

The **Energy Saving cartridge** limits the accidental opening of hot water when the lever is in parallel position to the mixer spout.

Unlike classic mixers, in order to request hot water and activate the boiler, it needs a voluntary leftward movement of the lever.

This specific cartridge, when the lever is in a aligned position with the faucet mouth, allows opening in cold water only. In this way, the cartridge limits the unintentional opening of the hot water and the consequent switching on of the boiler, thus saving energy.

**TECHNICAL FEATURES**

Cartridge ø25 mm with high o-ring (immersed version)




25° lever opening angle

100° rotation of the lever during mixing



The mixers are equipped with a water-saving aerator which limits the flow rate to 6 litres per minute.

## AUTOMATIC DIVERTER WITH STOP



Automatic diverter with stop

Automatic diverter with stop

1.  
In the home position (with the diverter pulled), water is diverted to outlet 1 (main utility).

2.  
By pressing the diverter, water is diverted to the shower (2). The button returns to the home position, shutting off the water.

*In the event that the button always returns to its initial position, preventing diversion to the hand shower (an issue due to system pressures of less than one bar), the manual stop system allows manual intervention. Simply press and turn the button clockwise until it locks. In this case, water will always flow out of the hand shower. To return to the home position, turn the diverter clockwise until it is released.*

The thermostatic mixer can be configured by combining the thermostat alone with up to 3 diverters with 2 or 3 outlets, thus connecting up to a maximum of 9 outlets. The individual controls allow maximum freedom of expression by providing various combination possibilities and complete freedom of positioning (vertical, horizontal, in proximity of the various utilities, etc.)

### Example of 2-WAY THERMOSTATIC configuration

- W21800 = concealed part thermostatic only  
+ W21801 = concealed part diverter with stop 2 outlets

### Example of 3-WAY THERMOSTATIC configuration

- W21800 = concealed part thermostatic only  
+ W21802 = concealed part diverter with stop 3 outlets

### Example of 4-WAY THERMOSTATIC configuration

- W21800 = concealed part thermostatic only  
+ W21801 = concealed part diverter with stop 2 outlets  
+ W21801 = concealed part diverter with stop 2 outlets

### Example of 5-WAY THERMOSTATIC configuration

- W21800 = concealed part thermostatic only  
+ W21801 = concealed part diverter with stop 2 outlets  
+ W21802 = concealed part diverter with stop 3 outlets

### Example of 6-WAY THERMOSTATIC configuration

- W21800 = concealed part thermostatic only  
+ W21802 = concealed part diverter with stop 3 outlets  
+ W21802 = concealed part diverter with stop 3 outlets

### Example of 6-WAY THERMOSTATIC configuration

- W21800 = concealed part thermostatic only  
+ W21801 = concealed part diverter with stop 2 outlets  
+ W21801 = concealed part diverter with stop 2 outlets  
+ W21801 = concealed part diverter with stop 2 outlets

### Example of 7-WAY THERMOSTATIC configuration

- W21800 = concealed part thermostatic only  
+ W21801 = concealed part diverter with stop 2 outlets  
+ W21801 = concealed part diverter with stop 2 outlets  
+ W21802 = concealed part diverter with stop 3 outlets

### Example of 9-WAY THERMOSTATIC configuration


- W21800 = concealed part thermostatic only  
+ W21802 = concealed part diverter with stop 3 outlets  
+ W21802 = concealed part diverter with stop 3 outlets  
+ W21802 = concealed part diverter with stop 3 outlets

## CONFIGURE YOUR THERMOSTATIC MIXER




\* NOTE.  
Match the concealed parts in the examples with outer parts of IIondo, IIQuadro, Colonial, Race, Navis316 collections.

**PUSH-LEVER SHOWERS:  
SAFETY SYSTEM**




**TIMED PUSH-LEVER SHOWER SET**

Complete safety: water flow is regulated by a timed tap (20" closure).



**PUSH-LEVER SHOWER SET WITH SAFETY STOP SYSTEM**

Complete safety: the tap control lever must be returned to its closed position to put the push-lever shower back in the holder.



**PUSH-LEVER WITH SAFETY VALVE**

Complete safety: by placing the push-lever shower in the holder, the flow of water is shut off because of the safety valve integrated in the mixer.  
NOTE: The water flow should always be shut off with the opening and closing handle.

**FROM THERMOSTATIC TO MECHANICAL  
AND VICE VERSA**

CARIMALI external mixers are the **ONLY** ones that can be converted from thermostatic to mechanical (and vice versa) by simply changing the cartridge.



**EASY and QUICK  
procedure of a few  
simple steps**

Thanks to simple kits complete with everything you need:

**Cartridge**  
**New handle**  
**Adapter**  
**Installation tools**



3.  
Insert the adapter



4.  
Insert the new cartridge



5.  
Insert the new handle

**AVAILABLE KITS**


ART	ITEM DESCRIPTION Article description	FOR ITEMS For articles	€
ORIC036	Thermostatic to mixer conversion kit	Rigoletto 21500-CR	73,50
ORIC038	Mixer to thermostatic conversion kit	Rigoletto 21510-CR	56,50
ORIC061	Thermostatic to mixer conversion kit	Rigoletto (brass knobs) 21505-CR	112,00
ORIC062	Mixer to thermostatic conversion kit	Rigoletto (brass knobs) 21515-CR	102,00
ORIC055	Thermostatic to mixer conversion kit	Rigoletto Colonial 21522-CR	111,00
ORIC056	Mixer to thermostatic conversion kit	Rigoletto Colonial 21532-CR	93,00
ORIC039	Thermostatic to mixer conversion kit	Cosi 21400-CR	96,00
ORIC040	Mixer to thermostatic conversion kit	Cosi 21410-CR	116,00
ORIC057	Thermostatic to mixer conversion kit	Extreme 21550-CR	162,00
ORIC058	Mixer to thermostatic conversion kit	Extreme 21560-CR	121,00

## CARTRIDGE REPLACEMENT

### CONEALED SHOWER HEAD MYDREAM

**MYDREAM**  
ECO CARTRIDGE

The shower head is designed for optimum durability.  
The rain jet operating system consists of individual cartridges for optimum, uniform water distribution and easy replacement.



ART	ITEM DESCRIPTION	€
KIT00128	MyDream ECO cartridge replacement kit	62,00
KIT00028	MyDream Standard cartridge replacement kit	72,50

NOTE! Check the number of cartridges according to the model and purchase the required number of kits to replace all cartridges.

New ECO cartridge for MyDream shower heads  
**Maximum performance, minimum consumption.**

MODEL	Minimum flow rate	No. of nozzles	Specifications
standard cartridge	5 l/min	121 open nozzles	<ul style="list-style-type: none"> <li>• Full, consistent jet</li> <li>• To be paired with a suitable thermo-technical system</li> </ul>
ecocartridge	3 l/min	81 open nozzles	<p><b>ECO</b> WATER SAVING</p> <ul style="list-style-type: none"> <li>• Intense, high-performance jet</li> <li>• Reduced water consumption</li> <li>• Ideal for domestic use, renovations and hotel systems</li> <li>• Reduced flow rate for easy discharge</li> </ul>

#### HOW TO ORDER

The ECO version of the MyDream shower heads in the catalogue can be purchased at the same price by simply adding ECO to the article code.

It is possible to switch from the standard version to the ECO version by purchasing the KIT00128 to replace the standard cartridges on a purchased shower head.

NOTE! Check the number of cartridges according to the model and purchase the required number of kits to replace all cartridges.


ART	ITEM DESCRIPTION	€
KIT00128	MyDream ECO cartridge replacement kit	62,00

## MYDREAM SAFETY KIT

For installations in spas, wellness centres or private homes equipped with a pump and pressure boosting system, purchase of KIT00029 is recommended. This guarantees a tight cartridge seal even in the event of pressures of 4 bar.

ART	ITEM DESCRIPTION	€
KIT00029*	MyDream safety kit	31,50

1 Check the number of cartridges according to the model and purchase the required number of kits to fit all cartridges.



## MYDREAM PRESSURE RELIEF VALVE

In the event of pressure increase due to:

- clogged nozzles
- high line pressure
- water hammer

The pressure limiter reduces the pressure to 1 bar by reducing the transit of water inside the shower head.

This reduces the risk of deformation or damage to the article.

The company, which has always focused on improving its products, has included this valve as standard on all MyDream shower heads since November 2019.

For shower heads purchased prior to November 2019, it is advisable to purchase a pressure relief valve art. KIT00031/SC

ART	DESCRIPTION	€
KIT00031/SC*	Pressure relief valve	40,00




Kit for installation of MySlim and Ottomillimetri shower heads flush with false ceiling

Use of inspectable and serviceable shower heads is recommended



## FALSE CEILING SHOWER HEAD INSTALLATION KIT



Patented

ART	€
KIT00006	65,50



**A**  
Arrange a ceiling connection with G 1/2" M outlet in the proximity of the location of the shower head to be installed and a false ceiling at a distance from the G 1/2" M outlet between 135 mm and 160 mm.



**B**  
Prepare a hole of approximately Ø 150 mm in the false ceiling near the plumbing connection, screw hermetically the threaded fitting using a 24 mm wrench with hemp or similar materials.



**C**  
Apply the provided felt pads and the protective gasket on the top surface of the shower head.  
Then screw the adjustment kit on the shower head by using a wrench of 24mm and 22mm.



**D**  
Insert the shower head with adjustment kit into the hole near the threaded fitting.



**E**  
Tighten the shower head by hand as shown in the figure.




**F**  
When installation is complete, ensure that the shower head is perfectly stick to the false ceiling.

## MAINTENANCE OF MYSLIM AND OTTOMILLIMETRI SHOWER HEADS


The technology integrated into the shower head makes it possible to replace the nozzles and clean the inside of the filter in a few simple steps.



### EASY MAINTENANCE



1. Unscrew the grains



2. Open the ultra-thin shower head



3. Replace the anti-liming nozzle



4. Clean the filter

### BENEFITS




Inspectable and serviceable



Polished edge



Anti-liming nozzles



Fixing screws directly to the wall for maximum anchoring. HIDDEN



Minimal design shower



Large shower heads:

D500 D400 500x350 400x400 400x300

1. Easy installation

2. Option of pairing a large shower head with a minimalist style shower arm with maximum safety

3. Maximum anchoring even on plasterboard walls

## WATERFALL OH! ADJUSTABLE JET

Jet adaptable  
to operating pressure

The shape of the jet can be varied by turning the 3 screws at the rear of the waterfall using a 2 mm Allen key:

- clockwise = thin blade/wide jet;
- counter-clockwise = thick blade/narrow jet

## INSPECTABLE CARTRIDGE

All Carimali items are designed to be durable and maintain optimum performance and the same quality standards as an item that has just been purchased.

The option of easily inspecting a cartridge and removing impurities and liming means that the high level of performance of the product can be maintained at all times or any worn and compromised components can be replaced over time.



## INSTALLATION WITH NO CONCEALMENT

Procure a G 1/2" fitting for the installation of the waterfall.

Finish with plaster and lay the coating.

**NOTE:**  
minimum permissible depth between thread base and finished coating 30 mm.

**NOTE:**  
maximum permissible depth between G1/2" fitting and finished coating 20 mm.



## SCENTED WATER SYSTEM

The use of fragrances stimulates olfactory memory, which cannot be controlled voluntarily. Smells and perfumes remain imprinted in the human brain for a very long time.


Unlike the other senses, olfactory stimulation is the only one to travel directly into the cerebral cortex, which is responsible for emotion, memory, perception and all related cognitive functions.

For this reason, the choice of an aromatherapy and essence system is very important. Carimali's new system maximises the overall sensory experience.

## OPERATION


1. Choose which jet to connect the scented water system to
2. Once the peristaltic metering pump is connected to the jet, the flow rate of an essence may be adjusted for an immersive, ly personalised experience.
3. START-UP: To operate the scented water system, open the jet with the mixer and begin dispensing the essence by pressing the button on the Carimali switch control (article 0P001-CR page 386). Activation of a scented system independently of jet flow allows the freedom to choose whether and when to use the system without being forced to do so.
4. Once activated, the operating cycle includes: few seconds dispensing few seconds pause for a certain time.
5. SWITCH-OFF: To stop dispensing press the button on the Carimali switch control once more (article 0P001-CR page 386).

## INSTALLATION TIPS




## STRENGTHS NEW MYDREAM

- Minimalist design
- Chrome-plated stainless steel with galvanic treatment
- Ease of installation
- Inspectable and serviceable
- ECO version available: maximum performance, minimum consumption
- Possibility of purchasing the standard model and subsequently add more functions (subject to preparation of electrical and hydraulic connections)
- The cartridges, regardless of the function of the jet (blade or tropical), are interchangeable; in this way it is also possible to change the jet type at a later time.



## POSITIONING



## AUDIO SYSTEM

- A ON/OFF SWITCH (optional)  
B AUDIO SPEAKER  
C SWITCH CONTROL  
D SHOWER HEAD  
E CONTROL UNIT



### RAIN

An intense, full jet reproduces the feeling of a relaxing rain shower on your skin.



### ATOMIZERS

A refreshing mist that envelops the body in a soft, misty embrace.



### DOUBLE BLADE-JET WATERFALL

A double massaging waterfall to relax muscular tension and give a sense of well-being.



### DOUBLE TROPICAL WATERFALL

A double waterfall to create the effect of a tropical rain shower that, as it falls, relieves and reduces stress.



### CHROMOTHERAPY

The gentle light of chromotherapy envelops the entire body and the surrounding walls.



### SINGLE BLADE-JET WATERFALL

The power of a vigorous jet that regenerates the soul like a natural waterfall.





### SINGLE TROPICAL WATERFALL

A continuous, enveloping and relaxing jet that massages and recharges the body with positive energy.

## CONCEALED

The audio device consists of 2 high-performance stereo speakers that are easy to install. The speakers are sized to fit a concealed 503E power & switching box for 3 standard modules.

By preparing the electrical connection in the power & switching box and a Ø25 mm duct connecting the control unit and the two audio speakers, a music system can be installed not only in the bathroom but also in other areas in the house.



## OPERATION

Connect to the CARIMALI design shower\_space audio system by selecting "CARIMALI" in the Bluetooth menu of your device (smartphone or tablet).

The product is compatible with Bluetooth® 3.0, 2.1+EDR, 1.2 and 1.1 versions and uses Secure Simple Pairing (SSP) technology which, in addition to improving the synchronisation experience, increases connection security.

No PIN code is required to connect to the device. The device has been designed to achieve full compatibility with most devices.

Auto-off after 1 minute from loss of connection or after 4 hours from power on..

## HIGH WALL OUTLET COLUMN SPECIAL RENOVATION

### REPLACEMENT AND BENEFITS

CARIMALI high wall outlet columns allow the customer to replace their single-function shower head with DESIGN COLUMNS that have a dual function – a relaxing rain shower and a utility shower, with no damage to the coating.

1. Removal
2. Fixing the rail
3. Opening rain jet
4. Opening directional jet





Details



### TECHNICAL DETAILS

CARIMALI high wall outlet columns are adjustable in height:

Extensions (10 cm each) allow the height of the upper shower arm of the column to be adjusted to suit the position of the existing water fitting at 1.90 m, 2.00 m or 2.10 m.



High wall outlet columns are also available with different center distances: depending on the position of the existing water fitting and the installed mixer, the column with the most suitable center distance may be selected.

- A → 800 mm.
- B → 700 mm.
- C → 600 mm.

## ACCESSORIES AND SPARE PARTS

### 10-cm extension for high wall outlet columns



ART. KIT00013 € 35,50


Easy to disassemble diverter for liming cleaning.



- ORIC063/60 center distance 600 mm Stick, Square € 123,00
- ORIC063/70 center distance 700 mm Stick, Square € 123,00
- ORIC063/80 center distance 800 mm Stick, Square € 123,00
- ORIC064/60 center distance 600 mm Colonial € 128,00
- ORIC064/70 center distance 700 mm Colonial € 128,00
- ORIC064/80 center distance 800 mm Colonial € 128,00

Details


## ADJUSTABLE WALL RAIL



- Sliding rail sets adaptable to all types of coating.
- double adjustment on both holders.
- adjustable center distance

The wide range of center distance adjustment means that the holders can always be positioned within the grouting without drilling into the coating.

## MAGNETIC SLIDING RAIL KIT KALAMITA WITH SATELLITES



## BENEFITS

- Flexible installation: height and position of the "satellites" can be chosen.
- Interchangeable position of the hand shower depending on use.
- Fixing by means of plugs into the wall.

The wide range of center distance adjustment means that the holders can always be positioned within the grouting without drilling into the coating.

Maximum center distance 79 cm and minimum center distance 42 cm.


# Installation height

Installation height


Installation height

## INSTALLATION HEIGHTS CONCEALED SHOWER HEADS

MyDream Quadro




MyDream Tondo



## INSTALLATION HEIGHTS CONCEALED SHOWER HEADS

MyDream Colonial



Installation height

## FEATURES MYDREAM SHOWER HEADS



**Rain**  
An intense, full jet mimics the feeling of a relaxing rain shower on your skin.



**Centre rain + perimeter rain**  
An intense, full jet mimics the feeling of a relaxing rain shower on your skin.



**Single waterfall**  
The power of a vigorous jet that regenerates the soul like a true, natural waterfall.



**Perimeter rain**  
A comfortable rain jet that centres on the body leaving the face free and in direct contact with the steam inside the shower.



**Centre rain**  
A centre rain jet to enjoy a concentrated, regenerative effect.



**Double waterfall**  
A double massaging waterfall relieves muscle tension and provides a sense of well-being.



**Single waterfall**  
The power of a vigorous jet that regenerates the soul like a true, natural waterfall.



**Double tropical waterfall**  
A double waterfall to create the effect of a tropical rain shower that, as it falls, relieves and reduces stress.



**Single tropical waterfall**  
A continuous, enveloping and relaxing jet that massages and recharges the body with positive energy.



**Atomizers**  
A refreshing mist envelops the body in a soft, mist-like embrace.



**Chromotherapy**  
The diffuse chromotherapy light envelops the entire body and the surrounding walls.


## BENEFITS MYDREAM

- Chrome-plated stainless steel with electroplating treatment
- Ease of installation
- Inspectability and serviceability (See details page 540)
- ECO version available: maximum performance, minimum consumption (See details page 541)


- Adjustable and inspectable waterfall jet (See details page 546 for MyDream and page 548 for New MyDream)
- Hidden fixing screws
- Option of purchasing the standard model and adding more functions at a later date (after setting up the electrical and plumbing connections)

Installation height



Ceiling-mounted



Wall-mounted



Ceiling-mounted



Installation height

Installation height

## FEATURES WALL- AND CEILING-MOUNTED SHOWER HEADS



**Rain Jet**  
An intense, full jet reproduces the sensation of a relaxing rain shower on the skin.


## STRENGTHS OF WALL- AND CEILING-MOUNTED SHOWER HEADS

- Customised installation (one or more shower heads)
- Modular rain jet option
- Functionality and simplicity of design

- Easy-clean system for maintenance
- Inspectable aerator for maintenance

## INSTALLATION HEIGHTS WALL- AND CEILING-MOUNTED SHOWER HEADS

YES-WILL-EL'IT



## FEATURES WALL- AND CEILING-MOUNTED SHOWER HEADS



Rain  
an intense, full jet mimics the sensation of a relaxing rain shower on the skin.



Soft jet \*  
an aerated jet that envelops the body in a soft, relaxing massage.



Single waterfall \*  
The power of a vigorous jet that regenerates the soul like a true, natural waterfall.



Chromotherapy \*  
The diffuse chromotherapy light envelops the entire body and the surrounding walls.

## INSTALLATION HEIGHTS WALL- AND CEILING-MOUNTED SHOWER HEADS

Ceiling-mounted shower arms




## BENEFITS WALL- AND CEILING-MOUNTED SHOWER HEADS

- Wide range of solutions for design, functionality and installation options
- Chrome-plated stainless steel with electroplating treatment for all inspectable and serviceable versions


- Option of different finishings for all inspectable and serviceable versions
- Easy-clean anti-liming silicone nozzles for easy maintenance



\* Functions available only for "Yes" model, see page 351

Waterfall jet projection test at 3 bar  
(standard mains water system pressure).





Waterfall jet projection test at 3 bar  
(standard mains water system pressure).





#### Whirlpool jet performance.





#### Example

A) Theoretical coverage of spray jet.

B) Distance of person from spray nozzle.

It is advisable to install at least 2 atomizers at the suggested distances to obtain a jet in the back area and a jet in the leg area.

The theoretical coverage of the spray at 35 cm from the spray nozzle at 3 bar is 49 cm (see table above).

**INSTALLATION HEIGHTS CONCEALED SHOWER MIXER THERMOSTATIC CARTRIDGE INLETS G 1/2"**

**INSTALLATION HEIGHTS CONCEALED SHOWER MIXER THERMOSTATIC CARTRIDGE INLETS G 1/2"**

**FLOW RATE TABLES CONCEALED SHOWER MIXER THERMOSTATIC CARTRIDGE INLETS G 1/2"**
**ART. W5100 ART. W5101**
**ART. W21829CR ART. W21839CR**
**ART. W21221CR ART. W21231CR**

p (bar)	0.5	1	2	3
Q2 (l-min)	7.5	11	16	20
Q3 (l-min)	8.2	12.3	18	22.4
Q2 = flow rate 2 outlets				
Q3 = flow rate 3 outlets				

**ART. W5102 ART. W5103 ART. W5104**
**ART. W21849CR ART. W21859CR ART. W21869CR**
**ART. W21241CR ART. W21251CR ART. W21261CR**

p (bar)	0.5	1	2	3
Q2 (l-min)	7.5	11	16	20
Q3 (l-min)	8.2	12.3	18	22.4
Q2 = flow rate 2 outlets				
Q3 = flow rate 3 outlets				

**FLOW RATE TABLES CONCEALED SHOWER MIXER THERMOSTATIC CARTRIDGE INLETS G 1/2"**
**ART. W21028**

p (bar)	0.5	1	2	3
Q1 (l-min)	12.6	18	24	27
Q2 (l-min)	13.2	20	26	27.6
$Q_n$ = flow rate 1-2 outlets				

**ART. W21038**

p (bar)	0.5	1	2	3
Q1 (l-min)	12.6	18	24	27
Q2 (l-min)	13.2	20	26	27.6
Q3 (l-min)	13.8	21	27	27.6
$Q_n$ = flow rate 1-2-3 outlets				

**ART. W21048**

p (bar)	0.5	1	2	3
Q1 (l-min)	12.6	18	24	27
Q2 (l-min)	13.2	20	26	27.6
Q3 (l-min)	13.8	21	27	27.6
Q4 (l-min)	14.4	21	27	27.6
$Q_n$ = flow rate 1-2-3 -4 outlets				

**ART. W21058**

p (bar)	0.5	1	2	3
Q1 (l-min)	12.6	18	24	27
Q2 (l-min)	13.2	20	26	27.6
Q3 (l-min)	13.8	21	27	27.6
Q4 (l-min)	14	21	27	27.6
Q5 (l-min)	14	21	27	27.6
Q6 (l-min)	14	21	27	27.6
$Q_n$ = flow rate 1-2-3-4-5-6 outlets				

**ART. W21068**

p (bar)	0.5	1	2	3
Q1 (l-min)	12.6	18	24	27
Q2 (l-min)	13.2	20	26	27.6
Q3 (l-min)	13.8	21	27	27.6
Q4 (l-min)	14	21	27	27.6
Q5 (l-min)	14	21	27	27.6
Q6 (l-min)	14	21	27	27.6
$Q_n$ = flow rate 1-2-3-4-5-6 outlets				

**SPARE PARTS CONCEALED SHOWER MIXER MECHANICAL CARTRIDGE INLETS G 1/2"**

diverter cartridge 2-way



diverter cartridge 3-way



thermostatic cartridge




**SPARE PARTS CONCEALED SHOWER MIXER MECHANICAL CARTRIDGE INLETS G 1/2"**

ceramic cartridge 90°



thermostatic cartridge





## FLOW RATE TABLES CONCEALED SHOWER MIXER THERMOSTATIC CARTRIDGE INLETS G 3/4"

## ART. W21029CR

p (bar)	0.5	1	1.5	2	2.5	3
Q1 (l-min)	18	24	27.5	30	31.5	33
Q2 (l-min)	20	26.5	30	33.5	36.5	39
$Q_n = \text{flow rate } 1\text{-}2 \text{ outlets}$						

## ART. W21039CR

p (bar)	0.5	1	1.5	2	2.5	3
Q1 (l-min)	18	24	27.5	30	31.5	33
Q2 (l-min)	20	26.5	30	33.5	36.5	39
Q3 (l-min)	20.5	27	30.5	34	37.5	40
$Q_n = \text{flow rate } 1\text{-}2\text{-}3 \text{ outlets}$						

## ART. W21049CR

p (bar)	0.5	1	1.5	2	2.5	3
Q1 (l-min)	18	24	27.5	30	31.5	33
Q2 (l-min)	20	26.5	30	33.5	36.5	39
Q3 (l-min)	20.5	27	30.5	34	37.5	40
Q4 (l-min)	21	27.5	31	34.5	38	40
$Q_n = \text{flow rate } 1\text{-}2\text{-}3\text{-}4 \text{ outlets}$						

## ART. W21059CR

p (bar)	0.5	1	1.5	2	2.5	3
Q1 (l-min)	18	24	27.5	30	31.5	33
Q2 (l-min)	20	26.5	30	33.5	36.5	39
Q3 (l-min)	20.5	27	30.5	34	37.5	40
Q4 (l-min)	21	27.5	31	34.5	38	40
Q5 (l-min)	21	27.5	31	34.5	38	40
$Q_n = \text{flow rate } 1\text{-}2\text{-}3\text{-}4\text{-}5\text{-}6 \text{ outlets}$						

## FLOW RATE TABLES CONCEALED SHOWER MIXER MECHANICAL CARTRIDGE INLETS G 1/2"

## ART. W21529CR ART. W21539CR

## ART. W21421CR ART. W21431CR

p (bar)	0.5	1	2	3
Q2 (l-min)	10	14	20	24
Q3 (l-min)	12	15	21	26

Q2 = flow rate 2 outlets  
Q3 = flow rate 3 outlets

## ART. W21949CR ART. W21959CR ART. W21969CR

## ART. W21341CR ART. W21351CR ART. W21361CR

p (bar)	0.5	1	2	3
Q2 (l-min)	10	14	20	24
Q3 (l-min)	12	15	21	26

Q2 = flow rate 2 outlets  
Q3 = flow rate 3 outlets

ceramic cartridge 90°



thermostatic cartridge



diverter cartridge 2-way



diverter cartridge 3-way




mechanical cartridge




## INSTALLATION HEIGHTS CONCEALED SHOWER MIXER CONVENTIONAL CARTRIDGE INLETS G 1/2"

Mono 1



Mono 2



## FLOW RATE TABLES CONCEALED SHOWER MIXER CONVENTIONAL CARTRIDGE INLETS G 1/2"

ART. W5701

p (bar)	0.5	1	2	3	3
Q1 (l-min)	12	16	21	24	
Q2 (l-min)	7.5	10	13	16	

Q1 = flow rate outlet 3/4" F  
Q2 = flow rate outlet 1/2" F

ART. W5700

p (bar)	0.5	1	2	3	3
Q2 (l-min)	7.5	10	13	16	
Q3 (l-min)					

Q2 = flow rate outlet 1/2" F

ART. W4701

p (bar)	0.5	1	2	3	4	5
Q1 (l-min)	12.5	14	19	22	25	29
Q2 (l-min)	9.5	12	16	18	20	20

Q1 = flow rate outlet 3/4" F  
Q2 = flow rate outlet 1/2" F

ART. W4700

p (bar)	0.5	1	2	3	4	5
Q1 (l-min)	15	17	21	25	29	31
Qn = flow rate 1 outlet						

## SPARE PARTS CONCEALED SHOWER MIXER CONVENTIONAL CARTRIDGE INLETS G 1/2"

conventional cartridge



automatic diverter with stop



## FLOW RATE TABLES CONCEALED BATHTUB MIXER THERMOSTATIC CARTRIDGE INLETS G 1/2"

ART. W6100

p (bar)	0.5	1	2	3
Q1 (l-min)	7	10	14	17
Q2 (l-min)	6.5	8	12	14

Q1 = bathtub spout flow rate  
Q2 = shower flow rate

ART. W6101


p (bar)	0.5	1	2	3
Q1 (l-min)	9	10	14	17
Q2 (l-min)	6.5	8	12	14
Q3 (l-min)	10	14	20	24

Q1 = bathtub spout flow rate  
Q2 = shower flow rate  
Q3 = outlet free flow rate


## SPARE PARTS CONCEALED BATHTUB MIXER THERMOSTATIC CARTRIDGE INLETS G 1/2"



ORIC081



ORIC047



ORIC046

Diverter cartridge 1-way

Diverter cartridge 2-way

Thermostatic cartridge

## FLOW RATE TABLES DECK-MOUNTED BATHTUB MIXER CERAMIC CARTRIDGES 90° INLETS G 1/2"

ART. 0-xxx6501-

p (bar)	0.5	1	2	3
Q1 (l-min)	7	11	15.5	18.5
Q2 (l-min)	7	9	13	16

Q1 = bathtub spout flow rate  
Q2 = shower flow rate

ART. 0-xxx6502-

p (bar)	0.5	1	2	3
Q1 (l-min)	9	16	25	30
Q2 (l-min)	7	9	13	16
Q3 (l-min)	10	14	20	24


Q1 = bathtub spout flow rate  
Q2 = free outlet flow rate

## SPARE PARTS DECK-MOUNTED BATHTUB MIXER CERAMIC CARTRIDGES INLETS G 1/2"




ORIC021

Cartridge G 1/2" 90° counter-clockwise opening



ORIC080

Cartridge G 1/2" 90° clockwise opening





ORIC085

Diverter 2 outlets


CARIMALI mixers are equipped with neutral serigraph. ●

Mixers can be customised with an additional serigraph of a jet icon only by specifying jet type (see page 574) and connection sequence when ordering.


2-WAY OR 3-WAY MIXER ( 2 or 3 outlets non-simultaneous )



4-WAY, 5-WAY OR 6-WAY MIXER (opening up to 2 outlets simultaneously)




SINGLE-CONTROL 2-WAY ( 2 outlets non-simultaneous )




CARIMALI mixers are equipped with neutral serigraph. ●

Mixers can be customised with an additional serigraph of a jet icon only by specifying jet type (see page 574) and connection sequence when ordering.

2-WAY OR 3-WAY MIXER ( 2 or 3 outlets non-simultaneous )




1 = ●  
2 = ●



1 = ●  
2 = ●  
3 = ●

4-WAY, 5-WAY OR 6-WAY MIXER (opening up to 2 outlets simultaneously)



1 = ●      4 = ●  
2 = ●      5 = ●  
3 = ●      6 = ●


SINGLE-CONTROL ( 2 outlets non-simultaneous )




WHEN ORDERING, indicate  
the letters corresponding to the  
serigraphs to be affixed onto  
concealed mixers.

## Finishings



Installation height

**A**

Rain jet

**H**

Double waterfall jet

**B**Soft Jet  
Central Jet**L**

Perimeter Rain Jet

**C**


Waterfall Jet

**N**


Bathtub spout

**D**


Side Jets

**K**


Kneipp

**E**

Shower

**T**

Tropical jet

**F**

Atomizer

Finishings

## FINISHINGS TREATMENT KEY

### MODERN



**CHROME**  
- GALVANIC NICKEL-PLATING  
- GALVANIC CHROME-PLATING



**POLISHED NICKEL**  
- GALVANIC NICKEL-PLATING



**BRUSHED NICKEL**  
- GALVANIC NICKEL-PLATING  
- BRUSHING



**BRUSHED NICKEL**  
- GALVANIC NICKEL-PLATING  
- BRUSHING  
- PROTECTIVE GLOSSY VARNISH



**MATT BRUSHED NICKEL**  
- GALVANIC NICKEL-PLATING  
- BRUSHING  
- PROTECTIVE MATT VARNISH



**BRUSHED STEEL**  
- BRUSHING OF STEEL



**BRUSHED CHROME**  
- GALVANIC NICKEL-PLATING  
- BRUSHING  
- GALVANIC CHROME-PLATING



**MATT BLACK**  
- VARNISHING TREATMENT



**MATT WHITE**  
- VARNISHING TREATMENT



**BLACK CHROME**  
- GALVANIC BLACK CHROME-PLATING TREATMENT



**ROSE GOLD**  
- GALVANIC ROSE GOLD GOLADING



**BEIGE RED Ral 3012**  
- VARNISHING TREATMENT



**PASTEL BLU Ral 5024**  
- VARNISHING TREATMENT



**PASTEL TURQUOISE Ral 6034**  
- VARNISHING TREATMENT



**VIOLET BLU Ral 5000**  
- VARNISHING TREATMENT

## FINISHINGS TREATMENT KEY

### CLASSIC



**ANTIQUE BRASS**  
- GALVANIC TREATMENT  
- BRUSHING  
- PROTECTIVE GLOSSY VARNISH



**MEDIUM ANTIQUE BRASS**  
- GALVANIC TREATMENT  
- BRUSHING  
- PROTECTIVE GLOSSY VARNISH



**DARK ANTIQUE BRASS**  
- GALVANIC TREATMENT  
- BRUSHING  
- PROTECTIVE GLOSSY VARNISH



**MATT ANTIQUE BRASS**  
- GALVANIC TREATMENT  
- BRUSHING  
- PROTECTIVE MATT VARNISH



**MATT MEDIUM ANTIQUE BRASS**  
- GALVANIC TREATMENT  
- BRUSHING  
- PROTECTIVE MATT VARNISH



**DARK MATT ANTIQUE BRASS**  
- GALVANIC TREATMENT  
- BRUSHING  
- PROTECTIVE MATT VARNISH



**ANTIQUE COPPER**  
- GALVANIC TREATMENT  
- BRUSHING  
- PROTECTIVE GLOSSY VARNISH



**24K GOLD**  
- 24 K THICK GOLD GOLADING



**BRUSHED GOLD**  
- GALVANIC GILDING  
- BRUSHING



**ENGLISH GOLD**  
- GALVANIC GOLD GOLADING



**NATURAL POLISHED BRASS**  
- POLISHED BRASS



**DARK BRONZE MATT**  
- GALVANIC TREATMENT  
- PROTECTIVE MATT VARNISH

## PVD



**COPPER BRONZE**  
 - GALVANIC NICKEL-PLATING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**BRUSHED COPPER BRONZE**  
 - GALVANIC NICKEL-PLATING  
 - BRUSHING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**ROSE GOLD**  
 - GALVANIC NICKEL-PLATING  
 - BRUSHING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**BRUSHED ROSE GOLD**  
 - GALVANIC NICKEL-PLATING  
 - BRUSHING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**GOLD**  
 - GALVANIC NICKEL-PLATING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**BRUSHED GOLD**  
 - GALVANIC NICKEL-PLATING  
 - BRUSHING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**CHAMPAGNE**  
 - GALVANIC NICKEL-PLATING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**BRUSHED CHAMPAGNE**  
 - GALVANIC NICKEL-PLATING  
 - BRUSHING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**POLISH**  
 - GALVANIC NICKEL-PLATING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**BRUSHED POLISH**  
 - GALVANIC NICKEL-PLATING  
 - BRUSHING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**GUN METAL**  
 - GALVANIC NICKEL-PLATING  
 - BRUSHING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**BRUSHED GUN METAL**  
 - GALVANIC NICKEL-PLATING  
 - BRUSHING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**BLACK METAL**  
 - GALVANIC NICKEL-PLATING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**BRUSHED BLACK METAL**  
 - GALVANIC NICKEL-PLATING  
 - BRUSHING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**MATT GUN METAL**  
 - SATIN GALVANIC NICKEL-PLATING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**MATT COPPER BRONZE**  
 - SATIN GALVANIC NICKEL-PLATING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT



**MATT CHAMPAGNE**  
 - SATIN GALVANIC NICKEL-PLATING  
 - GALVANIC CHROME-PLATING  
 - PVD TREATMENT

## PVD - BENEFITS

Physical Vapour Deposition, often abbreviated to PVD, is a method for coating all types of materials with very strong adhesion properties and thin film layering. The PVD treatment, which is also used in the aerospace and biomedical industries, is non-toxic, biocompatible and provides a wide range of colour variations.

The table on the inside of the cover gives an indication of the different price increases for each treatment, depending on article category.

Carimali treatments are divided into 3 macro-categories (MODERN-CLASSIC-PVD).

Once the macro-category of the finishing is identified, check the reference category on the article page and apply the corresponding mark-up shown in the table to the list price.

#### EXAMPLE

ITondo - Concealed integrated duplex shower mixer 2-way MATT BLACK

ART. 21828EST/A-CR outer part 2-way	€ 309,00
ART. 21838EST/A-CR outer part 3-way	€ 309,00


PN





- Concealed shower mixer integrated duplex
- Thermostatic cartridge
  - Rotating diverter with 2 or 3 outlet closure
  - Stick single-function shower in brass<sup>3</sup>
  - Wall outlet with hand shower holder
  - PVC flexible hose 150 cm
  - Inlets G 1/2"
  - Concealed with protective cover<sup>4</sup>
  - Easy-grip kit included<sup>5</sup>
  - Chrome

ART. W5100<sup>1</sup> concealed part 2-way € 470,00  
ART. W5101<sup>1</sup> concealed part 3-way € 506,00

PN



AVAILABLE FINISHINGS		
MODERN	5	
CLASSIC	5	
PVD	5	



For finishing surcharge, see table on the inside cover of the catalogue

1 See installation heights, flow rate and spare parts table page 566

2 Order outer part number + concealed part number

3 Also available with ABS shower

4 See details page 530

5 See details page 533

Neutral standard jet serigraph. For additional serigraph with icons, specify jet outlets (see page 572) and connection sequence when ordering

PN See legend on page 10

21828/A-CR<sup>2</sup> 2-way TOTAL € 779,00  
21838/A-CR<sup>2</sup> 3-way TOTAL € 815,00

#### MODERN

CATEGORY	SPZ	NKLU	STN	NKSP	NKSPOP CRSP	NEOP BIOP	CRNE	OROS	BRD - PTQ PBL - VBL
1	NO	20%	30%	40%	45%	40%	90%	55%	45%
2	NO	20%	30%	40%	45%	40%	80%	80%	45%
3	NO	20%	30%	40%	45%	40%	90%	105%	45%
4	NO	20%	30%	40%	45%	40%	95%	120%	45%
5	NO	20%	30%	45%	50%	45%	80%	110%	50%
6	NO	20%	30%	40%	45%	40%	95%	125%	45%
7	NO	20%	30%	40%	45%	40%	55%	80%	45%
8	NO	20%	30%	40%	45%	40%	110%	155%	45%
9	NO	20%	30%	40%	45%	40%	30%	60%	45%
10	NO	20%	30%	40%	45%	40%	55%	65%	45%
11	NO	30%	60%	110%	120%	75%	135%	95%	80%
12	NO	10%	20%	55%	60%	50%	70%	75%	55%
13	NO	30%	60%	100%	120%	90%	180%	180%	95%
14	25%	NO	NO	NO	NO	NO	NO	NO	NO

#### USEFUL INFORMATION

- In the case of articles presented in the catalogue as an exposed part + a concealed part, the surcharge is to be applied only to the price of the exposed part.
- In order to allow the various treatments to be carried out, articles must be made of metal (no ABS)
- and inspectable and serviceable (especially for shower heads and showers).
- The shower heads of the EL'IT, WILL, MySlim, OttoMillimetri and Minimal lines are not treated on the upper part of the cover as it is not visible once the item is installed. It is, however, possible to carry out a treatment on the upper part by requesting a dedicated quote.
- The feasibility of treatments on articles is only confirmed for complete environments. Example:  
SHOWER HEAD + SHOWER ARM + DUPLEX + MIXERS or COLUMN WITH MIXER + SHOWER HEAD + SHOWER etc.
- Feasibility of treatments on individual articles (e.g. only SHOWER HEAD) must be explicitly authorised by Calflex.

#### DELIVERY TIMES

- MODERN - 3 WEEKS\*
- CLASSIC - 3 WEEKS\*
- PVD - 4 WEEKS\*

\*Delivery times are estimated and not binding.

Too many requests and/or defects in processing or other unforeseeable events may lead to delays in delivery times.

## Code index

CODE	€ PRICE	PAGE
00-0005X	1.908,00	416
00-0005X-BIOP	2.783,00	416
00-0005X-NEOP	2.783,00	416
00-0005X-SPZ	2.311,00	416
00020/ED-CR	535,00	432
00020/IA-A-CR	729,00	434
00020/IA-B-CR	729,00	434
00020/IA-C-CR	729,00	434
00020/ID-CR	510,00	432
00-0800-CR	463,00	421
00-0800Q-CR	476,00	423
00-0840-CR	544,00	422
00-0840Q-CR	561,00	424
00-0900-CR	532,00	421
00-0900Q-CR	545,00	423
00-0940-CR	613,00	422
00-0940Q-CR	630,00	424
00-1102-CR	2.501,00	415
00-1103-CR	2.681,00	415
00-1202E-CR	1.576,00	414
00-1203E-CR	1.697,00	414
00-18000-N-CR	668,00	404
00-18000Q-CR	721,00	410
00-1801Q-CR	594,00	412
00-1802Q-CR	497,00	412
00-1803Q-CR	695,00	408
00-1803X-04-CRX	533,00	406
00-1804-01E-CR	440,00	476
00-1804-04-CR	494,00	406
00-1804Q-06E-CR	448,00	478
00-1805-01E-CR	459,00	476
00-1805-N-CR	673,00	402
00-1808X-N-CRX	586,00	406
00-1809-N-CR	522,00	406
00-1810-04-CR	575,00	402
00-1810Q-CR	623,00	408
00-1811-N-CR	601,00	402
00-1821-01E-CR	488,00	476
00-1821Q-06E-CR	477,00	478
00-1822-01E-CR	516,00	476
00-1822Q-06E-CR	513,00	478
00-1824-CR	1.033,00	419
00-1826-CR	939,00	419
00-1827-CR	1.107,00	419
00-18400-N-CR	744,00	405
00-18400Q-CR	801,00	411
00-1841Q-CR	678,00	413
00-1842Q-CR	581,00	413
00-1843Q-CR	779,00	409
00-1843X-N-CRX	603,00	407
00-1844-01E-CR	509,00	477
00-1844-N-CR	564,00	407
00-1844Q-06E-CR	518,00	479
00-1845-01E-CR	522,00	477
00-1845-N-CR	749,00	403
00-1848X-N-CRX	663,00	407
00-1849-N-CR	598,00	407
00-1853-N-CR	637,00	403
00-1853Q-CR	707,00	409
00-1854-N-CR	681,00	403

## Code index

CODE	€ PRICE	PAGE
00-1891-01E-CR	558,00	477
00-1891Q-06E-CR	548,00	479
00-1892-01E-CR	575,00	477
00-1892Q-06E-CR	565,00	479
00-19000-N-CR	732,00	404
00-19000Q-CR	785,00	410
00-1901Q-CR	659,00	412
00-1902Q-CR	562,00	412
00-1903Q-CR	760,00	408
00-1903X-N-CRX	591,00	406
00-1904-N-CR	552,00	406
00-1905-N-CR	737,00	402
00-1908X-N-CRX	651,00	406
00-1909-N-CR	587,00	406
00-1910-N-CR	626,00	402
00-1910Q-CR	688,00	408
00-1911-N-CR	665,00	402
00-19400-N-CR	808,00	405
00-19400Q-CR	865,00	411
00-1941Q-CR	742,00	413
00-1942Q-CR	645,00	413
00-1943Q-CR	843,00	409
00-1943X-N-CRX	667,00	407
00-1944-N-CR	625,00	407
00-1945-N-CR	813,00	403
00-1948X-N-CRX	727,00	407
00-1949-N-CR	663,00	407
00-1953-N-CR	701,00	403
00-1953Q-CR	771,00	409
00-1954-N-CR	741,00	403
00-2000-CR	1.176,00	417
00-2002-CR	1.387,00	417
00-2005-CR	1.313,00	417
00-2020-CR	1.238,00	418
00-2022-CR	1.406,00	418
00-2025-CR	1.332,00	418
00-3000-CR	926,00	420
00-3002-CR	1.096,00	420
00-3005-CR	1.031,00	420
00410/IA-A-CR	609,00	433
00410/IA-B-CR	609,00	433
00410/IA-C-CR	609,00	433
00470/ED-CR	416,00	431
00470/ID-CR	390,00	431
00620/IA-A-CR	597,00	433
00620/IA-B-CR	597,00	433
00620/IA-C-CR	597,00	433
00670/ED-CR	373,00	430
00670/ID-CR	353,00	430
01-0800-CR	479,00	421
01-0800Q-CR	492,00	423
01-0840-CR	560,00	422
01-0840Q-CR	577,00	424
01-0900-CR	538,00	421
01-0900Q-CR	551,00	423
01-0940-CR	619,00	422
01-0940Q-CR	636,00	424
01-1202E-CR	1.598,00	414
01-1203E-CR	1.719,00	414
01-18000-N-CR	683,00	404

## Code index

CODE	€ PRICE	PAGE
01-18000Q-CR	736,00	410
01-1801Q-CR	610,00	412
01-1802Q-CR	513,00	412
01-1803Q-CR	711,00	408
01-1803X-04-CRX	548,00	406
01-1804-01E-CR	457,00	476
01-1804-04-CR	509,00	406
01-1804Q-06E-CR	464,00	478
01-1805-01E-CR	475,00	476
01-1805-N-CR	688,00	402
01-1808X-N-CRX	601,00	406
01-1809-N-CR	537,00	406
01-1810-04-CR	590,00	402
01-1810Q-CR	639,00	408
01-1811-N-CR	616,00	402
01-1821-01E-CR	504,00	476
01-1821Q-06E-CR	493,00	478
01-1822-01E-CR	532,00	476
01-1822Q-06E-CR	529,00	478
01-1824-CR	1.056,00	419
01-1826-CR	962,00	419
01-1827-CR	1.130,00	419
01-18400-N-CR	759,00	405
01-18400Q-CR	816,00	411
01-1841Q-CR	693,00	413
01-1842Q-CR	596,00	413
01-1843Q-CR	794,00	409
01-1843X-N-CRX	618,00	407
01-1844-01E-CR	525,00	477
01-1844-N-CR	579,00	407
01-1844Q-06E-CR	534,00	479
01-1845-01E-CR	538,00	477
01-1845-N-CR	764,00	403
01-1848X-N-CRX	678,00	407
01-1849-N-CR	613,00	407
01-1853-N-CR	652,00	403
01-1853Q-CR	722,00	409
01-1854-N-CR	696,00	403
01-1891-01E-CR	574,00	477
01-1891Q-06E-CR	564,00	479
01-1892-01E-CR	591,00	477
01-1892Q-06E-CR	581,00	479
01-19000-N-CR	738,00	404
01-19000Q-CR	791,00	410
01-1901Q-CR	664,00	412
01-1902Q-CR	567,00	412
01-1903Q-CR	765,00	408
01-1903X-N-CRX	597,00	406
01-1904-N-CR	558,00	406
01-1905-N-CR	743,00	402
01-1908X-N-CRX	657,00	406
01-1909-N-CR	593,00	406
01-1910-N-CR	632,00	402
01-1910Q-CR	693,00	408
01-1911-N-CR	671,00	402
01-19400-N-CR	814,00	405
01-19400Q-CR	871,00	411
01-1941Q-CR	748,00	413
01-1942Q-CR	651,00	413
01-1943Q-CR	849,00	409

## Code index

CODE	€ PRICE	PAGE
01-1943X-N-CRX	673,00	407
01-1944-N-CR	631,00	407
01-1945-N-CR	819,00	403
01-1948X-N-CRX	733,00	407
01-1949-N-CR	669,00	407
01-1953-N-CR	707,00	403
01-1953Q-CR	777,00	409
01-1954-N-CR	747,00	403
0A003-CR	787,00	384
0A110	750,00	383
0A110A	208,00	383
0A110E	208,00	383
0A110M	208,00	383
0A110MF	208,00	383
0C002-CR	633,00	385
0C004-CR	998,00	385
0C006-CR	1.300,00	385
0C008-CR	1.602,00	385
OCEN120-CR	101,00	513
OCEN130-CR	70,50	513
OCEN140-CR	113,50	513
OCEN220-CR	109,50	513
OCEN230-CR	77,50	513
OCEN320-CR	99,00	513
OCEN330-CR	75,50	513
OCEN340-CR	113,00	513
OCEN440-CR	120,50	513
0-CLN4700EST-CR	103,00	283
0-CLN4701EST-CR	131,00	283
0-DSD0501-CR	655,00	107
0-DSD0701-CR	614,00	107
0-DSD1501-CR	749,00	106
0-DSD1502EST-CR	704,00	106
0-DSD2501EST-CR	461,00	105
0-DSD2502EST-CR	431,00	104
0-DSD2503EST-CR	496,00	105
0-DSD2504EST-CR	477,00	104
0-DSD3501-CR	610,00	108
0-DSD3502EST-CR	563,00	108
0-DSD3701-CR	566,00	108
0-DSD4001EST-CR	314,00	117
0-DSD4002EST-CR	383,00	117
0-DSD4003EST-CR	466,00	118
0-DSD4004EST-CR	534,00	118
0-DSD4005EST-CR	609,00	119
0-DSD4101EST/O-CR	237,00	115
0-DSD4101EST-CR	237,00	115
0-DSD4102EST/O-CR	237,00	115
0-DSD4102EST-CR	237,00	115
0-DSD4201EST-CR	330,00	116
0-DSD4202EST-CR	420,00	116
0-DSD5101EST-CR	540,00	114
0-DSD5102EST-CR	540,00	114
0-DSD5103EST-CR	639,00	114
0-DSD5104EST-CR	639,00	114
0-DSD5105EST-CR	639,00	114
0-DSD6101EST-CR	873,00	121
0-DSD6102EST-CR	873,00	121
0-DSD6501-CR	1527,00	120
0-DSD6502-CR	815,00	120

## Code index

CODE	€ PRICE	PAGE
0-DSD7301EST-CR	2024,00	121
0-IQD0701-CR	564,00	227
0-IQD0702-CR	256,00	226
0-IQD1701-CR	329,00	226
0-IQD2702EST-CR	310,00	224
0-IQD2703EST-CR	341,00	224
0-IQD3701-CR	520,00	228
0-IQD3702-CR	271,00	228
0-IQD4700EST-CR	91,00	249
0-IQD4701EST-CR	115,00	248
0-IQD4702EST-CR	121,00	225
0-IQD4703EST-CR	152,00	249-475
0-IQD5703EST-CR	288,00	247
0-IQD5704EST-CR	330,00	247
0-IQD5705EST-CR	305,00	248
0-IQD5706EST-CR	263,00	248
0-IQD5707EST-CR	332,00	247-474
0-IQD5708EST-CR	290,00	247-474
0-ITD0701-CR	211,00	192
0-ITD0702-CR	211,00	192
0-ITD1701-CR	265,00	192
0-ITD1702-CR	265,00	192
0-ITD2701EST-CR	175,00	190
0-ITD2702EST-CR	221,00	190
0-ITD2900-CR	76,00	147-191-292
0-ITD2901-CR	122,00	147-191-292
0-ITD3701-CR	223,00	193
0-ITD3702-CR	223,00	193
0-ITD4704EST-CR	75,00	191-213
0-ITD4705EST-CR	105,00	213-475
0-ITD5112EST-CR	362,00	199
0-ITD5113EST-CR	362,00	199
0-ITD5705EST-CR	259,00	212-474
0-ITD5706EST-CR	247,00	212-474
0-ITD5707EST-CR	228,00	212
0-ITD5708EST-CR	219,00	212
0-ITD6101EST-CR	514,00	214
0-ITD7301EST-CR	1.504,00	214
0-ITD8700-CR	270,00	287
0-NVS0701-316	297,00	170
0-NVS1701-316	388,00	170
0-NVS2700EST-316	337,00	168
0-NVS2701EST-316	344,00	168
0-NVS2900-316	170,00	169-293
0-NVS2901-316	194,00	169-293
0-NVS3701-316	386,00	171
0-NVS4101EST-316	162,00	176
0-NVS4700EST-316	184,00	169-177
0-NVS4701EST-316	261,00	177
0-NVS4801EST-316	153,00	176
0-NVS4802EST-316	153,00	176
0-NVS7301EST-316	2.363,00	171
0-NVS7302EST-316	3.128,00	178
0-NVS9701-316	497,00	180
0-OCB0501-CR	705,00	83
0-OCB0701-CR	659,00	83
0-OCB1501-CR	796,00	82
0-OCB1502EST-CR	748,00	82
0-OCB2501EST-CR	506,00	81
0-OCB2502EST-CR	482,00	80

## Code index

CODE	€ PRICE	PAGE
0-OCB2503EST-CR	541,00	81
0-OCB2504EST-CR	525,00	80
0-OCB3501-CR	663,00	84
0-OCB3502EST-CR	613,00	84
0-OCB3701-CR	600,00	84
0-OCB4001EST-CR	357,00	93
0-OCB4002EST-CR	455,00	93
0-OCB4003EST-CR	561,00	94
0-OCB4004EST-CR	658,00	94
0-OCB4005EST-CR	752,00	95
0-OCB4101EST/O-CR	287,00	91
0-OCB4101EST-CR	287,00	91
0-OCB4102EST/O-CR	287,00	91
0-OCB4102EST-CR	287,00	91
0-OCB4201EST-CR	405,00	92
0-OCB4202EST-CR	510,00	92
0-OCB5101EST-CR	587,00	90
0-OCB5102EST-CR	587,00	90
0-OCB5103EST-CR	710,00	90
0-OCB5104EST-CR	710,00	90
0-OCB5105EST-CR	710,00	90
0-OCB6101EST-CR	944,00	97
0-OCB6102EST-CR	944,00	97
0-OCB6501-CR	1.643,00	96
0-OCB6502-CR	880,00	96
0-OCB7301EST-CR	1.951,00	97
OP001-CR	179,00	386
OP002-CR	268,00	386
OP003-CR	335,00	386
OP004-CR	268,00	386
OPUL010-CR	58,00	520
OPUL020-CR	72,00	520
OPUL110-CR	62,50	520
OPUL120-CR	71,50	520
0-QTM0501-CR	706,00	59
0-QTM0701-CR	693,00	59
0-QTM1501-CR	828,00	58
0-QTM1502EST-CR	732,00	58
0-QTM2501EST-CR	477,00	57
0-QTM2502EST-CR	435,00	56
0-QTM2503EST-CR	521,00	57
0-QTM2504EST-CR	487,00	56
0-QTM3501-CR	692,00	60
0-QTM3502EST-CR	552,00	60
0-QTM3701-CR	643,00	60
0-QTM4001EST-CR	285,00	69
0-QTM4002EST-CR	346,00	69
0-QTM4003EST-CR	417,00	70
0-QTM4004EST-CR	477,00	70
0-QTM4005EST-CR	535,00	71
0-QTM4101EST/O-CR	219,00	67
0-QTM4101EST-CR	219,00	67
0-QTM4102EST/O-CR	219,00	67
0-QTM4102EST-CR	219,00	67
0-QTM4201EST-CR	304,00	68
0-QTM4202EST-CR	385,00	68
0-QTM5101EST-CR	615,00	66
0-QTM5102EST-CR	615,00	66
0-QTM5103EST-CR	700,00	66
0-QTM5104EST-CR	700,00	66

## Code index

CODE	€ PRICE	PAGE
0-QTM5105EST-CR	700,00	66
0-QTM6101EST-CR	840,00	73
0-QTM6102EST-CR	840,00	73
0-QTM6501-CR	1.519,00	72
0-QTM6502-CR	719,00	72
0-QTM7301EST-CR	1.755,00	73
0-RCE0701-CR	226,00	148
0-RCE0702-CR	226,00	148
0-RCE1701-CR	289,00	148
0-RCE1702-CR	289,00	148
0-RCE2700EST-CR	187,00	146
0-RCE2701EST-CR	236,00	146
0-RCE3701-CR	247,00	149
0-RCE3702-CR	247,00	149
0-RCE4101EST/O-CR	194,00	155
0-RCE4101EST-CR	194,00	155
0-RCE4102EST/O-CR	194,00	155
0-RCE4102EST-CR	194,00	155
0-RCE4103EST-CR	128,00	156
0-RCE4301EST/O-CR	186,00	157
0-RCE4301EST-CR	186,00	157
0-RCE4302EST/O-CR	186,00	158
0-RCE4302EST-CR	186,00	158
0-RCE4700EST-CR	80,00	147-160
0-RCE4701EST-CR	117,00	160
0-RCE4801EST-CR	90,00	156
0-RCE4802EST-CR	90,00	156
0-RCE5101EST-CR	381,00	154
0-RCE5102EST-CR	381,00	154
0-RCE5112EST-CR	406,00	154
0-RCE5113EST-CR	406,00	154
0-RCE5301EST-CR	341,00	157
0-RCE5302EST-CR	341,00	157
0-RCE5701EST-CR	246,00	159
0-RCE5702EST-CR	237,00	159
0-RCE5703EST-CR	268,00	159
0-RCE5704EST-CR	279,00	159
ORIC003-CR	18,00	513
ORIC004-CR	29,00	514
ORIC006	123,00	523
ORIC007	21,50	522
ORIC009-CR	14,50	514
ORIC010	137,00	522
ORIC011	102,00	524
ORIC012	78,00	523
ORIC013	77,00	523
ORIC018	38,00	523
ORIC019	38,00	524
ORIC020	45,50	522
ORIC021	16,00	522
ORIC023	31,50	525
ORIC024	45,50	522
ORIC031	46,50	523
ORIC032	34,50	526
ORIC033	15,00	525
ORIC034	62,50	526
ORIC035	36,50	526
ORIC036	73,50	515
ORIC037	61,50	526
ORIC038	56,50	515

## Code index

CODE	€ PRICE	PAGE
ORIC039	96,00	516
ORIC040	116,00	516
ORIC042CR	106,00	515
ORIC043CR	95,00	515
ORIC046	73,00	522
ORIC047	52,00	525
ORIC048	91,00	525
ORIC049	32,50	524
ORIC050	78,00	525
ORIC051	58,00	525
ORIC052	78,00	523
ORIC053	78,00	524
ORIC055	111,00	515
ORIC056	93,00	516
ORIC057	162,00	516
ORIC058	121,00	516
ORIC059	75,50	523
ORIC060	44,00	526
ORIC061	112,00	515
ORIC062	102,00	515
ORIC063/60	123,00	516
ORIC063/70	123,00	516
ORIC063/80	123,00	516
ORIC064/60	128,00	516
ORIC064/70	128,00	516
ORIC064/80	128,00	516
ORIC079	26,50	524
ORIC080	14,50	522
ORIC081	58,00	525
ORIC082	20,00	522
ORIC083	32,00	524
ORIC084	13,00	520
ORIC085	109,50	520
ORIC086	9,50	519
ORIC087	9,50	519
ORIC088	31,50	519
ORIC089	3,50	519
ORIC090	4,50	519
ORIC091	3,50	519
ORIC092	11,00	519
ORIC093	18,50	524
ORIC094	3,50	520
ORIC095	39,00	520
0-SCL0701-CR	411,00	36
0-SCL0702-CR	478,00	36
0-SCL0703-CR	347,00	36
0-SCL1701/V-CR	5.220,00	34
0-SCL1701-CR	536,00	35
0-SCL1702/V-CR	2.123,00	34
0-SCL1702-CR	603,00	35
0-SCL1703-CR	474,00	35
0-SCL3701-CR	444,00	37
0-SCL3702-CR	511,00	37
0-SCL3703-CR	384,00	37
0-SCL4101EST/O-CR	266,00	45
0-SCL4101EST-CR	266,00	44
0-SCL4102EST/O-CR	266,00	45
0-SCL4102EST-CR	266,00	44
0-SCL4103EST/O-CR	446,00	45
0-SCL4103EST-CR	446,00	44

## Code index

CODE	€ PRICE	PAGE
0-SCL4104EST/O-CR	446,00	45
0-SCL4104EST-CR	446,00	44
0-SCL4105EST/O-CR	446,00	45
0-SCL4105EST-CR	446,00	44
0-SCL4106EST/O-CR	369,00	47
0-SCL4106EST-CR	369,00	46
0-SCL4107EST/O-CR	369,00	47
0-SCL4107EST-CR	369,00	46
0-SCL4108EST/O-CR	611,00	47
0-SCL4108EST-CR	611,00	46
0-SCL4109EST/O-CR	611,00	47
0-SCL4109EST-CR	611,00	46
0-SCL4110EST/O-CR	611,00	47
0-SCL4110EST-CR	611,00	46
0-SCL5101EST-CR	447,00	42
0-SCL5102EST-CR	447,00	42
0-SCL5103EST-CR	611,00	42
0-SCL5104EST-CR	611,00	42
0-SCL5105EST-CR	611,00	42
0-SCL5106EST-CR	552,00	43
0-SCL5107EST-CR	552,00	43
0-SCL5108EST-CR	792,00	43
0-SCL5109EST-CR	792,00	43
0-SCL5110EST-CR	792,00	43
0-SPZ0701-CR	216,00	259
0-SPZ1701-CR	314,00	259
0-SPZ2700EST-CR	53,00	258-265
0-SPZ2900-CR	147,00	258-293
0-SPZ2901-CR	185,00	258-293
0-SPZ3701-CR	237,00	260
0-SPZ4701EST-CR	114,00	265-475
0-STL0501-CR	538,00	128
0-STL0701-CR	366,00	131
0-STL0702-CR	407,00	129
0-STL1501-CR	597,00	128
0-STL1702-CR	462,00	129
0-STL2701EST-CR	211,00	130
0-STL2702EST-CR	261,00	130
0-STL3701-CR	356,00	131
0-STL4101EST-CR	239,00	136
0-STL4102EST-CR	239,00	136
0-STL6101EST-CR	679,00	137
0-STL6501-CR	974,00	136
0-STL7301EST-CR	1.527,00	137
0SUP058-CR	40,50	513
0SUP062-CR	40,50	513
OTLC003	251,00	386
1050	292,00	468
1051	313,00	468
1051STN	424,00	468
1052	404,00	468
1052STN	512,00	468
1055CR	526,00	468
1055NEOP	734,00	468
1055STN	683,00	468
1057CR	409,00	468
1057NEOP	594,00	468
1057STN	553,00	468
1075CR	385,00	468
1075NEOP	566,00	468

## Code index

CODE	€ PRICE	PAGE
1075STN	527,00	468
1076CR	470,00	468
1076NEOP	664,00	468
1076STN	618,00	468
1150	377,00	471
1150STN	544,00	471
1151CR	476,00	471
1151NEOP	734,00	471
1151STN	682,00	471
1152	463,00	471
1152STN	630,00	471
1155CR	614,00	471
1155NEOP	903,00	471
1155STN	840,00	471
1175CR	488,00	472
1175NEOP	746,00	472
1175STN	694,00	472
1176CR	598,00	472
1176NEOP	885,00	472
1176STN	823,00	472
1250CR	370,00	473
1250NEOP	566,00	473
1250STN	526,00	473
1251CR	267,00	473
1325CR	232,00	470
1325NEOP	342,00	470
1325STN	319,00	470
1326CR	184,00	470
1328CR	209,00	470
1329CR	273,00	470
1329NEOP	400,00	470
1329STN	372,00	470
1330CR	389,00	470
1330NEOP	565,00	470
1330STN	526,00	470
1350CR	250,00	470
1350NEOP	363,00	470
1350STN	339,00	470
1351CR	202,00	470
1352CR	292,00	470
1352NEOP	421,00	470
1352STN	392,00	470
1355CR	223,00	470
1356CR	405,00	470
1356NEOP	586,00	470
1356STN	546,00	470
1400	427,00	471
1400STN	595,00	471
1401	513,00	471
1401STN	681,00	471
1402CR	525,00	471
1402NEOP	789,00	471
1402STN	733,00	471
1403CR	664,00	471
1403NEOP	958,00	471
1403STN	891,00	471
1450CR	533,00	472
1450NEOP	801,00	472
1450STN	745,00	472
1451CR	648,00	472

## Code index

CODE	€ PRICE	PAGE
1451NEOP	940,00	472
1451STN	874,00	472
1500	218,00	469
1500NEOP	402,00	469
1501	247,00	469
1501NEOP	440,00	469
1502	270,00	469
1502NEOP	484,00	469
1510	229,00	469
1510NEOP	403,00	469
1511	261,00	469
1511NEOP	467,00	469
1512	285,00	469
1512NEOP	495,00	469
1520	250,00	473
1520NEOP	522,00	473
1521	280,00	473
1521NEOP	588,00	473
1522	308,00	473
1522NEOP	645,00	473
16220C120-CR	19,20	500
16220C150-BA	47,90	500
16220C150-BR	47,90	500
16220C150-CR	21,60	500
16220C150-CRSAT	55,90	500
16220C150-NEOP	46,50	500
16220C150-NKSP	50,10	500
16220C150-OR	86,70	500
16220C150-VO	45,20	500
16220C150-VR	46,50	500
16220C200-CR	27,20	500
16220XC120-CRX	15,80	500
16220XC150-CRX	17,90	500
16270C120-CR	21,60	500
16270C150-CR	24,70	500
16270C200-CR	30,40	500
16400XC120-CRX	21,90	501
16400XC150-CRX	21,90	501
16401XC120-CRX	29,10	501
16401XC150-CRX	29,10	501
16590C150-CR	24,00	500
16590C200-CR	30,60	500
16850C120-CR	11,40	501
16850C150-CR	12,40	501
16851C120-CR	17,90	501
16851C150-CR	18,90	501
16880C100-CR	20,40	501
16880C120-CR	22,40	501
16880C150-CR	24,30	501
16880C200-CR	28,60	501
18000/BOM-CR	55,00	497
18300/CIL-CR	54,00	497
18300/RIG-CR	52,50	497
18502/SC-CR/BI	44,50	498
18502/SC-CR/NE	44,50	498
18705/CIL-CR	53,50	496
18705XL/CIL-CR	55,00	496
18915-CR	16,50	496
19100/C-100-CR	161,00	286
19110/C-100-CR	461,00	289

## Code index

CODE	€ PRICE	PAGE
19119/C-100-CR	455,00	288
19125/C-100-CR	126,00	286
19151/C-100-CR	205,00	286
19166/C-100-CR	169,00	286
19610/C-100-CR	192,00	288
19619/C-100-CR	192,00	287
19810/C-100-CR	921,00	290
19819/C-100-CR	883,00	289
20020C30/A-CR	46,50	361
20020C30-CR	46,50	342
20020C30-SUP-CR	168,00	341
20020C35/A-CR	50,00	361
20020C35-CR	50,00	342
20020C35-SUP-CR	170,00	341
20020C40/A-CR	58,00	361
20020C40-CR	58,00	342
20020C40-SUP-CR	179,00	341
20026C30/A-CR	60,00	360
20026C30-CR	60,00	343
20026C35/A-CR	64,50	360
20026C35-CR	64,50	343
20026C40/A-CR	75,00	360
20026C40-CR	75,00	343
20026U35-CR	98,00	360
20040C35-CR	66,00	354
20040C35-CR(0001)	66,00	342
20040C35-SUP-CR	184,50	341
20040C40-CR	71,00	354
20040C40-CR(0001)	71,00	342
20040C40-SUP-CR	194,50	341
20051C35-CR	107,50	354
20051C40-CR	110,00	354
20060C35-CRX	213,00	354
20070C35-CRX	213,00	342
20090C15/A-CR	32,50	361
20090C15-CR	32,50	343
20090C20/A-CR	33,50	361
20090C20-CR	33,50	343
20126C15/A-CR	41,50	360
20126C15/B-CR	41,50	353
20126C15-CR	41,50	341
20126C30/A-CR	54,00	360
20126C30-B-CR	54,00	353
20126C30-CR	54,00	341
20126C60/A-CR	81,00	360
20126C60/B-CR	81,00	353
20126C60-CR	81,00	341
20150C15-CR	75,50	353
20150C30-CR	94,00	353
20150C60-CR	121,50	353
20600C20-CR	12,00	343
20600C25-CR	12,50	343
20600C30-CR	13,00	343
20950C40-CR	435,00	353
21020EST-CR	300,00	241
21022EST-CR	316,00	238
21024EST-CR	384,00	278
21025EST-CR	401,00	275
21027EST/A-CR	227,00	203
21029EST-CR	241,00	206

CODE	€ PRICE	PAGE
21030EST-CR	410,00	241
21032EST-CR	434,00	238
21034EST-CR	490,00	278
21035EST-CR	525,00	275
21037EST/A-CR	292,00	203
21039EST-CR	295,00	206
21040EST-CR	533,00	242
21042EST-CR	553,00	239
21044EST-CR	584,00	279
21045EST-CR	642,00	276
21047EST/A-CR	366,00	204
21049EST-CR	376,00	207
21050EST-CR	610,00	242
21052EST-CR	655,00	239
21054EST-CR	656,00	279
21055EST-CR	758,00	276
21057EST/A-CR	431,00	204
21059EST-CR	432,00	207
21060EST-CR	715,00	243
21062EST-CR	791,00	240
21064EST-CR	752,00	280
21065EST-CR	873,00	277
21067EST/A-CR	490,00	205
21069EST-CR	486,00	208
21221EST/O-CR	192,00	237
21221EST-CR	192,00	236
21225EST/O-CR	301,00	273
21225EST-CR	301,00	272
21228EST/A-CR	157,00	200
21228EST/AO-CR	157,00	201
21231EST/O-CR	192,00	237
21231EST-CR	192,00	236
21235EST/O-CR	301,00	273
21235EST-CR	301,00	272
21238EST/A-CR	157,00	200
21238EST/AO-CR	157,00	201
21241EST/O-CR	296,00	237
21241EST-CR	296,00	236
21245EST/O-CR	421,00	273
21245EST-CR	421,00	272
21248EST/A-CR	239,00	200
21248EST/AO-CR	239,00	201
21251EST/O-CR	296,00	237
21251EST-CR	296,00	236
21255EST/O-CR	421,00	273
21255EST-CR	421,00	272
21258EST/A-CR	239,00	200
21258EST/AO-CR	239,00	201
21261EST/O-CR	296,00	237
21261EST-CR	296,00	236
21265EST/O-CR	421,00	273
21265EST-CR	421,00	272
21268EST/A-CR	239,00	200
21268EST/AO-CR	239,00	201
21341EST/O-CR	296,00	246
21341EST-CR	296,00	245
21345EST/O-CR	429,00	282
21345EST-CR	429,00	281
21348EST/A-CR	246,00	210
21348EST/AO-CR	246,00	211

CODE	€ PRICE	PAGE
21351EST/O-CR	296,00	246
21351EST-CR	296,00	245
21355EST/O-CR	429,00	282
21355EST-CR	429,00	281
21358EST/A-CR	246,00	210
21358EST/AO-CR	246,00	211
21361EST/O-CR	296,00	246
21361EST-CR	296,00	245
21365EST/O-CR	429,00	282
21365EST-CR	429,00	281
21368EST/A-CR	246,00	210
21368EST/AO-CR	246,00	211
21421EST/O-CR	193,00	246
21421EST-CR	193,00	245
21425EST/O-CR	307,00	282
21425EST-CR	307,00	281
21428EST/A-CR	161,00	210
21428EST/AO-CR	161,00	211
21431EST/O-CR	193,00	246
21431EST-CR	193,00	245
21435EST/O-CR	307,00	282
21435EST-CR	307,00	281
21438EST/A-CR	161,00	210
21438EST/AO-CR	161,00	211
21500-CR	200,00	291
21505-CR	260,00	291
21510-CR	212,00	291
21515-CR	264,00	291
21521EST-CR	373,00	244
21522-CR	312,00	291
21528EST/A-CR	310,00	209
21531EST-CR	373,00	244
21532-CR	326,00	291
21538EST/A-CR	310,00	209
21550-CR	644,00	291
21560-CR	668,00	291
21800EST-CR	120,00	235
21801EST-CR	120,00	235
21802EST-CR	120,00	235
21804EST-CR	143,00	274
21805EST-CR	137,00	274
21806EST-CR	137,00	274
21807EST-CR	73,00	202
21808EST-CR	73,00	202
21809EST-CR	104,00	202
21821EST-CR	372,00	234
21828EST/A-CR	309,00	198
21831EST-CR	372,00	234
21838EST/A-CR	309,00	198
21841EST-CR	485,00	234
21848EST/A-CR	391,00	198
21851EST-CR	485,00	234
21858EST/A-CR	391,00	198
21861EST-CR	485,00	234
21868EST/A-CR	391,00	198
21941EST-CR	477,00	244
21948EST/A-CR	394,00	209
21951EST-CR	477,00	244
21958EST/A-CR	394,00	209
21961EST-CR	477,00	244

## Code index

CARIMALI®  
design water\_space

CODE	€ PRICE	PAGE
21968EST/A-CR	394,00	209
23002-CR	1.121,00	318
23003X-CRX	889,00	317
23004X-CRX	340,00	319
23008X-CRX	822,00	318
23009X-CRX	293,00	319
23010-CR	87,00	363
23012-CR	120,00	363
23015-CR	149,00	363
23021-CR	185,00	362
23025-CR	279,00	362
23030-CR	353,00	362
23052X/S-CRX	2.711,00	314
23052XN/S-CRX	3034,00	314
23054X-CRX	1.669,00	314
23054XN-CRX	1.969,00	314
23057X/S-CRX	1.666,00	315
23057XN/S-CRX	1.840,00	315
23057XN-CRX	1.285,00	315
23064X/S-CRX	1.167,00	316
23064XN/S-CRX	1.122,00	316
23064XN-CRX	651,00	316
23066X/S-CRX	1.678,00	320
23066XN/S-CRX	1.844,00	320
23066XN-CRX	1.158,00	320
23068X/S-CRX	1.149,00	321
23068X-CRX	428,00	322
23068XN/S-CRX	1.099,00	321
23068XN-CRX	619,00	321
23070X/S-CRX	2.920,00	308
23070X-CRX	2.221,00	308
23070XN/S-CRX	3.113,00	308
23070XN-CRX	2.397,00	308
23071X/S-CRX	3.134,00	324
23071X-CRX	2.389,00	324
23071XN/S-CRX	3.296,00	324
23071XN-CRX	2.577,00	324
23072X/S-CRX	2.128,00	326
23072X-CRX	1.528,00	326
23072XN/S-CRX	2.192,00	326
23072XN-CRX	1.613,00	326
23073X/S-CRX	1.893,00	310
23073X-CRX	1.334,00	310
23073XN/S-CRX	1.975,00	310
23073XN-CRX	1.411,00	310
23074X-CRX	1.219,00	329
23075X/S-CRX	2.615,00	309
23075X-CRX	1.926,00	309
23075XN/S-CRX	2.705,00	309
23075XN-CRX	2.005,00	309
23076X/S-CRX	2.877,00	325
23076X-CRX	2.087,00	325
23076XN/S-CRX	2.942,00	325
23076XN-CRX	2.205,00	325
23077X/S-CRX	1.225,00	328
23077X-CRX	507,00	329
23077XN/S-CRX	1.174,00	328
23077XN-CRX	709,00	328
23078X/S-CRX	1.912,00	327
23078X-CRX	1.313,00	327

## Code index

CODE	€ PRICE	PAGE
23078XN/S-CRX	1.996,00	327
23078XN-CRX	1.398,00	327
23079X/S-CRX	1.716,00	311
23079X-CRX	1.163,00	311
23079XN/S-CRX	1.793,00	311
23079XN-CRX	1.241,00	311
23080X/S-CRX	1.558,00	313
23080X-CRX	857,00	317
23080XN/S-CRX	1.509,00	313
23080XN-CRX	1.043,00	313
23081X-CRX	362,00	323
23082X-CRX	1.028,00	322
23090XKN/S-CRX	1.778,00	312
23090XKN-CRX	1.158,00	312
23091X/S-CRX	2.709,00	304
23091X-CRX	2.118,00	304
23091XCT/S-CRX	2.737,00	304
23091XCT-CRX	2.146,00	304
23091XN/S-CRX	2.813,00	304
23091XN-CRX	2.222,00	304
23091XNCT/S-CRX	2.841,00	304
23091XNCT-CRX	2.250,00	304
23091XNT/S-CRX	2.868,00	304
23091XNT-CRX	2.277,00	304
23091XT/S-CRX	2.764,00	304
23091XT-CRX	2.173,00	304
23092X/S-CRX	2.388,00	305
23092X-CRX	1.797,00	305
23092XCT/S-CRX	2.416,00	305
23092XCT-CRX	1.825,00	305
23092XN/S-CRX	2.432,00	305
23092XN-CRX	1.841,00	305
23092XNCT/S-CRX	2.459,00	305
23092XNCT-CRX	1.868,00	305
23092XNT/S-CRX	2.487,00	305
23092XNT-CRX	1.896,00	305
23092XT/S-CRX	2.443,00	305
23092XT-CRX	1.852,00	305
23093X/S-CRX	1.749,00	306
23093X-CRX	1.268,00	306
23093XN/S-CRX	1.793,00	306
23093XN-CRX	1.311,00	306
23093XNT/S-CRX	1.820,00	306
23093XNT-CRX	1.339,00	306
23093XT/S-CRX	1.776,00	306
23093XT-CRX	1.295,00	307
23094X/S-CRX	1.549,00	307
23094X-CRX	1.067,00	307
23094XN/S-CRX	1.592,00	307
23094XN-CRX	1.111,00	307
23094XNT/S-CRX	1.620,00	307
23094XNT-CRX	1.139,00	307
23094XT/S-CRX	1.576,00	307
23094XT-CRX	1.095,00	307
23215-CR	156,00	350
23220-CR	238,00	138-350
23230-CR	391,00	350
23421-CR	166,00	359
23425-CR	65,00	359
23621X-CRX	105,00	349

CARIMALI®  
design water\_space

# Code index

CODE	€ PRICE	PAGE
23623X-CRX	146,00	348
23625-CR	57,00	349
23628-CR	77,00	348
23630X-CRX	264,00	348
2454CR	771,00	467
2454NEOP	1.091,00	467
2454STN	1.018,00	467
2455	808,00	464
2455STN	1.036,00	464
2456CR	687,00	467
2457	895,00	464
2457STN	1.122,00	464
2458CR	907,00	464
2458NEOP	1.259,00	464
2458STN	1.174,00	464
2459CR	1.046,00	464
2459NEOP	1.428,00	464
2459STN	1.332,00	464
2460CR	912,00	466
2460NEOP	1.271,00	466
2460STN	1.186,00	466
2461CR	1.029,00	466
2461NEOP	1.410,00	466
2461STN	1.315,00	466
24910-CR	82,00	364
24931-CR	157,00	382
24934-CR	98,00	382
24938-CR	123,00	382
24950-CR	101,00	381
24960-CR	140,00	380
24970-CR	96,00	380
24980-CR	112,00	381
26110-CR	426,00	378
26112C35-316	531,00	179
26114-CR	387,00	379
26115X	707,00	379
26115X-BIOP	954,00	379
26115X-NEOP	954,00	379
26115X-SPZ	831,00	379
26116X	640,00	380
26116X-BIOP	1.038,00	380
26116X-NEOP	1.038,00	380
26116X-SPZ	752,00	380
26190-CR	426,00	378
26194-CR	387,00	379
26410-CR	428,00	378
26855-CRX	786,00	351
26856-CRX	786,00	338
26857X	366,00	352
26857XBIOP	681,00	352
26857XNEOP	681,00	352
26857X-SPZ	500,00	352
26858X	536,00	352
26858XBIOP	970,00	352
26858XNEOP	970,00	352
26858X-SPZ	698,00	352
26859-CR	666,00	48-338
26870EST/S-CR	2.397,00	351
26872EST-CR	1.823,00	351
26880X	361,00	215-339

# Code index

CODE	€ PRICE	PAGE
26880X-BIOP	506,00	215-339
26880X-BRD	524,00	215-339
26880X-NEOP	506,00	215-339
26880X-PBL	524,00	215-339
26880X-PTQ	524,00	215-339
26880X-SPZ	452,00	215-339
26880X-VBL	524,00	215-339
26881X	366,00	216-340
26881X-BIOP	513,00	216-340
26881X-BRD	531,00	216-340
26881X-NEOP	513,00	216-340
26881X-PBL	531,00	216-340
26881X-PTQ	531,00	216-340
26881X-SPZ	458,00	216-340
26881X-VBL	531,00	216-340
26882X	371,00	216-340
26882X-BIOP	520,00	216-340
26882X-BRD	538,00	216-340
26882X-NEOP	520,00	216-340
26882X-PBL	538,00	216-340
26882X-PTQ	538,00	216-340
26882X-SPZ	464,00	216-340
26882X-VBL	538,00	216-340
26883X	385,00	215-339
26883X-BIOP	539,00	215-339
26883X-BRD	559,00	215-339
26883X-NEOP	539,00	215-339
26883X-PBL	559,00	215-339
26883X-PTQ	559,00	215-339
26883X-SPZ	481,00	215-339
26883X-VBL	559,00	215-339
2700CR	529,00	466
2701CR	632,00	466
2701NEOP	970,00	466
2701STN	885,00	466
2707	465,00	465
2707NEOP	849,00	465
2708	494,00	465
2708NEOP	916,00	465
2709	520,00	465
2709NEOP	972,00	465
27100-CR	49,00	381
2710CR	638,00	464
2710STN	903,00	646
2711CR	674,00	464
2711STN	995,00	464
2712CR	720,00	464
2712NEOP	1.138,00	464
2712STN	1.041,00	464
2713CR	826,00	464
2713NEOP	1.313,00	464
2713STN	1.205,00	464
2714CR	751,00	465
2714NEOP	1.150,00	465
2714STN	1.053,00	465
2715CR	833,00	465
2715NEOP	1.295,00	465
2715STN	1.188,00	465
28110-CR	181,00	225-292
28111-CR	218,00	225-292

## Code index

CODE	€ PRICE	PAGE
2MM0001	99,00	346
2MM0001BIOP	207,00	346
2MM0001NEOP	207,00	346
2MM0002	133,00	346
2MM0002BIOP	245,00	346
2MM0002NEOP	245,00	346
2MM0003	150,00	346
2MM0003BIOP	289,00	346
2MM0003NEOP	289,00	346
2MM0011	99,00	357
2MM0011BIOP	213,00	357
2MM0011NEOP	213,00	357
2MM0012	133,00	357
2MM0012BIOP	251,00	357
2MM0012NEOP	251,00	357
2MM0013	150,00	357
2MM0013BIOP	301,00	357
2MM0013NEOP	301,00	357
31471/ED-01E-CR	431,00	481
31471/ID-01E-CR	415,00	481
31471Q/ED-06E-CR	419,00	481
31471Q/ID-06E-CR	403,00	481
31676/ED-01E-CR	385,00	481
31676/ID-01E-CR	369,00	481
31676Q/ED-06E-CR	392,00	481
31676Q/ID-06E-CR	376,00	481
31696/ED-01E-CR	314,00	480
31696/ID-01E-CR	298,00	480
31696Q/ED-06E-CR	323,00	480
31696Q/ID-06E-CR	307,00	480
32100-CR	113,00	517
32606-CR	76,50	512
32607-CR	80,50	512
32615-CR	83,50	510
32781-CR	52,50	510
32800/SC-CR	25,50	512
32815-CR	89,00	510
32850/SC-CR	48,00	512
32880-CR	28,00	510
32881-CR	32,00	510
33450-CR	22,50	512
33480-CR	40,50	510
33621-CR	48,50	511
33630-CR	28,00	511
33640-CR	21,50	511
33642-CR	25,00	511
33661-CR	9,50	511
33675-CR	22,50	513
33740-CR	23,50	511
3450CR	852,00	460
3450NEOP	1.130,00	460
3450STN	1.058,00	460
3451CR	638,00	463
3452	847,00	460
3452STN	1.017,00	460
3453	755,00	460
3453STN	929,00	460
3454CR	968,00	460
3454NEOP	1.270,00	460
3454STN	1.188,00	460

## Code index

CODE	€ PRICE	PAGE
3455	735,00	460
3458CR	681,00	463
3458NEOP	893,00	463
3458STN	838,00	463
3459CR	825,00	462
3459NEOP	1.102,00	462
3459STN	1.032,00	462
3460CR	913,00	462
3460NEOP	1.200,00	462
3460STN	1.123,00	462
35491/ED-01E-CR	367,00	480
35491/ID-01E-CR	351,00	480
35491Q/ED-06E-CR	352,00	480
35491Q/ID-06E-CR	336,00	480
3701CR	414,00	463
3703CR	462,00	463
3703NEOP	678,00	463
3703STN	622,00	463
3704CR	599,00	460
3704NEOP	909,00	460
3704STN	836,00	460
3705	517,00	460
3705STN	707,00	460
3706	498,00	460
3707	593,00	460
3707STN	801,00	460
3708CR	717,00	460
3708NEOP	1.055,00	460
3708STN	972,00	460
3709CR	597,00	462
3709NEOP	881,00	462
3709STN	810,00	462
3710	418,00	461
3710NEOP	717,00	461
3711	450,00	461
3711NEOP	755,00	461
3712	466,00	461
3712NEOP	805,00	461
3713	432,00	461
3713NEOP	701,00	461
3714	462,00	461
3714NEOP	766,00	461
3715	479,00	461
3715NEOP	793,00	461
3716CR	672,00	462
3716NEOP	985,00	462
3716STN	907,00	462
3717CR	434,00	463
3718CR	501,00	463
3718NEOP	736,00	463
3718STN	675,00	463
3719CR	617,00	463
3719NEOP	907,00	463
3719STN	835,00	463
43005-CR	34,50	493
43205-CR	32,00	493
44020/SC-CR	52,00	493
44220/SC-CR	46,50	493
45020/SC-CR	74,50	493
45220/SC-CR	67,50	493

## Code index

CODE	€ PRICE	PAGE
48605-CR	14,50	492
49815-CR	16,00	489
49816-CR/NE	21,00	489
49845-CR	22,50	490
49865-CR	63,50	488
49866-CR	83,50	494
49867-CR	91,00	494
49870-CR/NE	123,50	488
49878-CR	131,50	488
49917-CR	26,00	489
49918-CR/NE	28,50	489
49947-CR	57,50	490
49955-CR	130,00	489
51005-CR	28,50	491
52000/SC-CR	123,00	492
52200/SC-CR	115,00	492
55205-CR	32,00	491
55255-CR	23,50	491
55305-CR	18,00	492
55505-CR	45,50	490
55605-CR	23,00	490
5700CR	658,00	463
5701CR	762,00	463
5701NEOP	957,00	463
5701STN	897,00	463
5702CR	844,00	463
5702NEOP	1.122,00	463
5702STN	1.051,00	463
64511RES-CR	131,00	374
65171-CR	130,00	372
65172-CR/NE	135,00	373
65183-CR	75,00	373
65183-CR/NE	73,00	373
65272-CR	237,00	371
65283-CR	184,00	372
65290-CR	117,00	138-371
65291-CR	141,00	375
65292-CR	149,00	375
65460-CR	143,00	374
65545-CR	130,00	370
65561-CR	81,00	374
65645E-CR	86,00	370
66171-CR	140,00	372
66172-CR/NE	141,00	373
66181-CR	85,00	373
66183-CR	85,00	373
66183-CR/NE	80,00	373
66184-316	357,00	179
66272-CR/NE	231,00	371
66283-CR/NE	177,00	372
66545-CR	168,00	370
66710-CR	238,00	370
6700CR	391,00	288
70200-AC	4,50	514
70200-CR	9,50	514
70220-CR	5,50	498
70230-CR	32,50	514
70320-CR	55,50	504
70320-NEOP	83,50	457-458-459
70320-STN	67,00	457-458-459

## Code index

CODE	€ PRICE	PAGE
70320X	52,00	172-505
70321-CR	37,00	504
70400-CR	138,00	504
70400X	102,00	172-505
70500-CR	502,00	508
70600-CR	119,00	504
70600X	154,00	172-505
7700CR	345,00	287
7800	988,00	457
7800NEOP	1.434,00	457
7800STN	1.318,00	457
7900	976,00	457
7900NEOP	1.391,00	457
7900STN	1.278,00	457
8000CR	460,00	459
8000NEOP	642,00	459
8000STN	597,00	459
8100CR	441,00	459
8100NEOP	616,00	459
8100STN	572,00	459
8200	1.188,00	458
8200NEOP	1.733,00	458
8200STN	1.595,00	458
83000/70-CR	211,00	446
83000/71-CR	211,00	445
8300CR	534,00	459
8300NEOP	746,00	459
8300STN	693,00	459
84020/70-CR	214,00	446
84020/71-CR	241,00	445
84220/70-CR	232,00	446
84220/71-CR	248,00	445
84500/70-CR	269,00	446
84500/71-CR	285,00	445
85130X-CR	157,00	441
85131X-CR	146,00	441
85135X-CR	178,00	441
85136X-CR	169,00	441
85500-CR	434,00	445
85615X-CR	173,00	440
85616X-CR	152,00	440
85712-CR	304,00	447
85762-CR	316,00	447
85815X-CR	266,00	440
85816X-CR	245,00	440
85900-CR	239,00	442
85905-CR	259,00	442
88710/86-CR	64,00	444
8MM0002CRX	250,00	347
8MM0003CRX	320,00	347
8MM0005CRX	295,00	358
8MM0006CRX	394,00	358
95200/74-CR	101,00	444
95250/74-CR	90,00	444
95500-CR	73,00	482
95502E-CR	81,50	482
96000/86-CR	102,00	443
96000X-CR	173,00	441
96005X-CR	194,00	441
96100-CR	175,00	442

## Code index

CODE	€ PRICE	PAGE
96105-CR	193,00	442
96200-CR	236,00	448
96200-CRNE	377,00	448
96201-CR	336,00	449
96201-CRNE	511,00	449
96250-CR/NEOP	251,00	450
96250-CRNE/NEOP	317,00	450
96251-CR/NEOP	351,00	451
96251-CRNE/NEOP	438,00	451
99000-316	265,00	181
99001-316	351,00	181
99002-316	134,00	180
99003-316	255,00	181
99004-316	272,00	181
99005-316	296,00	181
99006-316	169,00	182
99007-316	87,00	182
99008-316	193,00	182
KIT00006	65,50	517
KIT00007	6,00	517
KIT00008	10,00	517
KIT00011	732,50	518
KIT00012	1.081,50	518
KIT00013	35,50	514
KIT00014	49,00	514
KIT00015	93,50	518
KIT00017	138,50	514
KIT00018	6,00	517
KIT00020	134,00	69-93-117-206-241-278-521
KIT00028	72,50	517
KIT00029	31,50	517
KIT00030	153,00	69-93-117-206-241-278-521
KIT00031/SC	40,00	518
KIT00040	171,00	70-94-118-207-242-279-521
KIT00050	193,00	70-94-118-207-242-279-521
KIT00051	191,50	518
KIT00052	367,00	518
KIT00060	227,00	71-95-119-208-243-280-521
KIT00128	62,00	517
SLM0001/NI	155,00	345
SLM0002/NI	177,00	345
SLM0002CRX	270,00	345
SLM0003/NI	248,00	344
SLM0003CRX	370,00	344
SLM0004CRX	613,00	344
SLM0005/NI	187,00	356
SLM0005CRX	286,00	356
SLM0006/NI	256,00	356
SLM0006CRX	407,00	356
SLM0007CRX	633,00	355
SLM0008CRX	588,00	355
SLM0009CRX	789,00	355
SLM0010CRX	976,00	344
W0046	0,00	351
W21028	437,00	68-92-116-203-238-275
W21029CR	690,00	69-93-117-206-241-278
W21038	534,00	68-92-116-203-238-275
W21039CR	845,00	69-93-117-206-241-278
W21048	629,00	204-239-276
W21049CR	998,00	70-94-118-207-242-279

## Code index

CODE	€ PRICE	PAGE
W21058	715,00	204-239-276
W21059CR	1152,00	70-94-118-207-242-279
W21068	808,00	205-240-277
W21069CR	1.312,00	71-95-119-208-243-280
W21221CR	373,00	44-46-67-91-115-136-155-200-201-236-237-272-273
W21231CR	409,00	44-46-67-91-115-136-155-200-201-236-237-272-273
W21241CR	544,00	44-46-200-201-236-237-272-273
W21251CR	582,00	44-46-200-201-236-237-272-273
W21261CR	614,00	44-46-200-201-236-237-272-273
W21341CR	491,00	157-158-210-211-245-246-281-282
W21351CR	524,00	157-158-210-211-245-246-281-282
W21361CR	573,00	157-158-210-211-245-246-281-282
W21421CR	330,00	157-158-210-211-245-246-281-282
W21431CR	359,00	157-158-210-211-245-246-281-282
W21529CR	417,00	157-209-244
W21539CR	450,00	157-209-244
W21800CR	273,00	156-176-202-235-274
W21801CR	147,00	156-176-202-235-274
W21802CR	186,00	156-176-202-235-274
W21949CR	572,00	209-244
W21959CR	609,00	209-244
W21969CR	644,00	209-244
W2500	234,00	58-60-82-84-106-108
W2501	294,00	56-57-80-81-104-105
W2502	136,00	130-146-168-190-224
W4700	78,00	147-160-169-177-191-213-225-249-250-258-265-283
W4701	115,00	160-177-213-248-249-265-283
W5100	470,00	42-67-90-114-154-198-234
W5101	506,00	42-67-90-114-154-198-234
W5102	632,00	42-67-90-114-154-198-234
W5103	669,00	42-67-90-114-154-198-234
W5104	713,00	42-67-90-114-154-198-234
W5105	529,00	154-199
W5106	565,00	154-199
W5700	227,00	159-212-248
W5701	273,00	159-213-248
W6100	606,00	73-97-121-127-214
W6101	606,00	73-97-121
W7301	309,00	73-97-121-127-214
W7302	235,00	171-178

**ORDERS**

By placing an order the Customer accepts in full our sale conditions as listed here.  
Orders are valid only if they are duly confirmed by Calflex srl.

**PRICING**

The PRICES in this PRICE list do not include VAT.  
The seller reserves the right to update prices, general conditions of sale and the products themselves (by making changes to articles and/or finishings or even eliminating the model itself from this price list) at any time and at its sole discretion without any obligation to give prior notice.

**TERMS OF DELIVERY**

The terms of delivery indicated by us are always approximate and never binding for the seller.  
They shall not entitle the customer to cancel the order or suspend/delay payments, and the seller shall not be liable in any way for any direct or indirect damage that may arise from the delayed or non-delivery of all or part of the order. The purchaser shall be obliged to take delivery of the products even in the case of partial deliveries or if delivered before or after the agreed date.  
Under no circumstances may the purchaser claim compensation or indemnity of any kind. This includes major delays caused by natural disasters, riots, strikes, fires or other unforeseeable events.

**SHIPMENT**

Shipping shall be carried out in the manner deemed most appropriate by the seller. Upon delivery, the customer shall be obliged to check the ordered material and make a claim directly to the carrier in the event of tampering with, or damage to, the packaging.

**PAYMENTS**

Payments shall be made punctually directly to the seller's domicile. After the agreed deadlines, interest on arrears shall be charged.  
It should be noted that late payment entitles the seller to suspend, without prior notice, any ongoing supply. Items shall remain the property of the seller until the PRICE has been paid in full.

**RETURNS**

Goods are always returned ex works and accompanied by our return authorisation number.  
The same, even if provided free at destination or in any other special condition, shall travel at the risk and peril of the client, who shall also be responsible for the costs of claims or actions of any kind against the carrier.

**IMAGES**

All images and illustrations in the PRICE lists, catalogues and brochures are illustrative, do not constitute an obligation of faithful rendering, and are subject to change.  
The company reserves the right to make technical and cosmetic changes or modify or delete individual items or complete series without prior notice.

**JURISDICTION**

In case of disputes Verbania court (Italy) is the only competent court to settle any controversies.

**CLAIMS**

Any complaints shall be communicated in writing within 8 days of receipt of the goods and be accompanied by a detailed description of the defect and accompanied by videos/photos, warranty and receipt/invoice.

Please note that our liability shall be limited to the mere replacement of defective components and items found to be defective.

Any and all liability for damage caused to persons or property as a result of the defective items referred to above shall therefore be excluded. Upon replacement, the company shall be entitled to return the defective products, which become its property.

The customer may request the article to be treated as follows:

1- **REPLACEMENT**, following receipt and verification of the defective article by the seller

2- **ADVANCE REPLACEMENT** with the immediate sending of the article in replacement and subsequent verification of the defective article by the seller. In this case, defective products shall be returned strictly within 30 days from the date of the transport document of the material received in advance, otherwise the supplied material shall be invoiced without prior notice.

Material returned from early replacement shall be verified by our technical department.

In the event of damage, defects not covered by the warranty, unsuitable packaging, wear and tear, neglect, lack of maintenance, etc., the material already supplied as a replacement shall be invoiced.

**GENERAL CONDITIONS**

By issuing the order, the customer unconditionally accepts the above clauses.

Statements, promises and guarantees made by employees, agents and collaborators that differ from the conditions agreed upon or included in our PRICE lists shall only become binding and enforceable after they have been confirmed in writing by the company management.

The customer is responsible for all identification data provided to the seller such as company name - registered office - tax code - VAT number and all others specifically required by current legislation.

Customer data, according to Law 675 / 95, shall be kept and processed for the fulfilment of legal obligations. Any other use must be explicitly accepted by the customer.

To prevent dirt or debris from entering the product and causing operational issues, always purge the system before connecting supply pipes.

It is also advisable to install an appropriate filter at the inlet to the system.

To prevent liming from clogging the diffuser, we recommend regularly rubbing the silicone nozzles to free them from liming and to keep the diffuser clean, and regularly cleaning the aerator filter to remove liming.

**CLEANING**

To clean metal parts: use a damp cloth with neutral soap, rinse and dry to avoid liming residue. Important: only neutral, soap-based detergents should be used. Do not use abrasive cleaners or disinfectants or those containing alcohol, hydrochloric or phosphoric acid, bleach, chlorine or any other substance.

**WARRANTY**

Dear Customer, thank you for choosing a CALFLEX S.r.l. product.

The article you have purchased has been manufactured and tested in our production unit located in Z.I. 5/bis, 28891 Nonio (VB), Italy, in compliance with the quality standards laid down in regulations: UNI EN ISO 9001-2015

The warranty period against manufacturing defects for CALFLEX products range is 5 years (unless otherwise stated in writing). The warranty for products with a finish different than chrome is 2 years. Parts subject to wear and tear (mixing cartridge, headworks, non-return valve etc.), after evaluation by Calflex S.r.l., are guaranteed for a period of 2 years from the date of purchase.

The guarantee does not cover damage caused by: improper installation and/or use, incorrect system design, normal wear and tear, damage caused by limescale or impurities, use of cleaning and maintenance products other than those specifically indicated in these instructions.

Furthermore, Calflex S.r.l. shall not be liable for labour costs and/or damages, even those accidental or consequential, occurring during installation, repair or replacement of the product.

Please note that the warranty on the surface of our products is not valid if the material has undergone any treatment other than that suggested by us.

Warranty claims can only be made by presenting a dated document proving the purchase of the product. The warranty only relates to manufacturing defects and only entitles the claimant to the repair or free delivery of the part acknowledged to be defective.

Calflex S.r.l. reserves the right to inspect the disputed part to assess warranty applicability.

The warranty begins on the date of purchase of the product, proven by verifiable documentation (invoice, receipt) and is not renewable.

For further information contact Calflex s.r.l.  
on +39 0323 889328 or the dealer in your area.



Creation:

[mmgdesign.it](http://mmgdesign.it)

Printing:

[Grafiche Antiga](#)

CALFLEX Srl  
Zona Industriale 5/bis  
28891 Nonio / VB - ITALY  
Tel. +39 0323 88 93 28  
Fax +39 0323 88 93 38  
E-mail : [info@carimali.it](mailto:info@carimali.it)  
[www.carimali.it](http://www.carimali.it)

| Calflex Srl reserves the right to make any changes at any time, without immediately updating this publication, which are deemed useful in improvement of the product or for construction requirements.

CARIMALI.IT

CALFLEX SRL

Zona industriale 5/bis  
28891 Nonio (VB), Italy  
+39 0323 88 93 28

[info@carimali.it](mailto:info@carimali.it)